


MEDICAL LIBRARY

(MINISTRY OF HEALTH.)



the Registrar
Marriages

MEDICAL LIBRARY

Sent: Reminder Ret'd



22500993271


No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.


The volume may be reborrowed for a further period upon written request provided it is not required by another officer.



5689
18

FIRST
DETAILED ANNUAL REPORT
OF THE
REGISTRAR-GENERAL
OF
BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1861.



-2980543

WELLCOME INSTITUTE LIBRARY	
Coll.	weIMCmac
Call	Scr
No.	WA

REPORT.

TO THE

RIGHT HON^{BLE}. SIR GEORGE C. LEWIS, BART., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, May 1, 1861.

SIR,

IN conformity with the Seventh Section of the Scottish Registration Act, 17° & 18° VICT. c. 80, I had the honour to submit, in 1856, to Secretary Sir George Grey, a General Abstract of the Births, Deaths, and Marriages which were registered in Scotland during the year 1855, in order that the same might be laid before Parliament.

I now submit to you more extended Abstracts of the Births, Deaths, and Marriages registered in every District of Scotland during that year; together with the number of Illegitimate Births in every District, distinguishing the sexes.

Tables of the Ages at Death, and of the Causes of Death at different periods of life, distinguishing the sexes, are also now submitted; and, considering that it would add greatly to the value of these were the influence of an Insular, a Mainland and Rural, and of a Town residence, on the fatality of different diseases traced, I have divided Scotland into Three Great Divisions, and drawn up the Tables so as to exhibit the influence of each of these localities on the health of the population.

I desire, in particular, to direct your attention to the interesting results arrived at, relative to the small comparative mortality from Phthisis (or Consumption) in the Western Islands and in Argyllshire, the particulars of which you will find detailed in the Superintendent of Statistics' Report to me on the Causes of Death.

To aid sanitary inquiries into the State of Health of our Town populations, I have given full tabular statements of the Causes of Death in each of the sexes, and at different periods of life, in the Eight Principal Towns of Scotland, including therein the great suburban Parishes of Barony and Govan. I have also prepared, but have not deemed it necessary to publish in detail, similar Tables for all the Scottish Towns whose respective populations at the Census of 1851 exceeded ten thousand persons.

As weather, but more especially mean temperature, seems to exert a most potent influence on the health of the population, I have appended one Table, showing the influence of mean monthly temperature on the general monthly mortality.

Some of the additional facts brought to bear on the probable causes of the high proportion of Illegitimate Births in Scotland merit notice.

It is gratifying to find the proportion of men and women who are able to write their names in the Marriage Register so high, that over all Scotland 88·6 per cent. of the men, and 77·2 per cent. of the women, signed their names in the Registers. The result tends to show, what had long been suspected, that the state of education among the people of Scotland is further advanced than in the sister Kingdom.

I have the honour to be,

SIR,

Your faithful Servant,

W. P. DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of the Registrar-General to the Secretary of State,	iii
Brief description of Scotland, its Acreage and Population,	ix
Act for the Registration of Births, Deaths, and Marriages,	x
Estimated Population of Scotland and its Three Great Divisions in 1851; and Summary Table of the Number and Proportion of Births, Deaths, and Marriages in Scotland and its Three Divisions in 1855, specifying also the Number and Proportion of the Illegitimate Births,	xi

BIRTHS IN 1855.

Number and Proportion of Legitimate and Illegitimate Births in Scotland, and in its Three Great Divisions, the Insular, Mainland, and Town Districts,	xii
Proportion of Sexes at Birth,	xii
Proportion of Illegitimate Births in the several Counties of Scotland,	xiv
Number of Illegitimate Births in the inverse ratio of the condition of the Country as to Education,	xv
Influence of Size of Farm on the Proportion of Illegitimate Births,	xv
Proportion of Sexes in the Illegitimate Births,	xvii
Supposed influence of Marriage Laws of Scotland in increasing the Proportion of Illegitimate Births,	xviii
Number of Children born to each Marriage,	xviii
Number of Children borne by each Mother in Edinburgh in 1855,	xix

MARRIAGES IN 1855.

Number and Proportion of Marriages in Scotland in 1855,	xx
Number of Marriages celebrated according to the Rites of the several Religious Denominations,	xxi
Number and Proportion of Men and Women who signed the Marriage Register by Mark in 1855,	xxi
Number of Marriages between Bachelors and Spinsters; Bachelors and Widows; Widowers and Spinsters; and Widowers with Widows,	xxii
Ages of Men and Women who contracted Marriage in 1855,	xxii

DEATHS IN 1855.

Number and Proportion of Deaths in Scotland and its Three Great Divisions, the Insular, the Mainland, and the Town Districts, in 1855,	xxiv
Table of per centage of Deaths to Population in some of the Chief States of Europe,	xxiv
Influence of Sex on the Mortality,	xxiv
Influence of Age on the Mortality,	xxv
Table of the Population and Deaths in Scotland in 1855 at different Ages, distinguishing the Sexes; and the per centage of Deaths to the Population at each several Age,	xxv
English Table for comparison,	xxvi
Female Life more valuable than Male Life in Scotland,	xxvi

	Page
Population and Deaths in 1855 in each of the Eight Principal Towns of Scotland; distinguishing the Sexes and Ages, and showing the Proportion of Deaths to the Living at each Age,	xxvii to xxx
Different Modes of estimating the Comparative Healthiness of a Town or District,	xxviii
CAUSES OF DEATH.	
Table showing the Proportion of Deaths from different Diseases in every hundred thousand persons of the general Population, and also of each Sex, in Scotland, and in its Three Great Divisions, the Insular, the Mainland, and the Town Districts,	xxxiv
Table showing the Proportion of Deaths from different Diseases in every ten thousand Specified Causes of Death in Scotland and its Three Great Divisions, distinguishing the Sexes,	xxxv
Deaths from the Zymotic Class of Diseases—Small-pox, Measles, Scarlatina, Hooping-cough, Typhus, etc.,	xxxiii
Deaths from Diseases of Uncertain Seat—Dropsy, Cancer, etc.,	xxxix
Deaths from the Class of Tubercular Diseases—Scrofula, Tabes Mesenterica, Phthisis or Consumption, and Hydrocephalus,	xxxix
Proportional Mortality from the Tubercular Class of Diseases in the Eight Principal Towns of Scotland,	xl
Comparative Low Mortality from Consumption in the Western Isles and in Argyllshire, and Eligibility of coast of Argyll as a place of residence for Invalids labouring under Lung Disease,	xlii
Proportion of Sexes cut off by Consumption,	xliii
Deaths from Diseases of Brain and Nervous System—Apoplexy, Paralysis, Convulsions, etc.,	xlv
Deaths from Diseases of Heart and Organs of Circulation,	xlv
Deaths from Diseases of Respiratory Organs—Bronchitis, Pneumonia, Asthma, etc.,	xlvi
Deaths from Diseases of Organs of Digestion, and probable reason for the Proportion of such Deaths being high in Scotland,	xlvii
Deaths from Diseases of the Urinary Organs, and supposed Influence of Alcoholic Drinks in increasing the Deaths from these causes,	xlvii
Deaths from Childbirth and Diseases of the Organs of Generation, and an endeavour to account for the High Mortality of the Scottish Female in Childbirth,	xlviii
Deaths from Premature Birth, and the high Disproportion of the Sexes,	xlix
Deaths from Old Age,	xlix
Violent Deaths,	l
Table showing the Twelve most Fatal Diseases in Scotland, and, for comparison, Table of the Twelve most Fatal Diseases in England,	li
Influences of External Agencies on the Mortality in 1855,	li
Indication of Full Employment of the Working Classes drawn from Statement as to Deposits in the Savings' Banks,	lii
Supply of Animal Food in 1855,	lii
Price of Grain and Provisions in 1855,	liii
Influence of Weather on the Mortality in 1855,	liv
Table showing the close connection between Mean Temperature and Number of Deaths in 1855,	liv
Influence of Mean Temperature on the Deaths in America and on the Continent of Europe,	lvi
Table showing the close connection between Mean Temperature and the Number of Deaths in New York and in Massachusetts for a series of years,	lvi

ABSTRACTS, 1855.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1855, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1841 and 1851, the Excess of Births over Deaths, and the Number of Statute Acres in each County,	1
Tables of the Population in 1841 and 1851, and of the Births, Deaths, and Marriages, also of the Illegitimate Births, in every Registration District,	2-23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1855; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks,	24
Table of the Civil Condition of the Parties who married in 1855; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex,	25
Table of the Ages of all Males who married in Scotland and its Counties in 1855,	26
Table of the Ages of all Females who married in Scotland and its Counties in 1855,	28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1855,	30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1855,	32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1855,	34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1855,	36-39
Do. Males,	40-43
Do. Females,	44-47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1855, whose respective Populations amounted to 10,000 or upwards in 1851, including important Suburban Districts,	48-51
Do. Males,	52-55
Do. Females,	56-59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life,	60-63
Do. Males,	64-67
Do. Females,	68-71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life,	72-75
Do. Males,	76-79
Do. Females,	80-83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life,	84-87
Do. Males,	88-91
Do. Females,	92-95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life,	96-99
Do. Males,	100-103
Do. Females,	104-107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life,	108-111
Do. Males,	112-115
Do. Females,	116-119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony at different Periods of Life,	120-123
Do. Males,	124-127
Do. Females,	128-131
Table of the Causes of Death in both Sexes in the Suburban Districts of Govan at different Periods of Life,	132-135
Do. Males,	136-139
Do. Females,	140-143
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life,	144-147
Do. Males,	148-151
Do. Females,	152-155
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life,	156-159
Do. Males,	160-163
Do. Females,	164-167

	Page
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life,	. 168-171
Do. Males,	. 172-175
Do. Females,	. 176-179
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, .	. 180-183
Do. Males,	. 184-187
Do. Females,	. 188-191
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life,	. 192-195
Do. Males,	. 196-199
Do. Females,	. 200-203
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, .	. 204-207
Do. Males,	. 208-211
Do. Females,	. 212-215
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, .	. 216-219
Do. Males,	. 220-223
Do. Females,	. 224-227
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1855, in each of the Divisions and Counties of Scotland,	228

REPORT TO THE REGISTRAR-GENERAL.

SIR,

IN conformity with your Instructions, I beg to submit the following Report:—

Scotland is of an extremely irregular figure, and its Mainland is so broken up by promontories, and indented by bays or friths, that, even at its most solid part, there are very few points which are above 40 miles distant from some part of the sea, and a much greater portion of the solid land lies within 30 miles of salt water. The surface also of Scotland, unlike that of England, is, generally speaking, rugged and mountainous, and most of it so unfitted for the purposes of agriculture, that it may be questioned whether more than a third of its surface could be rendered arable. Scotland, however, is surrounded by Islands on its northern and western sides, a considerable number of which are inhabited; while the remainder are so precipitous and inhospitable, that they only afford pasture to a few sheep during summer, or are altogether abandoned to the wild sea-fowl, which build their nests in great numbers among the inaccessible cliffs.

When the Census of the population was taken in 1851, Major Dawson, R.E., estimated that Scotland and its Islands contained 20,047,462 statute acres; but, from the imperfect manner in which the Scottish results were published, it is impossible now to pick out the particulars of each County, so as to distinguish between the number of acres belonging to the mainland part of each County, and those belonging to the insular parts attached thereto. Even the general summary of the acreage for all Scotland was imperfectly given, inasmuch as, contrary to the plan pursued in England, all the channels of the sea contained between the several Islands of Orkney and Shetland were included as part of the solid acreage of Scotland. Making such corrections as are now possible, and taking also the aid of M'Culloch's Account of the British Empire, it may be stated that Scotland and its Islands contain about 19,656,315 statute English acres, or 30,714 square miles, including inland lakes; of which quantity about 17,199,081 acres are on the Mainland, and 2,457,234 distributed over about 386 Islands, of which 155 are inhabited by one or more persons.

In 1851, the population of Scotland amounted to 2,888,742 persons, of whom 1,375,479 were males, and 1,513,263 females. Of that number, 2,719,373 dwelt on the Mainland, and 169,369 lived on the 155 inhabited Islands. Only 8 of the Towns in Scotland contain populations exceeding 20,000 persons—viz., Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Leith, and Perth; while 12 additional Towns, together with 3 of what might be termed Town Districts, would include all the Towns whose respective populations would exceed 10,000 inhabitants.

For statistical purposes, the Tables of the last Census of the population are very imperfect, in so far as Scotland is concerned; everything seeming

to be sacrificed for the idea, that the only important fact to publish was the occupation of the people. It hence happens that the most important fact of all, viz., the ages of the people in the different districts of the country, was treated as a mere secondary matter; and was published in such a form, that though the ages in quinquennial periods are given for each County, and for all Scotland, we seek in vain for the ages of the Town as contradistinguished from the Rural populations of each County, or the ages of the Insular as distinguished from the Mainland Districts. This circumstance has greatly cramped our endeavours to point out to its full extent the varying effect of Insular and Mainland and Town localities on the spread, prevalence, and fatality of different diseases, and limited the remarks to generalities, which would have been of tenfold greater interest had they in a few instances descended to particulars.

It was not till 1854 that an Act was passed for the better Registration of the Births, Deaths, and Marriages in Scotland, and that Act came into operation on the 1st of January 1855. The Parochial and Burghal Divisions of Scotland were adopted as the basis of the measure; and, as the previous Registers had been in the hands of the Sessions of the Established Church, the Session Clerks were, in most cases, appointed the first Registrars under the Act. Where the Parish or Burgh was too large to be attended to by one Registrar, the Sheriff was empowered to divide it into one or more Districts, when the Parochial Board or Town Council, as the case might be, nominated a Registrar to each District. Under this system, every Registrar being under the direct control of the Registrar-General, and of each Sheriff in his County, no Superintendent Registrars are required, as is the case in England.

In order to secure to the Central Registry Office in Edinburgh an original of every Register, and at the same time preserve also an authentic original in every Parish, all the Register Books are kept in duplicate, and, before the copy is sent to the Central Office, the two copies are carefully compared by the District Examiner, appointed under the provisions of the 18 Vict. cap. 29, sec. 3, aided by the Registrar, when all errors are noted and as far as possible corrected, and both Registers docquetted by the Examiner. This is the only, and also the best plan, for preserving the original Register from fire, and from being unlawfully tampered with, to both of which it would have been liable if left alone in the hands of the Registrar; any damage to the one copy can also be supplied from the other.

As Registration was comparatively new to Scotland, it was natural to expect that some deficiencies would occur in the Registers at the first starting of the Act; but so carefully had the Act been drawn, and so many means had been devised to check the exact number of Deaths and Marriages, that from the very commencement of the operation of the Act, on the 1st January 1855, it is believed that scarcely one Death or Marriage which occurred from that period has been omitted to be registered. The checks devised for securing the Registration of the Births were not so effectual at first; so that, for the first month during which the Act was in operation, there was a deficiency in the Registration of the Births to the extent of one half, and for the second month to the extent of one quarter, below what they ought to have been. From that date, however, to the present, the system has worked so efficiently, and the people themselves have been so anxious to avail themselves of the benefits arising from the Registration of the Births of their children, that there is good reason for believing that very few Births indeed now escape Registration.

For the purposes of Registration, Scotland was, in 1855, divided into 1027 Districts; and all the subjoined Tables are prepared from the facts entered in the Register Books of these Districts. No old records exist sufficiently perfect to afford any means of comparing the varying proportion of Births, Deaths, or Marriages in Scotland for previous years; but, as the peculiar manner in which Scotland is broken up into insular and mainland portions seemed to afford peculiar facilities for studying the influence of soil, climate, season, etc., on the forms and proportions of the fatal diseases which prevail among the inhabitants of each of these localities, after considering Scotland as a whole, the various influence which an *Insular*, a *Mainland*, and, as contrasted with both, a strictly *Town* situation, bears on the proportion of Births, of Deaths, and Marriages, will be pointed out, but more especially the influence of these three localities on the prevalence and fatality of different diseases.

In 1855, the population of Scotland, estimated to the middle of the year, amounted to 3,005,958 persons, of whom 1,433,863 were males, and 1,572,095 females. For convenience of comparison, this population is divided into three great Divisions—Insular, Mainland, and Town populations, according as the residence of the parties is on the Islands, in the Rural Districts on the Mainland, including the smaller Towns with less than ten thousand inhabitants, and in the larger Towns or Districts so closely connected therewith that they could not be conveniently separated.

The population of the Insular Districts, including Orkney, Shetland, and the Western Isles, is estimated at 166,487 persons in 1855, of whom 76,760 were males, and 89,727 females; the population of the Mainland Districts is reckoned at 1,764,378 persons, of whom 858,541 were males, and 905,837 females; while the population of the Town Districts is estimated at 1,075,093 persons, of whom 499,553 were males, and 575,540 females.

BIRTHS.

93,349 Births were registered in Scotland during the year 1855; giving the proportion of 310 Births in every ten thousand persons of the estimated population. This, however, gives no true indication of the actual proportion, seeing that so many Births escaped Registration altogether

TABLE I.—Number, and Proportion to the Estimated Population, of the Births, Deaths, and Marriages registered in Scotland, and its Three Grand Divisions, the Insular, Mainland, and Town Districts, during the year 1855, and Proportion of Illegitimate to the Total Births.

	POPULATION.		BIRTHS.		Illegitimate Births.		DEATHS.		MARRIAGES.	
	Census 1851.	Estimated 1855.	No.	Per cent. to Pop.	No.	Per cent. to Births	No.	Per cent. to Pop.	No.	Per cent. to Pop.
Insular . .	166,487	166,487	3,733	2·24	162	4·3	2,693	1·617	724	0·434
Mainland .	1,714,522	1,764,378	53,347	3·02	4,589	8·6	30,893	1·750	10,060	0·572
Towns . .	1,007,733	1,075,093	36,269	3·37	2,606	7·1	28,431	2·644	8,896	0·827
SCOTLAND	2,888,742	3,005,958	93,349	3·10	7,357	7·8	62,004	2·062	19,680	0·654

during the earlier months of that year. It is useless, therefore, to compare the proportion of Births to the population with that occurring in England or other countries, as thereby only false conclusions would be drawn ; still, much valuable information may be elicited from the facts registered.

It has often been pointed out, that wherever there is a great waste of life, there, by a wise provision of Providence, there is a greater number of Births. This is confirmed by the Registrations in Scotland during 1855. It is well known that the Deaths in the Towns are much more numerous in proportion to the population than those in the Country ; and that, notwithstanding of this, the population increases in the Towns at a much more rapid rate than it does in the Country. The relative proportion of Births in Town and Country accounts for this. In the Insular Districts, where the population is very nearly stationary, there were only 224 Births in every ten thousand of the population ; in the Mainland Districts, where the population is slowly increasing, there were 302 Births in every ten thousand persons of the population ; while in the Town Districts, where the population is rapidly increasing, but where also the proportion of Deaths is very high, there were 337 Births in every ten thousand persons. This relation is so constant in every country and locality of which accurate statistics have been kept, that it must be regarded as one of the ascertained laws of vital statistics.

In all countries the male Births exceed the female in number, the proportion varying in different years from 104 to 106 males to every 100 females. In 1855, there were registered in Scotland 47,804 male Births, but only 45,545 female ; being in the proportion of nearly 105 (104·9)

TABLE II.—Showing the Population, Total Births and Illegitimate Births, in Scotland and its Three Great Divisions, in 1855.

Districts.	Population in 1855.	TOTAL BIRTHS.			Illegitimate Births.		
		Males.	Females.	Total.	Males.	Females.	Total.
Insular	166,487	1,918	1,815	3,733	84	78	162
Mainland	1,764,378	27,482	25,865	53,347	2,384	2,205	4,589
Town	1,075,093	18,404	17,865	36,269	1,292	1,314	2,606
SCOTLAND . . .	3,005,958	47,804	45,545	93,349	3,760	3,597	7,357

TABLE III.—Showing the per centage of Births to the Population and the Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births, in Scotland and its Three Great Divisions, in 1855.

Districts.	Per Centage of Births to Population.	Per Centage of Illegitimate to Total Births.	Proportion of Males to 100 Females in Total Births.	Proportion of Males to 100 Females in Legitimate Births.	Proportion of Males to 100 Females in the Illegitimate Births.
Insular	2·24	4·3	105·6	105·5	107·6
Mainland	3·02	8·6	106·0	106·2	108·1
Towns	3·37	7·1	103·0	103·5	98·3
SCOTLAND . . .	3·10	7·8	104·9	104·9	104·5

males to every 100 females. This proportion varied, however, to a considerable extent in the Insular, Mainland, and Town Districts. Thus in the Insular Districts 105·6 males were born to every 100 females; in the Mainland Districts, 106 males to every 100 females; while in the Town Districts the proportion was only 103·5 males to every 100 females. This fact, that the proportion of males is lower in the Towns than in the Country Districts, has been long noticed, and various hypotheses have been advanced to account for it. The universality of the fact shows it must depend on some cause connected with a residence in Towns, and that it has little or nothing to do with race, or with the age of the respective sexes at Marriage, or with social or political institutions; and M. Giron de Buzareigne's conclusion, that it depends on the deterioration in the physical strength of the parents by a residence in Towns, seems to afford as near a solution of the matter as our present knowledge enables us to attain.

Of the 93,349 Births, 7357 were illegitimate; giving the proportion of 7·8 per cent. of the Births as illegitimate. As this is a proportion lower than what has been ascertained to prevail in subsequent years, it goes far to show that a larger proportion of these than of the legitimate Births escaped Registration during the first few months the Act was in operation. The proportion of illegitimate Births, however, in the several Counties of Scotland varied very much; for, while those included in the Northern and North-western Divisions of Scotland only furnished 4·6 per cent. of the Births as illegitimate, the proportion of illegitimate Births was 11·9 per cent. in the Counties included in the Southern Division, and 13 per cent. in those included in the North-eastern Division. When first the fact of the large proportion of illegitimate Births was made known through the Quarterly Reports, it excited a great deal of attention,—indeed, the interest has gone on increasing to the present day, and much crude theory has been started in the endeavour to account for the fact. As yet, however, we seem to be as far as ever from the solution of the problem; and this, probably, in a great measure from the circumstance that we have only got at one of the numerous facts which bear on the case. Let us, then, endeavour to ascertain as many facts as possible which seem to bear on the subject.

In almost all the Continental States, whatever be the proportion of illegitimate Births among the rural populations, it is especially in the Towns that Illegitimacy acquires enormous dimensions. Thus in France, though the strictly rural population on a ten years' average only exhibited 4 per cent. of illegitimate Births, the 363 Chief Towns of France yielded 20·8 per cent. of the Births as illegitimate, while in Paris 32·8 per cent. of the Births were illegitimate. Take another instance. In Sweden, from 1850 to 1855, in the total population, 9·3 per cent. of the Births were illegitimate; but in Stockholm, during the same period, 43·3 per cent. of the Births were illegitimate. In Scotland, however, a somewhat opposite state of matters seems to prevail, inasmuch as in the Rural Districts on the Mainland the proportion of illegitimate Births is much higher than in the Town Districts. Thus, in the Town Districts, 7·1 per cent. of the Births were illegitimate; but in the Mainland Districts, the proportion of illegitimate children was 8·6 per cent. of the Births. The Insular Districts, however, proved a remarkable exception to this, and held what might almost be called the normal relation to the Towns, inasmuch as in them only 4·3 per cent. of the Births were illegitimate. This striking fact, then, of the inversion of the usual proportion of illegitimate Births in the Town and Country Districts, might induce the

suspicion that Illegitimacy in Scotland and Illegitimacy on the Continent were to a great extent different things.

The first important fact to point out is, that in Scotland the illegitimate Births are almost solely confined to the labouring classes; and that the mothers of such children chiefly consist of women employed about a farm or in agricultural labour, of factory girls, of domestic servants, and of persons engaged in needlework. This fact the Registers of 1855 have made abundantly evident, although the exact number of each class in each County cannot be quoted, both because many of the Registrars neglected to enter the occupation of the mother, and because the statistical staff is not sufficiently numerous to enable all the important particulars which would bear on this subject to be extracted from the Register Books. The Registers, however, have been unable to throw any light on the very singular circumstance, that among every one of the above named classes the tendency to Illegitimacy is twice as great in the Counties included in the North-eastern and Southern Divisions of Scotland, than among the corresponding classes of the great manufacturing and mining Counties which constitute the South-western Division. It may be mentioned, too, as an interesting fact, that few or no illegitimate Births occur among that peculiar race which inhabits our fishing villages.

The subjoined Table, showing the proportion of illegitimate Births in the several Divisions and Counties of Scotland, taken along with the above statement, shows that in certain Counties agencies are at work, whereby, among all the classes subject to their influence, the tendency to give birth to illegitimate children is twice as great as among the same classes in other countries. Can these agencies, then, be referred to any common cause?—for a common cause it must be, seeing that in these Counties it affects in an equal proportion the inhabitant of the Town and the dweller in the Country.

If we refer to the Table which gives the proportion of parties who signed the Marriage Register, we shall find the apparently anomalous fact manifested, that the Counties which show the highest proportion of illegitimate Births are the very Counties which are in the highest condition as to

TABLE IV.—Showing the Proportion of Illegitimate Births in the Divisions and Counties of Scotland during the year 1855.

	Per cent. of Births.	Counties.	Per cent. of Births.	Counties.	Per cent. of Births.	Counties.	Per cent. of Births.
SCOTLAND . .	7·8	Shetland . . .	3·2	Forfar	8·9	Lanark	6·5
Northern Division	4·6	Orkney	4·1	Perth	9·2	Linlithgow . . .	7·6
North-Western do.	4·6	Caithness . . .	7·0	Fife	6·6	Edinburgh . . .	7·0
North-Eastern do.	13·0	Sutherland . . .	2·5	Kinross	16·8	Haddington . . .	8·1
East-Midland do.	8·2	Ross & Cromarty	3·7	Clackmannan . .	7·2	Berwick	8·9
West-Midland do.	6·6	Inverness . . .	5·6	Stirling	6·8	Peebles	9·7
South-Western do.	6·5	Nairn	11·2	Dumbarton . . .	7·1	Selkirk	5·7
South-Eastern do.	7·4	Elgin	10·4	Argyll	5·8	Roxburgh	9·5
Southern do.	11·9	Banff	13·6	Bute	6·7	Dumfries	13·5
		Aberdeen	13·1	Renfrew	6·1	Kirkcudbright . .	12·0
		Kincardine . . .	12·9	Ayr	7·0	Wigtown	12·3

education, in so far as such a conclusion can be drawn from the Marriage Register. And, on the other hand, the Counties which produce the fewest illegitimate Births are those where education is, speaking in a general way, at the lowest ebb. Thus in Ross and Cromarty, where only 3·7 per cent. of the Births were illegitimate, no fewer than 36·7 out of every hundred males, and 49·4 in every hundred females, could not write their own names. In Inverness, where only 5·6 per cent. of the Births were illegitimate, 28·2 in every hundred males, and 45·6 in every hundred females, could not sign their own names. In Lanark, where only 6·5 per cent. of the Births were illegitimate, 15 in every hundred males, and 30·2 in every hundred females, could not sign their names. While in Aberdeen, where no less than 13·1 per cent. of the Births were illegitimate, only 2·2 in every hundred males, and 10·5 in every hundred females, could not sign their own names; and in Dumfries, where 13·5 per cent. of the Births were illegitimate, only the small proportion of 3 in every hundred males, and 8·6 in every hundred females, could not sign their own names in the Marriage Register. This striking fact, then, proves that the large proportion of Illegitimacy in these highly educated Counties is not a sin resulting from ignorance and debasement; for every one who is acquainted with these Counties knows how intelligent are the natives, and that, as moral beings, they are if anything of a somewhat higher cast than the generality of the inhabitants of those Counties where Illegitimacy is at a much lower ebb. A minute examination of the Marriage Returns would probably prove this to be the case, and show that the true explanation was, that while the Counties in which Illegitimacy was at a low ebb abounded in improvident Marriages, the superior educational acquirements, and consequent more thoughtful habits engendered thereby, prevented these improvident Marriages in the Counties where Illegitimacy was high, but that, unfortunately, the moral training had not been carried so far as to enable them to master their natural passions.

The same apparent close connection is not observed in England to anything like the same extent, probably from the circumstance that the education of the whole people is so much lower than that of the Scottish people, so that the educational element has much less power or influence in England than in Scotland.

Let us take Dumfries and Aberdeen as examples of Counties in which illegitimate Births are in great excess, and contrast them in this respect with Lanark and Haddington, in which the proportion of illegitimate Births is small. In Dumfries, while 13·5 per cent. of the Births were illegitimate, Marriages were in the low proportion of 53 in every ten thousand persons of the population. In Aberdeen likewise, while 13·1 per cent. of the Births were illegitimate, Marriages were in the low proportion of 61 in every ten thousand persons. In both these Counties, then, though both are advancing rapidly in commercial and agricultural prosperity, agents were at work which pressed heavily as a check to Marriage, and to which the educated population of these Counties responded. Contrast then this, with the state of matters in Haddington,—a purely agricultural County, with a population nearly stationary,—and with that in Lanark, the most busy and prosperous County in Scotland. In Haddington, only 8·1 per cent. of the Births were illegitimate, and Marriages took place in the proportion of 66 in every ten thousand of the population. In this County, therefore, the prudential check to Marriage operated less strongly than in Dumfries or Aberdeen; more Marriages, accordingly, took place, and just in the same proportion was the

diminution of Illegitimacy. In Lanark, again, only 6·5 per cent. of the Births were illegitimate; but the Marriages were so numerous, that they amounted to 85 Marriages in every ten thousand of the population. In this ill-educated County, then, there appeared to be scarcely any check on Marriage; it may, therefore, safely be inferred that improvident Marriages were common, and the natural consequence was, that the proportion of illegitimate Births was very small indeed. From this it will be seen that we feel inclined to attribute no small proportion of the Illegitimacy to the incontinence of youth, which in some Counties finds its legitimate channel in Marriage, though it may be in improvident Marriage, while in others the prudential check operates so strongly that it results in Illegitimacy.

But the same conclusion may be arrived at by regarding the subject from another point of view. It has been shown that Illegitimacy is most common among the rural population. It may therefore be asked, whether any circumstances exist among the agricultural populations of those Counties where the illegitimate Births are most numerous, which act as a bar or check to Marriage to a greater extent than in those Counties where Illegitimacy is less prevalent among the rural population?

Now, it is a well known fact, that the smaller the size of the farm, the more it is worked with the assistance of unmarried young men and women, who are fed in the house, and either sleep in the farm-house, or offices, or, if the farm be larger, in bothies set apart for this purpose. In fact, it is only on the large farms that married men are employed; so that, in many districts, as soon as a young man marries he loses his situation as ploughman, and is forced to become a common labourer, dependent on his daily work for his daily bread. By a Return published in the Miscellaneous Statistics of the United Kingdom in 1857, we learn the number of farms in the various Counties of Scotland rated above L.20, and the extent of land in each under a rotation of crops; and it is extremely instructive to see how closely, in many cases, the smallness of the average size of the farms in a County corresponds with the proportion of illegitimate Births,—the smaller the average size of the farms, the greater being the number of the illegitimate Births. Thus, in Banff, the farms paying L.20 and upwards of annual rental only average 64 acres each; and it may be argued that, as a natural consequence, there can be few situations in such farms for married men, and therefore the illegitimate Births amounted to 13·6 per cent. of the total Births. In Aberdeen, the average size of the farms which pay L.20 and upwards of rent yearly is only 66 acres, and hence we have 13·1 per cent. of the Births illegitimate. In Dumfries, the average size of the farms pay-

TABLE V.—Showing the Proportion of Illegitimate Births and of Marriages in Four Counties.

Counties.	Population in 1855.	Illegitimate Births.		MARRIAGES.	
		Number.	Per cent. to Births.	Number.	Per cent. to Population.
Aberdeen	222,170	866	13·1	1,364	0·613
Dumfries	84,454	312	13·5	455	0·538
Haddington	35,555	93	8·1	242	0·661
Lanark	583,617	1,445	6·5	5,016	0·857

ing L.20 and upwards is 87 acres only, and the proportion of illegitimate is 13·5 per cent. of the Births. In Kirkcudbright, the average size of the farms is 88 acres, and 12·0 per cent. of the Births are illegitimate. Take, on the other hand, a few of the Counties with larger farms, and on which a greater proportion of married men are employed, and compare the result. In the County of Edinburgh, the average size of the farms paying L.20 and upwards is 114 acres, and among the rural population only 6·8 per cent. of Births are illegitimate. In Fife, the average size of the farms paying L.20 and upwards is 110 acres, and only 6·6 per cent. of the Births are illegitimate. In Haddington, the average size of the farms paying L.20 and upwards is 219 acres, and only 8·1 per cent. of the Births are illegitimate. Now, although these few startling facts convey some general idea of the apparent connection between the size of the farms and the proportion of Illegitimacy, they fail to supply the fact which is chiefly wanted, and that is, the relative number of small farms—farms which are cultivated by the tenants themselves, or with the aid of one or two assistants. Any one can at once see from the above statement, that the state of matters on the large farms, on which alone the farm-servants are lodged in bothies, can have comparatively little influence on the proportion of Illegitimacy occurring in a County; and that it is not the large farms (which are comparatively few in number), and where the labourers lodge in bothies, but the small farms, which are laboured by the tenants themselves, or with the aid of one or two male or female assistants, who sleep in the house or offices, and are treated in all respects as one of themselves, which furnish the great proportion of illegitimate Births in the Rural Districts.

All the statistics which have been published relative to Illegitimacy on the Continent of Europe, show that the proportion of males to females is less than among the legitimate Births. Thus Quetelet has shown, from an extensive series of observations relative to eleven of the chief States of Europe, that while the legitimate Births yielded 106 males to every 100 females, among the illegitimate Births there were only 103 males to every 100 females. As Illegitimacy in Britain is not quite the same thing as Illegitimacy on the Continent, it might be expected that even in this it would exhibit some difference; and accordingly in England, though the proportions differ considerably in consecutive years, on the average, while 104·5 males are born to every 100 females among the legitimate Births, 104·8 males are born to every 100 females among the illegitimate. In so far as one year can show such a fact, Scotland seems to agree more with the Continent of Europe, inasmuch as, while the legitimate Births showed that 104·9 males were born to every 100 females, among the illegitimate Births there were 104·5 males to every 100 females. The difference, however, in the Divisions of Scotland, relative to the proportion of the sexes in the legitimate and illegitimate, was very great. Thus, in the Insular Districts, among the legitimate Births there were 105·5 males to every 100 females; but among the illegitimate, 107·6 males to every 100 females. In the Mainland Districts, there were among the legitimate Births 106·2 males to every 100 females; but among the illegitimate, 108·1 males to every 100 females. In the Town Districts, however, all this was reversed; for while among the legitimate Births there were 103·5 males to every 100 females, among the illegitimate Births there were only 98·3 males to every 100 females—being the doubly strange anomaly of the proportion of illegitimate males not only being much lower than among the legitimate children, but being absolutely fewer in number than the female illegitimate Births. This circumstance, then, of

the absolute preponderance of females among the illegitimate Births in the Town Districts, affords the strongest possible confirmation of the truth of M. Giron de Buzareigne's conclusion, as to the weakening of the physical strength in the parents being the cause why the normal excess of male Births (viz., 105 males to 100 females) is not attained in Towns; and such facts should afford a valuable hint to those who desire male progeny, seeing that they almost make it apparent that the female Births preponderate in consequence of the want of development of the normal physical powers of the parents.

Before leaving the subject of Illegitimacy, one fact which the Register Books partially disclose, must not be overlooked; inasmuch as it bears out to a great extent the deductions previously drawn, and also tends to show that, in the Country at least, the great amount of Illegitimacy is not properly ascribable to vice. As Registration was new to Scotland, and it was desirable to make it, at first, as little burdensome as possible, all the particulars regarding the mothers of the illegitimate children have not been entered on the Register Books so fully as they ought to have been. But in several of the Districts, intelligent Registrars have entered particulars which throw some light on the subject. One of the most important of these is, that the parents of many of the illegitimate children are cohabiting as married parties, are true to each other, and are rearing a family. For instance, in a few of the Rural Districts of Aberdeenshire, in the case of 212 illegitimate Births, it is entered on the Registers that in 150 cases it was the mother's *first* child; in 38, it was the mother's *second* child; in 13, it was the mother's *third* child; in 6, it was her *fourth* child; in 4, it was her *fifth* child; and in 1, it was her *seventh* child; and, as in most of these cases the father had acknowledged the paternity, the presumption was as has been stated,—a conclusion confirmed, in some cases, by notes which the Registrars transmitted along with their Returns.

Though not agreeing with these Registrars as to the causes of the prevalence of Illegitimacy, or thinking that the remedies they propose would to any great extent abate the evil, it is perhaps due to them to state, that some suggest, that could the parents, without trouble or expense, register their Marriage in some simple form, these cases of concubinage would cease to exist, and the children would be legitimated by the law of Scotland. Other Registrars, who notice the same state of matters, are inclined to attribute it to the high proclamation fees, which induce parties to cohabit without going through the form of Marriage, rather than pay what they consider the exorbitant demand. The high proportion of Illegitimacy, however, is attributed by others to the too easy law of Marriage in Scotland, especially in so far as regards the subsequent legitimation of the child, as by that law all children born of the same parents previous to the Marriage are legitimated by the parties subsequently marrying each other any time during life. They think that that law conduces to increase illegitimate Births, inasmuch as the woman, knowing that the child which may be born will sustain no legal damage if she should succeed in getting its father subsequently to marry her, yields herself too easy a prey to him, taking her chance that the Birth of a child will secure his consent to the Marriage. For these and other reasons, certain parties have endeavoured to raise an agitation for an alteration in our Marriage laws; and should such ever be done, it is to be hoped that no changes will be rashly made till their whole bearings on this important subject shall have been fully considered.

As the full number of Births which occurred during the year was not registered, it is scarcely fair to Scotland to compare the number of legiti-

mate Births to each Marriage with those in the sister Kingdom. This is the usual manner in which the fruitfulness of Marriage is guessed at; and it is surprising that, even with the acknowledged deficiencies in the Registration of Births in Scotland during 1855, the proportion of legitimate children to each Marriage considerably exceeds that of England for the same year. Thus in Scotland there were 4·3 legitimate children to every Marriage; while in England, for the same year, there were only 3·9 legitimate children to each Marriage; and from this fact it might be inferred that the women of Scotland were more prolific than the women of England. The want of a sufficient statistical staff has prevented us from extracting from the Registers the number of twins and triplets registered during the year, the ages of the mothers, and the number of children which each mother had at the date of the registration of her last child. To show, however, a small part of the interesting and valuable information which might have been extracted from these Registers, a Table is appended, showing at five yearly periods the ages of the mothers of the legitimate children born in Edinburgh during 1855, together with the number of children each had on the birth of the last child, that child being also included in the number of Births. The number of children given in the Table does not correspond with the number of the total legitimate Births in Edinburgh, seeing that all those cases had to be omitted where the mother's age, or the number of children she had borne, had been omitted to be entered on the Register. From this Table it will be seen that by far the greatest number of mothers were between the ages of 25 and 35. Out of 4208 mothers, 100 (or 2·3 per cent.) were under 20 years of age; and of these, 85 had each 1 child, 13 had 2 children, and 2 had 3 children. 848 of the mothers were from 20 to 25 years of age; 1221 from 25 to 30 years of age; 1051 from 30 to 35 years of age; 693 from 35 to 40 years of age; and 295 above 40 years. The 3 oldest mothers were each in their

TABLE VI.—NUMBER and AGES of Mothers, and Number of Children which they had on the Birth of their last Child.—Edinburgh City, 1855.

Number of Children at Birth of Mother's last Child.	NUMBER AND AGES OF MOTHERS.						Total Mothers.	Total Children.
	15-20	20-25	25-30	30-35	35-40	40 and above.		
1 Child . . .	85	438	290	109	52	15	989	989
2 Children . . .	13	242	230	135	46	13	679	1358
3 do. . . .	2	124	304	157	61	16	664	1992
4 do. . . .	—	36	209	167	81	20	513	2052
5 do. . . .	—	7	103	190	95	18	413	2065
6 do. . . .	—	—	56	142	88	37	323	1938
7 do. . . .	—	1	19	87	81	40	228	1596
8 do. . . .	—	—	8	34	77	37	156	1248
9 do. . . .	—	—	1	22	51	36	110	990
10 do. . . .	—	—	—	5	29	20	54	540
11 do. . . .	—	—	—	3	20	18	41	450
12 do. . . .	—	—	1	—	7	11	19	228
13 do. . . .	—	—	—	—	3	10	13	169
14 do. . . .	—	—	—	—	—	2	2	28
15 do. . . .	—	—	—	—	—	1	1	15
16 do. . . .	—	—	—	—	1	—	1	16
17 do. . . .	—	—	—	—	1	—	1	17
18 do. . . .	—	—	—	—	—	1	1	18
Total Mothers . . .	100	848	1221	1051	693	295	4208	15,709

NOTE.—25 of the above mothers had twins, and 1 had triplets.

48th year, and the youngest mother had just completed her 15th year. 19 mothers had each given birth to *twelve* children; 13 mothers had each *thirteen* children; 2 mothers had each 14 children; 1 mother had 15; 1 had 16; 1 had 17; and 1 mother had 18 children. The 4208 mothers had among them 15,709 children, thus giving to each mother 3·7 children; in other words, showing the fecundity of the women of Edinburgh to be 3·7 children for every fruitful Marriage. The facts which we possess on this most interesting subject are so few, and have either been drawn from such questionable sources or from such a limited field, that little or no reliance can be placed on the conclusions deduced therefrom. Thus, Mr Sadler, from the data furnished by 471 Marriages, found that 4·8 children were born to each Marriage; but, from another series of 1027 Marriages, found that only 4·1 children were produced by each Marriage. The Statistical Society of London found that 1506 fruitful Marriages among the population of St George's-in-the-East, London, yielded an average of 5·3 children to each Marriage; but the data in all these cases were far too limited to permit even an approximation to the truth. It will also, in all probability, be found that the lower the class the greater will be the number of children to the Marriage; and, for the reason before explained, that among the lower classes the infantile mortality is very great, and the sooner a woman loses her child the sooner does she again become pregnant, and bears another to supply its place. Hence, it will likely be found that in the middle and better classes, as more children are reared past the stage of infancy, so among them fewer children will be born to each Marriage. We have at present, however, no facts on which to ground this conclusion, though the Registers of 1855 could furnish the necessary materials for such an interesting inquiry.

MARRIAGES.

19,680 Marriages were contracted and registered in Scotland during 1855, which gives the proportion of 654 Marriages in every hundred thousand of the population. This is a proportion very far below the Marriage rate of England, which, on a ten years' average, shows that 846 Marriages were contracted annually in every hundred thousand persons of the population. This is an extremely curious result, but one which is not accidental; indeed, it might have been suspected that such would be found to be the case, seeing what were the facts brought to light on this subject when the census was taken in 1851. It was then ascertained that, whereas in England 34 in every hundred men, and 33 in every hundred women, were married, the proportion of the married in Scotland was only 30 in every hundred men, and 28 in every hundred women. This circumstance at once explains the fact of the much smaller proportion of women bearing children in Scotland than in England. For instance, in England, during 1855, there were in the proportion of 14·3 children born alive to every one hundred women between the ages of 15 and 45; but in Scotland, during the same year, only 12·7 children were born alive to every one hundred women at the same ages; or, to speak in a general way, there were, in an equal number of women who were from 15 to 45 years of age, 14 mothers in England for every 12 in Scotland.

Marriage is one of those events which is to a great extent influenced by external agencies, such as low price of food, plenty of work, briskness of trade, and consequently high wages. Accordingly, as the demand for labour of all kinds is much greater in Towns, as there the population is increasing

rapidly and few need be idle who are willing to work, the proportion of Marriages would naturally be expected to be much higher in them than in the Country Districts, where the population is nearly stationary, and room for a new family is only caused by the death of the old. Accordingly, it was found that, during 1855, Marriages were contracted in the truly stationary populations of the Insular Districts in the low proportion of 434 Marriages in every hundred thousand persons living; in the Mainland Districts, where the population was slowly increasing, at the rate of 572 Marriages in every hundred thousand persons; while in the Town Districts, where the population was rapidly increasing and the demand for labour was great, the proportion was 827 Marriages in a like population.

During the year, 8879 Marriages were solemnized according to the rites of the Established Church of Scotland; 4665 according to the rites of the Free Church; 292 according to those of the United Presbyterian Church; 1826 according to those of the Roman Catholic Church; 350 according to

TABLE VII.—MARRIAGES in SCOTLAND and its several COUNTIES in 1855. With the Number and Proportion of Males and Females who signed by mark, and also the Proportion of those who signed their names in full.

1855.	MALES.				FEMALES.			
	Number of Males Married.	Number who signed by Mark.	Proportion in every 100 who signed by Mark.	Proportion in every 100 who signed their names in full.	Number of Females Married.	Number who signed by Mark.	Proportion in every 100 who signed by Mark.	Proportion in every 100 who signed their names in full.
SCOTLAND . . .	19,680	2244	11·4	88·6	19,680	4506	22·8	77·2
Shetland	179	20	11·1	88·9	179	85	47·4	52·6
Orkney	190	3	1·5	98·5	190	9	4·7	95·3
Caithness	237	10	4·2	95·8	237	26	10·9	89·1
Sutherland	104	20	19·2	80·8	104	36	34·6	65·4
Ross and Cromarty	419	154	36·7	63·3	419	207	49·4	50·6
Inverness	453	128	28·2	71·8	453	207	45·6	54·4
Nairn	51	3	5·8	94·2	51	12	23·5	76·5
Elgin	218	7	3·2	96·8	218	26	11·9	88·1
Banff	314	11	3·5	96·5	314	38	12·1	87·9
Aberdeen	1348	30	2·2	97·8	1348	142	10·5	89·5
Kincardine	179	2	1·1	98·9	179	17	9·4	90·6
Forfar	1367	126	9·2	90·8	1367	333	24·3	75·7
Perth	756	26	3·4	96·6	756	71	9·3	90·7
Fife	977	37	3·7	96·3	977	127	12·9	87·1
Kinross	50	0	0·0	100·0	50	4	8·0	92·0
Clackmannan	118	13	11·0	89·0	118	34	28·8	71·2
Stirling	585	93	15·8	84·2	585	135	22·8	77·2
Dumbarton	329	64	19·4	80·6	329	117	35·5	64·5
Argyll	345	50	14·4	85·6	345	98	28·4	71·6
Bute	99	9	9·0	91·0	99	16	16·1	83·9
Renfrew	1289	258	20·0	80·0	1289	474	36·7	63·3
Ayr	1344	224	16·6	83·4	1344	400	29·7	70·3
Lanark	4735	711	15·0	85·0	4735	1434	30·2	69·8
Linlithgow	206	17	8·2	91·8	206	38	18·4	81·6
Edinburgh	2090	118	5·6	94·4	2090	215	10·3	89·7
Haddington	242	34	14·0	86·0	242	49	20·2	79·8
Berwick	161	2	1·2	98·8	161	2	1·2	98·8
Peebles	68	2	2·9	97·1	68	4	5·8	94·2
Selkirk	56	0	0·0	100·0	56	0	0·0	100·0
Roxburgh	323	17	5·2	94·8	323	43	13·3	86·7
Dumfries	453	14	3·0	97·0	453	39	8·6	91·4
Kirkcudbright	182	13	7·1	92·9	182	23	12·6	87·4
Wigtown	213	28	8·9	91·1	213	45	21·1	78·9

the rites of the Episcopal Church; 923 according to those of all the other numerous Religious Sects; and in 76 Marriages no information on this point was given; while 9 were irregular Marriages.

Of the 19,680 Marriages, 15,251 were contracted between bachelors and spinsters; 557 between bachelors and widows; 1863 between widowers and spinsters; 619 between widowers and widows; and in 1390 Marriages the condition of the parties was omitted to be entered.

Of the 19,680 males who married, 1010 were under 20 years of age; and of these one was under 15 years of age, one was under 16 years, 12 were under 17 years, 73 under 18 years, 267 under 19 years, and 657 under 20 years of age. Most Marriages took place among the males between the 20th and 25th year of life, 6714 males having contracted Marriage at that period of life. The next most common age for Marriage with men was from 25 to 30 years of age, 5832 males having married at that age. After this age, speaking in a general way, the number of Marriages contracted by men diminished nearly a half every quinquennial period, until only 4 Marriages were contracted by men between 75 and 80 years of age, and one by a patriarch between his 85th and 90th year of life.

Women, on the other hand, were, generally speaking, married at an earlier age than men; for whereas only 1010 men entered into the married state under 20 years of age, 3070 women, or more than three times the number of men, married at that early age. By far the largest number of women, however, entered the married state before the 25th year of life; of the total 19,680 women who married, 11,118 were under 25 years of age, 8048 of these being between their 20th and 25th year of life. During the next quinquennial period, viz., from 25 to 30, only 4914 women contracted Marriage; being little more than half the number of women as compared with the number of the previous five years. After this the numbers went on diminishing by about a half during every quinquennial period, till only 8 women contracted Marriage when between 60 and 65 years of age, 4 between the ages of 65 and 70; while one spinster between 70 and 75 was the oldest woman married in Scotland during 1855.

TABLE VIII.—Showing the Ages of the Parties at Marriage in 1855.

AGES.	Males.	Females.
Under 15	1	—
15—16	1	40
16—17	12	190
17—18	73	474
18—19	267	987
19—20	656	1379
20—25	6714	8048
25—30	5832	4914
30—35	2564	1764
35—40	1456	900
40—45	846	483
45—50	534	201
50—55	264	88
55—60	195	27
60—65	108	8
65—70	37	4
70—75	17	1
75—80	4	—
80—85	—	—
85—90	1	—
Age not stated	98	172

The general rule of Marriage, in so far as shown by these Tables, seems to have been, that the advantage of age was on the side of the men; and this seemed to hold good with regard to the Marriages of bachelors with spinsters, of widowers with widows, and quite remarkably so with regard to the Marriages of widowers with spinsters. All this, however, was reversed in the case of the Marriages of widows with bachelors; the general rule being, that the widow was the senior in age. Even the most cursory examination of the Table shows this to be the case. Thus, whereas 110 of the bachelors who married widows were under 25 years of age, only 53 of the widows were under that age. There is no difficulty in understanding how this should be the case. The status which the widow had acquired by her former Marriage presented inducements to the unsettled bachelor which gave the widow a great advantage over her unmarried sisters; and as power is dear to every heart, a younger member of the opposite sex was selected, as more likely to leave that power in her hand than if the chosen second husband had been her senior in years.

Of the 19,680 men who married during the year, only 2244 signed the Marriage Register by mark; giving the very low proportion of 11·4 in every hundred men who could not write their own names. Of the 19,680 women who married during the year, 4506 could not sign their own names, but signed the Marriage Register by mark; thus giving the proportion of 22·8 in every hundred women who could not write their own names. In other words, out of every hundred men, 88·6 were able to sign their names in the Marriage Register, while only 11·4 signed by mark; while out of every hundred women, 77·2 were able to write their names in the Registers, while only 22·8 signed by putting their mark.

Considering all circumstances, this is a very creditable result for Scotland; and tends to show that the general education of the people of Scotland is ahead of England. Thus for the same year 1855, in every hundred men in England, only 70·5 could write their names in the Marriage Registers, while 29·5 were obliged to affix their mark. On the other hand, of every hundred women in England, only 58·8 could write their names in the Marriage Registers, while 41·2 had to affix their mark. It is a remarkable fact, that there is only one County in Scotland, viz., Ross and Cromarty, where the proportion of men who had to sign by mark was so high as the average of all England; and only three Counties, viz., Shetland, Ross and Cromarty, and Inverness, where the proportion of women who had to sign by mark equalled or exceeded the common English mean. In not one of the English Counties, in 1855, was the proportion who signed by mark so low as 10 in every hundred men, while in no fewer than 22 of the Scottish Counties the proportion was below that low mean; while in two Counties, Kinross and Selkirk, every man who married was able to write his name in the Register.

DEATHS.

62,004 Deaths were registered in Scotland during the year 1855, which gives the proportion of 206 Deaths in every ten thousand persons of the estimated population. If this proportion, therefore, be at or near the average mortality, it will prove Scotland to be one of the very healthiest countries on the face of the globe. Even England, in which we might expect that very much the same amount of mortality might prevail, falls far behind Scotland in this respect; inasmuch as, while a ten years' average

shows that 221 persons are cut off annually in every ten thousand persons, there were cut off during the year 1855 at the rate of 226 persons in every ten thousand inhabitants, or 20 more in the same number of persons than in Scotland during the same year. It is a fact which has long been established, that the inhabitants of Towns die at a much higher rate than the natives of the Country; and, accordingly, the inhabitants of the Insular Districts of Scotland were only cut off at the rate of 161 in every ten thousand persons, the inhabitants of the Mainland at the rate of 176 Deaths in every ten thousand persons, while in the Towns 264 persons died during the year out of every ten thousand persons.

Sex appears to have a powerful influence in modifying the rate of mortality. Thus, while over all Scotland males died in the proportion of 213 out of every ten thousand male persons in the population, only 199 females died during the year out of a like number of females. This excess of male Deaths was observed in the three great Divisions of Scotland, though in one to a greater, in another to a lesser extent. Thus, in the Insular Districts, while 168 males died in every ten thousand males, only 156 females died out of the same number of females. In the Mainland Districts, however, the proportion of male and female Deaths was nearly alike; for 178 males died in every ten thousand males, and 172 females in a like number of the female population. In the Town Districts, on the other hand, the waste of male life was much greater; seeing that 281 males died out of every ten thousand of the male population, while only 248 females died out of a like number of females. As the consumption of male life is, therefore, greater than that of female life, we cannot but admire the wisdom of that law of our physical being which provides that more males shall be born than females; seeing that, notwithstanding that excess, it happens that in every old state the living females exceed the males in number.

As this is the first time that the mortality of the inhabitants of Scotland has been accurately ascertained, it is important to compare the Deaths at the different ages with the population living at the same ages, in order to see both how it agrees and how it differs from that in the sister Kingdom, and also to furnish us with a standard of comparison with the mortality in our great Towns and Rural Districts. The ordinary division of ages has been adopted for this comparison, both because it is sanctioned by nearly universal use, and also because by it alone can the separate important periods of life be clearly distinguished. Hence, under 20 years the ages are given for every five yearly periods, and above 20 years in decades. The advantages of this division are, that the acknowledged distinct periods of

TABLE IX.—Showing the per centage of Deaths to the Population in some of the States or Kingdoms of Europe.

	Per cent. of Deaths.		Per cent. of Deaths.		Per cent. of Deaths.		Per cent. of Deaths.
Scotland . .	2·06	Sweden . . .	2·33	Hungary . . .	2·55	Spain	2·85
Denmark . .	2·11	France	2·36	Holland	2·76	Sardinia . . .	2·91
Norway . . .	2·17	Ionian Islands	2·35	Saxony	2·72	Bavaria	2·92
England . . .	2·21	Dalmatia . . .	2·32	Upper Austria	2·82	Tuscany	2·95
Hanover . . .	2·30	Belgium . . .	2·52	Prussia	2·83	Lower Austria	3·65

life, or ages of man, are given separately; that the period of growth is not mixed up with that of maturity; that the period when childbearing ceases in the one sex, and when the first climacteric change occurs in both sexes, is included in the same decade—viz., from 40 to 50; that the term of 60 years, when, by universal assent, the active period of life is considered to terminate, ends a decade; and that threescore and ten years, beyond whose portals so few pass, are recognised as another important terminating point in the scale of human life. It is greatly to be regretted that, in estimating the proportional mortality at the different ages in England, these recognised principles have been departed from, so that the Tables giving the proportional Deaths at the different ages are not available for comparison.

In casting our eye over the Scottish Tables, the first point of interest is the comparative mortality of the sexes at the different ages; and it is not a little interesting to observe that, at all ages, the proportion of male Deaths

TABLE X.—SCOTLAND. Population of Scotland at different Ages in 1855, and Number of Deaths at the same Ages in the year 1855.

AGES.	POPULATION 1855.			DEATHS 1855.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Under 5 years	196,731	189,856	386,587	11,948	10,723	22,671
5—10	179,094	174,555	353,649	1,467	1,371	2,838
10—15	169,150	161,184	330,334	816	732	1,548
15—20	151,771	160,241	312,012	1,096	941	2,037
20—30	242,400	289,044	531,444	2,215	2,071	4,286
30—40	171,074	201,914	372,988	1,805	2,082	3,887
40—50	132,626	154,232	286,858	1,909	1,959	3,868
50—60	93,717	113,817	207,534	2,029	2,226	4,255
60—70	57,604	76,975	134,579	2,545	2,811	5,356
70—80	28,548	39,235	67,783	2,832	3,540	6,372
80—90	7,873	12,291	20,164	1,628	2,340	3,968
90—100	671	1,248	1,919	244	483	727
100 and above	32	75	107	9	28	37
Not stated	—	—	—	83	71	154
Total . . .	1,431,291	1,574,667	3,005,958	30,626	31,378	62,004

TABLE XI.—SCOTLAND. Per Centage of Deaths to the Population at different Ages, also to the total Deaths in Scotland during the year 1855, distinguishing the Sexes, and allowing for the proportion of Deaths whose Ages were not specified.

AGES.	Per Centage of Deaths to Population.			Per Centage of Deaths at different Ages to total Deaths.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Under 5 years	6.089	5.660	5.876	39.11	34.25	36.65
5—10	0.821	0.787	0.804	4.80	4.38	4.59
10—15	0.483	0.454	0.469	2.68	2.34	2.50
15—20	0.724	0.589	0.668	3.59	3.00	3.29
20—30	0.916	0.718	0.808	7.26	6.62	6.93
30—40	1.058	1.033	1.018	5.91	6.65	6.29
40—50	1.443	1.273	1.351	6.25	6.26	6.26
50—60	2.170	1.961	2.055	6.64	7.11	6.88
60—70	4.430	3.660	3.990	8.32	8.98	8.66
70—80	9.948	9.043	9.400	9.27	11.31	10.30
80—90	20.741	19.070	19.669	5.34	7.47	6.42
90—100	36.215	38.782	37.877	0.80	1.54	1.17
100 and above	28.125	37.333	34.905	0.03	0.09	0.06
Total . . .	2.135	1.995	2.062	100.00	100.00	100.00

to the population, is greater than that of the female Deaths. Thus, while in every ten thousand living, 608 males under 5 years of age died during the year, only 566 females were cut off at the same ages; from 5 to 10 years, 82 males, but only 78 females, died annually out of every ten thousand of each sex; from 10 to 15 years, 48 males, but only 45 females, were cut off out of every ten thousand of each sex living at these ages,—and this, in Scotland, proved the most healthy period of life—that at which the mortality attained a minimum—that at which the chances of Death were least. From 15 to 20, the period of puberty, 72 males, but only 58 females, died in every ten thousand of each sex; so that even at that age, which is commonly thought to be the most trying to the female, her life was better than that of the male, she was less liable to be cut off. The next period of life, 20 to 30, is that when, if it all, female mortality would naturally be expected to exceed that of the male. But no! In Scotland, it appears that, notwithstanding all the superadded dangers of childbirth, female life is, even then, more valuable than male life; for, while 91 males died out of every ten thousand males living at that age, the Deaths among the females only amounted to 71 in every ten thousand living females. It is quite true that the English Tables show that from 15 to 35 years of age female life in England is somewhat less valuable than male life, inasmuch as a ten years' average shows that, proportionally, more females than males die at these ages. But it by no means follows that the same law prevails in Scotland; for, though one year's results cannot be with certainty depended on as giving general averages, the difference between the mortality of the sexes is so striking, that it may be surmised that future years will only establish this interesting fact. In Scotland, then, from the period of Birth up to 90 years of age, the female mortality is lower at every period of life than that of the male; and, were the facts not too few to afford even an approximation to a general result after that age, the same greater value of female life would be shown to prevail to the termination of life.

Not having it in our power, from the deficiencies of the Census, to ascertain whether the same higher estimate of female life at all ages prevails in the Mainland, in the Insular, and in the Town Districts, we must content ourselves by a reference to the proportion of Deaths at different ages and sexes in the Eight Principal Towns alone. Of these, by far the largest are

TABLE XII.—ENGLAND. Per Centage of Deaths to the Population of England at different Ages during the Ten Years 1845 to 1854, also the per centage of Deaths to the Population at different Ages during the Year 1855.

AGES.	Ten Years, 1845 to 1854.		England 1855.	
	Males.	Females.	Males.	Females.
Under 5 Years	7·356	6·343	7·242	6·224
5—10	0·916	0·895	0·819	0·807
10—15	0·523	0·546	0·499	0·494
15—25	0·833	0·863	0·771	0·819
25—35	1·015	1·083	0·958	1·001
35—45	1·309	1·293	1·282	1·262
45—55	1·895	1·617	1·898	1·564
55—65	3·226	2·855	3·354	2·950
65—75	6·755	6·104	7·109	6·414
75—85	14·991	13·652	16·161	14·816
85—95	30·294	28·076	32·778	30·743
95 and upwards	45·219	45·226	42·657	41·822
ALL AGES	2·364	2·205	2·348	2·187

Glasgow* and Edinburgh; in both of which it will be seen, by a reference to Tables XIII. and XIV., that at every period of life the female mortality was lower than that of the male—thus agreeing with the results deduced from all Scotland. In Paisley, also, the results correspond with those of all Scotland. In Dundee, however, from 5 to 15 years of age, and again from 30 to 50, the female mortality was slightly higher than that of the male. In Aberdeen, the female Deaths exceeded the male only between the ages of 30 and 40. In Greenock, the female mortality was slightly higher between the ages of 5 and 10, and again between 30 and 50; while in Perth female mortality was higher from Birth to 15 years of age. It cannot be doubted that in these latter Towns the discrepancy arises from the fewness of the events; seeing that in all statistical inquiries it is invariably found, that the fewer the events, the more the details differ from the general or average results.

These Tables of the proportion of Deaths at different ages further show that, for both sexes, the most healthy period of life is from 10 to 15 years of age. At that age the chances of Death are only about half what they were during the previous, or during the subsequent, quinquennial periods. From Birth up to 10 years of age the mortality diminishes year by year; but after the 15th year of life is past, the mortality slowly but steadily increases up to the 60th year of life. When once this period of life is passed, every progressive decennial period doubles the proportion of Deaths till all are cut off.

These Tables of the Deaths at the different ages show, however, another fact which is worthy of notice. The comparative healthiness of a Country, District, Town, or Class, is accurately indicated by the proportion of Deaths which occurs annually in a certain population. But the same conclusion may be also arrived at, or rather that conclusion may be confirmed, by ascertaining the proportion of children under 5 years of age who are cut off annually out of those living at the same age. Children, from their more feeble constitutions, are more easily affected by the agencies which surround them than are adults; and hence the comparative mortality among them affords a tolerable indication of the sanitary state of the locality in which

* TABLE XIII.—GLASGOW. Population and Deaths in 1855 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1855.		DEATHS 1855.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	22,265	22,196	2,702	2,583	12.13	11.63
5—10	18,621	18,506	249	210	1.34	1.13
10—15	18,046	18,082	119	110	0.66	0.60
15—20	18,978	21,710	176	170	0.92	0.78
20—30	35,481	43,249	395	410	1.11	0.94
30—40	23,850	27,409	362	409	1.52	1.49
40—50	16,199	18,296	334	368	2.06	2.01
50—60	9,087	11,514	319	363	3.51	3.14
60—70	4,483	6,517	296	347	6.60	5.32
70—80	1,538	2,439	203	298	19.70	12.21
80—90	311	505	70	118	22.50	23.36
90—100	16	66	11	19	68.12	28.78
100 and above	1	4	1	1	100.00	25.00
Not stated	—	—	9	3	—	—
ALL AGES	168,876	190,493	5,246	5,409	3.10	2.77
BOTH SEXES	359,369		10,655		2.96	

they reside, and of its social condition. It is quite true that exceptional circumstances might arise, when both the test of the proportion of Deaths among the total population, and that among children under 5 years of age, *might* fail to indicate the true sanitary condition of a District or Town ; but the cases are so very few in which such exceptions do arise—if they have ever been observed—that the rule may be regarded as absolute. It is quite true that much misconception has arisen on this point ; but this has originated *not* from the writings of statisticians or sanitary inquirers whose object was simply to elicit truth, but from the false reasonings of those special pleaders

TABLE XIV.—EDINBURGH AND LEITH. Population and Deaths in 1855 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1855.		DEATHS 1855.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	11,843	11,829	946	881	7·98	7·44
5—10	10,373	10,288	121	108	1·16	1·05
10—15	10,122	9,896	44	41	0·43	0·41
15—20	9,902	11,709	64	59	0·64	0·50
20—30	18,574	24,485	180	197	0·97	0·80
30—40	12,439	16,766	215	207	1·72	1·23
40—50	9,009	12,138	196	206	2·17	1·69
50—60	5,975	8,531	190	207	3·18	2·42
60—70	3,298	5,187	186	260	5·64	5·01
70—80	1,310	2,170	159	245	12·13	11·29
80—90	232	537	61	111	26·29	20·66
90—100	13	46	2	22	15·38	47·82
100 and above	1	2	—	2	—	100·00
Not stated	—	—	4	3	—	—
ALL AGES	93,091	113,584	2,368	2,549	2·54	2·24
BOTH SEXES	206,675		4,917		2·38	

The deficiencies of the Census of 1851 prevent the separation of Leith from Edinburgh, so that in many of the Tables which follow these two Towns are reckoned as one.

TABLE XV.—DUNDEE. Population and Deaths in 1855 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1855.		DEATHS 1855.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	5,402	5,115	547	485	10·12	9·48
5—10	4,786	4,577	41	43	0·86	0·94
10—15	4,789	4,818	20	27	0·41	0·56
15—20	4,287	5,366	28	25	0·65	0·46
20—30	7,297	10,638	62	61	0·85	0·57
30—40	4,852	6,348	50	86	1·03	1·04
40—50	4,049	4,981	66	88	1·63	1·76
50—60	2,447	3,074	62	71	2·53	2·31
60—70	1,202	1,724	94	71	7·82	4·11
70—80	406	725	57	88	14·03	12·13
80—90	82	181	22	44	26·83	24·31
90—100	5	11	3	4	60·00	36·36
100 and above	—	1	—	—	—	—
Not stated	—	—	2	4	—	—
ALL AGES	39,604	47,559	1,054	1,097	2·66	2·30
BOTH SEXES	87,163		2,151		2·46	

who, in order to spare their Town or District the imputation of being in a bad sanitary condition, wished to get rid of the tell-tale hard facts of the excessive mortality, and tried to exclude from their calculations and sight all the Death Returns of those years during which any epidemic prevailed, crying out it was the exceptional, and not the constant and general case. These writers seem entirely to forget that epidemics are the very diseases which, more than any others, test the healthiness or unhealthiness of a Town or District; for it is a well-ascertained law regarding them, that just in proportion to the low sanitary condition of the locality, is the severity with which its inhabitants are handled by such epidemics. Moreover, it is a remarkable fact, that localities in this low sanitary condition are rarely long free of epidemics of one kind or other. It may be Cholera one year, but next

TABLE XVI.—ABERDEEN. Population and Deaths in 1855 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1855.		DEATHS 1855.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	4,914	4,900	263	247	5·35	5·04
5—10	4,307	4,142	53	40	1·23	0·96
10—15	3,985	3,986	38	21	0·95	0·52
15—20	3,639	4,174	37	23	1·01	0·55
20—30	5,326	8,145	70	48	1·31	0·58
30—40	4,064	5,883	49	67	1·20	1·30
40—50	3,377	4,595	70	69	2·07	1·51
50—60	2,156	3,353	63	66	2·92	1·96
60—70	1,343	2,366	56	88	4·16	3·72
70—80	678	1,149	82	105	12·09	9·13
80—90	161	345	26	62	16·14	17·97
90—100	10	30	4	14	40·00	46·66
100 and above	1	2	—	1	—	50·00
Not stated	—	—	1	1	—	—
ALL AGES	33,961	43,070	812	852	2·31	1·97
BOTH SEXES	77,031		1,664		2·16	

TABLE XVII.—PAISLEY. Population and Deaths in 1855 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1855.		DEATHS 1855.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	3,152	3,058	300	246	9·51	8·04
5—10	2,841	2,754	43	33	1·51	1·19
10—15	2,712	2,588	23	14	0·84	0·54
15—20	2,309	2,850	31	24	1·34	0·84
20—30	3,774	4,983	36	33	0·95	0·66
30—40	2,779	3,277	34	38	1·22	1·16
40—50	2,135	2,715	32	45	1·49	1·21
50—60	1,414	1,757	38	36	2·68	2·04
60—70	834	1,099	61	64	7·31	5·82
70—80	343	522	49	74	14·28	14·17
80—90	86	103	22	35	25·58	33·98
90—100	10	7	2	6	20·00	85·71
100 and above	—	1	—	1	—	100·00
Not stated	—	—	—	—	—	—
ALL AGES	23,389	25,714	671	649	2·98	2·52
BOTH SEXES	48,103		1,320		2·74	

it may be Small-pox, next Typhus Fever, and next again Scarlatina. The epidemics may each several year be of the most opposite natures ; but all equally show a preference for the District in the low sanitary condition, and each even selects the very hamlet, street, or block of houses whose inmates

TABLE XVIII.—GREENOCK. Population and Deaths in 1855 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1855.		DEATHS 1855.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	2,523	2,381	384	306	15·22	12·85
5—10	2,118	2,073	38	43	1·79	2·07
10—15	2,076	1,950	12	11	0·57	0·56
15—20	1,800	1,973	28	10	1·55	0·50
20—30	3,499	3,983	50	56	1·42	1·40
30—40	2,490	2,900	37	45	1·48	1·55
40—50	1,764	1,943	39	44	2·21	2·26
50—60	992	1,262	33	45	3·32	3·56
60—70	528	778	42	35	7·94	4·49
70—80	186	293	25	34	13·44	11·60
80—90	33	76	14	17	42·42	22·36
90—100	2	4	1	4	50·00	100·00
100 and above	1	—	—	—	—	—
Not stated	—	—	1	1	—	—
ALL AGES	18,012	19,616	704	651	3·90	3·31
BOTH SEXES	37,628		1,355		3·60	

TABLE XIX.—PERTH. Population and Deaths in 1855 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1855.		DEATHS 1855.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	1,616	1,570	104	110	6·43	7·00
5—10	1,419	1,450	8	9	0·56	0·62
10—15	1,426	1,365	3	5	0·21	0·51
15—20	1,302	1,356	14	7	1·07	0·51
20—30	2,221	2,491	29	19	1·30	0·76
30—40	1,549	1,888	28	22	1·80	1·16
40—50	1,247	1,582	26	16	2·08	1·01
50—60	960	1,214	24	28	2·50	2·30
60—70	550	815	33	28	5·94	3·43
70—80	289	409	44	39	15·22	9·53
80—90	62	97	10	18	16·12	18·55
90—100	2	7	1	3	50·00	42·85
100 and above	—	1	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	12,648	14,245	324	304	2·56	2·13
BOTH SEXES	26,893		628		2·33	

NOTE.—Having no other data, the population of the respective Towns has been estimated on the supposition that from 1851 to 1855 they were increasing at the same ratio as between 1841 and 1851. This probably rather over-estimates the population of Perth and Leith, while it somewhat under-estimates that of Paisley, but especially of Greenock. We have no means, however, of knowing when Greenock population began to increase—probably not earlier than 1854, so that the calculations cannot be very far wrong for 1855. Even, however, allowing that Greenock was from 1851 increasing at the full rate of increase of Births over Deaths in 1855, it would not alter its position in any of the appended Tables, as it would still show it to be one of the most unhealthy Towns in Scotland, showing a mortality of 3·48 Deaths in every ten thousand persons. All acknowledge that a ten years' average gives a fair view of the healthiness of a Town. Now we find that in the eleven years, 1846 to 1856 inclusive, the Deaths in Greenock amounted to 15,756, giving 1,432 as the mean annual number of Deaths. As the year of the census in 1851 falls in the middle year of this period, and thus gives the true population, this shows that the mean mortality in Greenock is 3·82 per cent. of the population, or 382 Deaths annually in every ten thousand persons—thus more than confirming the conclusion previously arrived at, that it is one of the most unhealthy Towns in Scotland.

had been decimated by the previous epidemic. In the search for truth, then, the epidemic years must never be overlooked, but are to be regarded as our most valuable guide,—a guide which a kind Providence has wisely provided to call our attention to the fact, that some of the laws of health have been seriously disregarded in that locality.

Limiting, then, our present survey to the Eight Principal Towns of Scotland, we find that, whether arranged according to the proportion of Deaths to their respective populations, or according to the proportion of Deaths among the children under 5 years of age, they arrange themselves in nearly the same order; Aberdeen, as the healthiest, being at the head of both lists, Greenock, as the most unhealthy, being at the bottom of both.

Per cent. of Deaths to Population.	Per cent. of male Deaths under 5 years to male children living at same age.
Aberdeen 2·16	Aberdeen 5·35
Perth 2·33	Perth 6·43
Edinburgh and Leith 2·38	Edinburgh and Leith 7·89
Dundee 2·46	Paisley 9·51
Paisley 2·74	Dundee 10·12
Glasgow 2·96	Glasgow 12·13
Greenock 3·60	Greenock 15·22

But there is yet another mode of arriving at a tolerably correct estimate of the comparative healthiness of a Town or District, and one which is capable of being applied to those numerous cases where we are ignorant of the numbers of the population. This is by ascertaining what is the proportion of Deaths which occur under 5 years of age. Even by this imperfect mode of estimation, we find, that if we take the Three Great Divisions of Scotland, or the Eight Principal Towns, they arrange themselves almost in the same order, as to healthiness, as if they had been classed in the order of least mortality compared with the living population. These facts are shown in the accompanying Table.

The Three Divisions of Scotland arranged according to order of least Mortality compared with the Population.

Per cent. of Deaths to Population.
Insular Districts 1·61
Mainland do. 1·75
Town do. 2·64

The Three Divisions of Scotland arranged according to order of least Mortality of children under 5 years as compared with the Total Deaths at all Ages.

Per cent. of Deaths under 5 years to Total Deaths.
Insular Districts 22·91
Mainland do. 31·19
Town do. 43·67

Eight Towns of Scotland arranged in order of least Mortality compared with the Population.

Per cent. of Deaths to Population.
Aberdeen 2·16
Perth 2·33
Edinburgh and Leith 2·38
Dundee 2·46
Paisley 2·74
Glasgow 2·96
Greenock 3·60

Eight Towns of Scotland arranged in order of least Mortality of children under 5 years as compared with the Total Deaths at all Ages.

Per cent. of Deaths under 5 years to Total Deaths.
Aberdeen 30·64
Perth 35·66
Edinburgh and Leith 37·15
Paisley 41·36
Dundee 47·97
Glasgow 49·60
Greenock 50·92

It is thus seen that there are three modes of estimating the comparative healthiness of a District or of a Town: *first*, by estimating the proportion of annual Deaths to the living population; *secondly*, by estimating the proportion of Deaths under 5 years to the living under 5 years; and *thirdly*, by ascertaining what proportion the Deaths under 5 years bear to the total Deaths. The latter course is only to be followed when we have no means of ascertaining the actual population; and it is satisfactory to know that, speaking in a general way, it gives a very close approximation to the truth.

CAUSES OF DEATH; OR, THE DISEASES CAUSING DEATH.

As most individuals are cut off by some specific disease, and this is the first time that an opportunity has been presented of knowing the diseases which prevailed among the inhabitants of Scotland, the accompanying Tables (XX. and XXI.), showing the proportion in which a few of the principal diseases, and all the classes of disease, proved fatal in Scotland and in its Three Great Divisions, and in the two sexes, will prove an interesting contribution to vital statistics. The Table for all Scotland will also serve as a valuable means of comparison with the mortality of each disease and class of diseases prevailing in the several Towns. By referring to the Summary Table of the Causes of Death in all Scotland, p. 60, it will be observed that a full tenth of the Deaths had no cause of Death assigned them. As these Deaths of which the causes were not known were in nearly the same proportion, as to age, that the Deaths were of which the causes were ascertained, in estimating the per centage of Deaths from different diseases to the population, a correction has been made for the proportion of Deaths whose causes were not ascertained. Were this not done, a false estimate of the proportion of Deaths from each disease, or each class of diseases, would have been given; but, by making this correction, and allowing to each disease or class of diseases its fair proportion of the Deaths whose causes were not specified, as true an estimate of the mortality of each disease is obtained as it is possible to get. In like manner, in stating the relative proportion of Deaths from each disease, the per centage to the *total specified causes* is alone given, inasmuch as, had the proportion to the *total Deaths* been given, as in the English Tables, the mortality from each disease would have been given at least ten per cent. below the truth, inasmuch as the numbers of Deaths assigned to each disease do not include their proportion of the non-specified causes; which ought, therefore, to be excluded from the whole number of Deaths with which they are compared.

In the Tabulation of the causes of Deaths, the old classification of diseases, which has been in use in England for upwards of 20 years, has been adhered to; and the reasons for doing so are given in full in the Edinburgh Medical Journal for June 1860. For statistical purposes, it has many advantages over that new classification of diseases, endeavoured to be thrust on the medical profession, whether they approve of it or not; while it does not pander to any medical theories which may be in vogue to-day, and be discarded as false to-morrow.

CLASS I. Zymotic Diseases.

Of the classes of disease, it will be seen, from Tables XX. and XXI., that the most fatal in Scotland was the Zymotic, or Epidemic and Contagious, Class; seeing that, during the year, that class cut off 13,582 persons, or in the proportion of 49 in every ten thousand individuals in the population, and constituted no less than 24.1 per cent. of the total Deaths.

In the Three Great Divisions of Scotland, however, the proportion of

persons cut off by these epidemic diseases differed greatly; for in the Insular Districts they cut off only 33, in the Mainland 40, but in the Towns 67 persons, in every ten thousand of the population. Town life, therefore, appears to favour the destructive action of epidemics; and it does this in two especial ways,—*first*, by spreading them, through their supposed contagious or infectious property, by the almost unavoidable close intercommunication which the crowded inhabitants are necessitated to have with each other; *secondly*, by the enfeebled health which a Town's residence occasions, partly by the want of active exercise in the open air, partly by spending so much of life in close unventilated apartments, or in occupations otherwise unfavourable to health, whereby the system is less able to withstand or throw off disease.

As the usual epidemic diseases in Scotland fall most heavily on the young, it was natural to expect that the proportion of male Deaths from that class of diseases would exceed that of the female; and, accordingly, we find that 50 male Deaths occur for every 49 females in every ten thousand of each sex. It would appear, however, that this excess of male Deaths in epidemics is solely caused by the high mortality prevailing in Towns; for in the Insular Districts, in every ten thousand of either sex, the Deaths among the sexes were equal, viz., 33 in each; while in the Mainland Districts, the female Deaths exceeded the male, or 38 males died for every 41 females. This is what might almost naturally be expected, seeing that the care of the sick falls on the females, who are thus brought more closely in contact with them, and, if there be any truth in the doctrines of contagion, might be expected to suffer in a higher ratio than the males. In the Towns, however, 71 males died from these Zymotic Diseases out of every ten thousand living, while only 64 females perished out of a like number of females,—a fact, however, at once explained by the circumstance of the proportion of infantile Deaths being much higher in the Town than in the Country Districts.

It was stated above, that the mortality from the Zymotic Diseases ought not to be excepted, or the years during which virulent epidemics reigned, when judging of the healthiness of a Town or District, because epidemics were the barometers by which we were able to judge almost infallibly as to the sanitary condition of the locality relative to which we were inquiring. Let us see, then, what would be the order in which eight of the Principal Towns of Scotland would arrange themselves, if classed according to the order of least mortality from epidemic diseases as compared with the population. Here, again, Aberdeen is found at the head of the list as the most healthy of the Towns, and Greenock at the bottom as the most unhealthy; while the others range themselves nearly in the order in which they stood when placed according to the relative proportion of Deaths to their respective populations, and absolutely in that of the least mortality among children under five years of age.

Per cent. of Deaths from Epidemic Diseases to the Population of each Town.	
Aberdeen	0·46
Perth	0·50
Edinburgh and Leith*	0·56
Paisley	0·66
Dundee	0·67
Glasgow	0·77
Greenock	1·16

Per cent. to Population of Deaths from Small-pox.	
Paisley	0·002
Aberdeen	0·013
Edinburgh and Leith	0·019
Glasgow	0·060
Perth	0·092
Dundee	0·166
Greenock	0·343

* So many cases of diseased persons from Leith are treated in and die in the Royal Infirmary, Edinburgh, that it gives a fairer average for both Towns if in our remarks they are regarded as one Town.

Individual Epidemic or Zymotic Diseases.

Small-pox proved fatal during the year to 1309 persons in Scotland, and thus cut off in the proportion of 49 persons out of every hundred

TABLE XX.—Proportion of Deaths from different Diseases in every hundred thousand persons of the general Population, and also of each Sex, in SCOTLAND, and its Three Great Divisions, the Insular, the Mainland, and the Town Districts, during 1855; allowance being made for the proportion of causes not specified.

1855.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND DISTRICTS.			TOWN DISTRICTS.		
DISEASES.	Proportion of Deaths in every 100,000 of Both Sexes.	Proportion of Male Deaths in every 100,000 Males.	Proportion of Female Deaths in every 100,000 Females.	Proportion of Deaths in every 100,000 of Both Sexes.	Proportion of Male Deaths in every 100,000 Males.	Proportion of Female Deaths in every 100,000 Females.	Proportion of Deaths in every 100,000 of Both Sexes.	Proportion of Male Deaths in every 100,000 Males.	Proportion of Female Deaths in every 100,000 Females.	Proportion of Deaths in every 100,000 of Both Sexes.	Proportion of Male Deaths in every 100,000 Males.	Proportion of Female Deaths in every 100,000 Females.
ALL CAUSES . . .	2062	2135	1995	1617	1684	1561	1750	1782	1721	2644	2810	2483
1. Zymotic Class . . .	497	501	496	338	338	338	401	389	413	678	715	647
2. Uncertain Seat . . .	93	76	107	95	89	99	88	75	99	101	78	121
3. Tubercular Class . . .	366	385	349	237	272	208	285	296	275	515	554	486
4. Nervous System . . .	168	191	148	97	121	78	148	162	134	213	249	181
5. Organs of Circulation . . .	73	80	66	29	31	26	63	69	57	96	107	87
6. Respiratory Organs . . .	258	279	240	183	194	185	202	218	187	363	395	333
7. Digestive Organs . . .	158	173	144	99	125	82	145	153	113	198	214	183
8. Urinary Organs . . .	24	37	13	24	45	5	24	36	12	25	37	16
9. Generative Organs . . .	18	—	34	21	—	40	16	—	32	19	—	36
10. Locomotive Organs . . .	10	11	9	12	9	14	11	12	9	9	10	9
11. Skin, etc.	2	2	2	2	2	1	2	2	2	2	2	3
12. Malformation	5	6	4	—	1	—	5	6	4	6	8	4
13. Premature Debility . . .	75	87	65	27	41	14	58	65	51	110	131	93
14. Atrophy	19	18	20	6	7	5	13	13	14	31	29	32
15. Age	208	164	248	361	235	424	216	170	259	177	138	211
16. Sudden Deaths . . .	9	10	8	2	3	—	7	7	8	12	16	8
17. Violent Deaths . . .	70	109	35	63	102	30	66	102	32	77	113	39
Small-pox	49	52	43	16	18	15	34	36	32	74	83	66
Measles	43	44	37	69	70	68	19	19	18	79	85	74
Scarlatina	78	82	74	10	14	6	71	71	68	99	107	92
Hooping-cough	69	62	76	21	18	24	54	48	62	99	92	106
Croup	31	36	27	27	31	22	26	27	25	41	51	33
Thrush	1	1	1	—	—	1	1	1	—	1	1	1
DIARRHŒA	49	51	45	17	19	15	34	33	33	75	84	68
Dysentery	22	21	22	14	18	11	16	16	16	32	30	34
Cholera	8	8	8	1	1	1	11	11	10	6	5	6
Influenza	25	20	29	76	62	88	31	26	37	9	8	10
Infantile Fever	4	4	3	—	—	1	4	4	4	4	5	2
TYPHUS	88	90	87	60	62	57	73	70	76	116	127	107
Metria	6	—	11	—	—	1	4	—	9	8	—	16
Erysipelas	11	12	11	11	11	11	10	11	9	14	15	14
Dropsy	44	39	49	53	54	51	43	37	43	50	41	58
Cancer	31	20	42	30	18	40	32	21	41	31	17	44
Scrofula	16	20	11	12	14	10	14	17	10	20	27	13
Tabes Mesenterica . . .	19	20	17	6	3	6	15	17	13	28	30	25
PHTHISIS	261	263	258	192	217	170	201	194	208	359	367	352
Hydrocephalus	69	79	61	25	31	20	48	53	42	111	129	95
Apoplexy	37	43	32	16	23	10	34	39	29	47	56	37
Paralysis	50	50	50	45	53	39	49	46	51	53	57	51
Epilepsy	7	7	6	3	2	2	6	7	7	8	9	7
Convulsions	25	30	20	10	14	6	17	22	14	38	46	33
BRONCHITIS	111	109	112	72	59	82	85	85	85	157	157	157
Pneumonia	76	93	62	34	44	25	55	67	45	116	142	93
Teething	37	39	34	6	6	5	21	24	19	66	70	62
Enteritis	31	33	29	16	26	7	28	31	25	38	38	38
Childbirth	12	—	23	16	—	31	11	—	22	13	—	25
Burns and Scalds . . .	11	10	11	11	3	16	11	11	11	11	11	11
Drowning	16	28	4	26	54	1	15	27	4	15	27	5
Fracture & Contusion .	22	39	7	10	19	2	20	36	6	26	46	8

thousand individuals in the population, and constituted 2·3 per cent. of the Deaths. As with every other epidemic disease which finds its chief victims among children, the proportion of males who died under its attacks to the living of each sex, was higher than that of females in the proportion

TABLE XXI.—Proportion of Deaths from different Diseases in every ten thousand Deaths from specified causes in SCOTLAND, and its Three Great Divisions, the Insular, the Mainland, and the Town Districts, in the year 1855; distinguishing the proportional mortality in both Sexes, and in Males and Females.

1855.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND DISTRICTS.			TOWN DISTRICTS.		
DISEASES.	Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.		
	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.
1. Zymotic Class . . .	2413	2348	2479	2097	2024	2174	2293	2184	2400	2567	2546	2588
2. Uncertain Seat . . .	468	359	538	589	533	641	502	422	580	383	278	485
3. Tubercular Class . . .	1760	1804	1717	1493	1611	1338	1631	1663	1599	1961	1973	1942
4. Nervous System . . .	818	894	744	609	725	501	846	912	773	805	887	725
5. Organs of Circulation . . .	356	375	334	183	190	176	360	389	331	365	381	350
6. Respiratory Organs . . .	1257	1308	1207	1174	1158	1189	1158	1226	1091	1370	1408	1334
7. Digestive Organs . . .	768	812	722	633	745	529	821	861	727	756	763	742
8. Urinary Organs . . .	120	174	68	149	272	37	139	207	72	98	132	65
9. Generative Organs . . .	87	—	172	135	—	260	96	—	190	74	—	146
10. Locomotive Organs . . .	51	55	47	77	60	92	63	71	55	37	38	36
11. Skin, etc.	12	12	12	14	20	9	13	15	12	11	9	12
12. Malformation	27	32	22	4	10	—	30	35	27	24	30	18
13. Premature Debility . . .	367	408	327	169	252	92	333	366	300	412	466	374
14. Atrophy	95	87	102	43	50	37	78	74	81	117	103	130
15. Age	1006	768	1245	2237	1712	2723	1235	956	1508	671	493	844
16. Sudden Deaths . . .	44	48	40	14	30	—	44	40	48	45	58	34
17. Violent Deaths . . .	339	507	176	396	614	195	379	573	190	292	428	160
Small-pox	232	245	220	106	107	102	196	204	188	281	299	264
Measles	209	210	209	430	423	436	108	109	108	301	303	298
Scarlatina	379	386	373	67	90	46	405	408	403	376	384	368
Hooping-cough	338	292	382	135	107	158	316	270	362	377	330	423
Croup	155	170	143	169	190	148	151	155	145	158	183	133
Thrush	6	6	6	4	—	9	7	8	6	4	3	5
DIARRHŒA	234	241	227	111	120	102	194	196	193	287	300	275
Dysentery	106	100	113	91	107	74	92	90	94	123	109	137
Cholera	60	41	43	9	10	9	63	64	62	21	17	25
Influenza	124	101	147	473	372	566	180	145	214	36	31	40
Infantile Fever	19	22	17	4	—	9	24	25	23	15	20	11
TYPHUS	428	422	436	372	372	371	422	398	446	442	454	439
Metria	30	—	59	4	—	9	28	—	55	34	—	67
Erysipelas	77	59	56	72	70	74	57	62	52	57	55	58
Dropsy	216	186	246	333	332	362	230	209	250	192	149	235
Cancer	154	93	214	188	107	260	183	122	243	121	61	171
Scrofula	78	97	59	77	90	65	80	99	62	75	96	55
TABES Mesenterica	95	100	89	38	30	46	88	96	80	106	110	103
PHTHISIS	1266	1235	1262	1193	1299	1096	1151	1094	1207	1358	1305	1409
Hydrocephalus	338	370	306	159	190	129	275	301	249	420	460	380
Apoplexy	183	209	161	101	140	65	197	222	173	178	200	156
Paralysis	246	237	254	285	322	250	280	262	289	205	203	207
Epilepsy	34	35	34	19	20	18	39	32	40	30	31	29
Convulsions	122	141	103	67	90	46	102	123	81	109	164	132
BRONCHITIS	539	513	564	449	362	529	492	479	498	601	562	638
Pneumonia	370	433	312	217	272	169	319	376	264	441	508	375
Teething	180	186	173	38	40	37	124	137	112	250	250	250
Enteritis	150	160	147	106	161	55	161	173	149	145	138	153
Childbirth	60	—	119	106	—	204	66	—	131	50	—	100
Burns and Scalds	55	50	60	72	30	111	65	62	69	42	38	46
Drowning	78	134	23	164	332	9	89	154	25	59	98	21
Fracture & Contusion	109	184	36	67	120	18	122	207	39	98	164	34

of 52 males to 43 females. Of the 1209 Deaths from Small-pox, 983 were under 5 years of age, and 154 above 20. More than a third of the total mortality, or 431 Deaths, occurred in children under 1 year. Small-pox being one of those diseases which, though appearing and mainly spreading as an epidemic, seems also undoubtedly to be easily propagated by contagion, might naturally be expected to manifest its chief ravages in the Town Districts, where the population is crowded, and where the possibility of separating the sick from the healthy is consequently difficult in many instances. Accordingly, it is found that, while in the sparsely inhabited Insular Districts the Deaths from that disease were in the proportion of 16 only in every hundred thousand persons, the proportion rose in the Town Districts to the high rate of 74 Deaths in an equal population; while the Mainland Districts, from containing small Towns and villages, exhibited a medium mortality of 34 Deaths from Small-pox in every hundred thousand persons. The accompanying Table shows the proportion in which the Eight Principal Towns of Scotland suffered from Small-pox during 1855. While Paisley had only in the proportion of 2 Deaths in every hundred thousand inhabitants, Glasgow had 60, Perth 92, Dundee 166, and Greenock no fewer than 343 Deaths from Small-pox in a like population.

From the investigations which have been made regarding Small-pox, and the notes received from the Registrars, it has been demonstrated, that by far the greatest part of the Deaths resulting from that disease occurred in persons who had never been vaccinated, and that, where vaccination properly attended to, few Deaths indeed would result from the disease. Several other interesting facts have, however, been noticed. In several instances the disease has been introduced to a Town or District, by a person who had the disease at the time coming to that Town or District, and communicating it to persons who were not protected by vaccination, and the first attacked in these instances were persons who had never been vaccinated. In these circumstances, the disease could be clearly traced to spread by contagion only; but, after it had once fairly established itself, it broke out on all sides as a true epidemic, seizing both those who had been vaccinated, and those who had not. The fatal cases, however, were almost all confined to the unvaccinated; and it was quite apparent that, had it not been for the large proportion unprotected by vaccination, the disease would have died out before it had time to become epidemic. To one Town, the disease was introduced by an unvaccinated native, who in travelling by the railway sat in the same carriage with an individual who had the disease on him. In another Town, the disease was introduced by a pauper whose child was affected by Small-pox, when, instead of the Parochial Board of the place, when the child was taken ill, secluding child and mother, and subjecting the child to proper medical treatment, they sent her to the Parish of the child's birthplace; and the child dying in the Town, the disease rapidly spread from that point as a centre over the whole Town, and caused numerous Deaths.

These facts prove the necessity of some legal enactment—if not to enforce vaccination on all as a safeguard to the public generally—to prevent persons labouring under contagious diseases travelling from one part of the country to another, if paupers, being sent from one Parish to another, till thoroughly recovered. Surely the lives of human beings are more valuable than those of cattle; and if we have stringent Acts to prevent the spread of infectious diseases among the latter, these facts prove it to be at least equally required to protect our own race from disease, in so far as legal enactments can do such.

Measles cut off 1180 persons in all Scotland; of whom 237 were under 1 year of age, 827 between 1 and 5, and 116 above 5 years of age. Measles thus proved fatal in the proportion of 43 Deaths in every hundred thousand persons living,—a mortality less than that of Small-pox. In the Mainland Districts of Scotland, Measles only cut off in the proportion of 19 persons out of every hundred thousand living; but, in the Town Districts, the proportion was 79 Deaths in a like population. The Insular Districts presented the striking anomaly of furnishing a mortality nearly as great as in the Town Districts,—69 Deaths from Measles having occurred in every hundred thousand persons inhabiting these Districts.

Scarlatina, during the year, cut off 2138 persons, of whom 1073 were males, and 1065 females. Of these, 19 males and 39 females were above 20 years of age. It thus proved fatal in the proportion of 78 Deaths in every hundred thousand persons living, and was, after Typhus Fever, the most fatal of all the epidemics. The Insular Districts were remarkably exempt from that disease during the year, and only lost in the proportion of 10 Deaths in every hundred thousand inhabitants. In the Mainland Districts, the proportion of Deaths was 71, and in the Town Districts 99, in every hundred thousand persons living; thus again in a marked manner showing the influence of a Town residence in increasing the fatality of epidemic diseases.

Hooping-cough proved fatal to 1903 persons, only 101 of whom were above 5 years of age, and of these, only 6 above 20 years. The mortality of Hooping-cough was, therefore, in the proportion of 69 Deaths in every hundred thousand persons. In the Insular Districts, the proportion was 21 Deaths, in the Mainland Districts 54 Deaths, but in the Town Districts 99 Deaths, in every hundred thousand inhabitants. Hooping-cough was one of the few epidemic diseases in which the female mortality exceeded the male; seeing that 76 females, but only 62 males, were cut off in every ten thousand of the respective sexes during the year. It will be interesting to note, in subsequent years, whether this circumstance is a constant or only a casual occurrence, and, if a constant, what it is which causes that disease to cut off a larger proportion of the female sex,—whether, during the disease, fatal convulsions are more common in female children than in male, or what other cause can give rise to the higher female mortality.

Croup cut off 873 persons, of whom 473 were males, and 400 females. Of these, 745 were under 5 years of age, 121 were between 5 and 10 years, 6 were between 15 and 20, and one was between 20 and 25. Croup therefore proved fatal in the proportion of 31 in every hundred thousand living.

Diarrhœa cut off 1320 persons during the year, being very nearly the same number of Deaths as that produced by Small-pox; being in the proportion of 48 Deaths in every hundred thousand persons. No disease exhibited more strongly the influence of site on its prevalence and fatality than Diarrhœa; for, while the Insular Districts only furnished 17 Deaths in every hundred thousand persons, the Mainland Districts yielded 34 Deaths, and the Town Districts 75 Deaths, in like populations.

Typhus (along with which is classed Gastric) Fever was the most fatal epidemic of the year, furnishing 2419 Deaths, 1176 of whom were males, and 1243 females. Unlike the epidemics previously reviewed, the great mortality from this disease occurs not in infancy but in riper years; so that, while only 690 Deaths occurred therefrom under 10 years of age, 1729 took place above that age. It is a great mistake, however, to imagine

that the disease is limited to riper years. The greatest absolute number of Deaths during any quinquennial period occurred between 5 and 10 years of age, 259 children having fallen victims to that disease during that period of life. That disease thus proved fatal in the proportion of 88 Deaths in every hundred thousand persons in the population. The Gastric form of the disease was that which chiefly prevailed over Scotland; every now and then, however, even in different members of the same family, assuming the true typhoid type. No disease shows more clearly how much might be done to ameliorate the condition of our peasantry than the high mortality of this disease in the Insular and Mainland Districts,—60 Deaths in the Insular, and 73 in the Mainland Districts, having occurred during the year in every hundred thousand persons living. The close unaired house, with its fixed windows, built on a damp undrained site, with the dunghill against its side walls, and its “*jawhole*” for the deposit of every kind of fluid filth in front; its inmates, consequently, constantly, when at home, breathing a tainted atmosphere, and moreover at night shutting themselves in the unwholesome box beds, where they are half asphyxiated before morning,—these known facts render it wonderful, not that the mortality is so high, but that it is so low. They, however, show how much the health of the rural inhabitants might be improved were their dwellings and habits improved.

Though neither Typhus nor Gastric Fever assumed the truly epidemic form in any part of Scotland, the Town Districts, as might be expected, exhibited a mortality much higher than that of the Insular or Midland Districts, 116 Deaths having occurred in every hundred thousand persons living; and, in them, the disproportion between the mortality of the two sexes was greater than in these other Districts, seeing that males died from these Fevers in the proportion of 127, but females only in that of 107, out of every hundred thousand of the respective sexes. It would be both interesting and instructive to inquire into the probable causes of the greater mortality from Typhus and Gastric Fevers in the male.

Of the Eight Principal Towns, it is remarkable that the Aberdeen mortality from Typhus and Gastric Fevers should so far exceed that of the other Towns, being no less than in the proportion of 170 Deaths from these diseases in every hundred thousand persons,—that of Leith being 37, Perth 63, Edinburgh and Dundee 83, Paisley 99, Greenock 103, and Glasgow 137, in like populations.

CLASS II. *Diseases of Uncertain Seat.*

The Diseases of Uncertain Seat proved fatal to 2535 individuals in Scotland during 1855, and thus cut off in the proportion of 93 persons in every hundred thousand living. Of this class of diseases, Dropsy used to constitute a very large proportion; and by the old Registers this disease seemed to be much more fatal than it appears to be by the Registers of the present day. This, however, arises from the increased medical knowledge of the present day, which recognises in most cases the cause of the Dropsy to consist in organic disease of the heart, of the liver, of the lungs, or of the kidney, under each of which are registered the cases which in the old Registers were attributed to Dropsy. Hence it happens, that most of the cases now registered under Dropsy are those in which no qualified medical practitioner has been in attendance, who could give a certificate as to the true cause of Death; the informant being alone able to state that Dropsy was the disease which,

in his eyes, had given rise to the fatal result. Only 1220 Deaths from Dropsy were registered in Scotland in 1855, giving the proportion of 44 Deaths in every hundred thousand persons in the general population. Of these, 517 were males, and 703 females; being in the proportion of 39 males and 49 females in every hundred thousand of the respective sexes.

Cancer cut off 871 persons during the year, being in the proportion of 31 Deaths in every hundred thousand persons. Only 261 of these were males, while 610 were females; so that, in so far as the Registers show, Cancer is a much more prevalent and fatal disease in the female than in the male, being, in fact, in the proportion of 20 males to 42 females in every hundred thousand of each sex. It is almost the only disease whose mortality is nearly uniform in the inhabitants of the Insular, Mainland, and Town Districts; so that it may be fairly described as a disease not influenced by locality or external agencies.

CLASS III. *Tubercular Diseases.*

After the Epidemic the next most fatal class of diseases is the Tubercular, which, indeed, includes the disease which, of all others, is most fatal to the human race in Britain,—viz., Phthisis or Consumption; besides Hydrocephalus, Tabes Mesenterica, and Scrofula. This class of diseases proved fatal to 10,007 persons in Scotland during the year, and thus caused in the proportion of 366 Deaths in every hundred thousand persons in the population, or a fraction more than $17\frac{1}{2}$ per cent. of the ascertained causes of Death. It is instructive to note, as showing how equally the whole population of Great Britain is affected by the causes which give rise to these Tubercular Diseases, that in England, during the same year, very nearly the same proportion of Deaths occurred from Tubercular Diseases, viz., 364 in every hundred thousand persons living. It has often been stated that the diseases of the Tubercular Class were more prevalent in Great Britain than in any other country; but this is a great mistake, as in many countries the mortality from this disease is much higher. This is the case, for instance, with the more temperate States of America. In the State of Massachusetts, for example, a five years' average shows that diseases of the Tubercular Class prove fatal in the proportion of 479 Deaths in every hundred thousand persons in the population; and if in more tropical countries the mortality appears less, it is because the Deaths from the various epidemic diseases are so high, and these epidemics prevail so generally among the population, that they cut off most of them who would otherwise have fallen victims to these more slow and lingering maladies.

These Tubercular Diseases, however, are known to be encouraged and produced, and have their fatality increased, by all those causes which tend to enfeeble the human frame,—such as residence in Towns, more especially residence in a low-lying, damp situation, or in crowded close apartments, where, from insufficient or no ventilation, the inhabitants are forced to breathe air vitiated by respiration, or by noxious effluvia of any kind from drains, cesspools, or dung-heaps,—bad or insufficient supply of food, want of active exercise in the open air, etc., etc. In fact, the Tubercular Diseases might be defined to be diseases of debility, in which, from feebleness of the vital powers in the assimilation of food, the nitrogenous matters were not sufficiently oxidated, and were, consequently, thrown out as albuminous deposits in various organs essential to life.

If this be the proper view of the nature of these diseases, it ought to be found that the inhabitants of the Towns, where so many elements hurtful to health exist, from which the rural inhabitant is free, should suffer from these diseases in a much higher ratio than the dweller in the Country, who spends so much of his time in the open air, breathing the fresh and pure breezes of heaven. Accordingly, we find the strongest confirmation of the truth of these views in the fact, that while in the Insular Districts of Scotland only 237 Deaths from Tubercular Diseases occurred in every hundred thousand living, the proportion was 285 in the Mainland Districts, but rose to the very high proportion of 515 Deaths in a like population in the Town Districts.

When the attention is directed to the Eight Principal Towns of Scotland, it is seen that the proportion in which they suffered from that class of diseases varied greatly; and that, most unexpectedly, one of our busiest sea-port and manufacturing Towns—Dundee—for this year, stands at the head of the list as that in which the mortality from the Tubercular Class of Diseases was lowest.

Per centage of Deaths from Tubercular Diseases to Population.				
Dundee	.	.	.	0.407
Edinburgh and Leith	.	.	.	0.427
Perth	.	.	.	0.457
Aberdeen	.	.	.	0.521
Paisley	.	.	.	0.613
Glasgow	.	.	.	0.614
Greenock	.	.	.	0.659

It is difficult to account for Dundee occupying this position, inasmuch as, from so many of its inhabitants being engaged in the sail-cloth and other manufactories, it might have been expected that the mortality from the Tubercular Class of Diseases would have been very nearly the same as that of Paisley. It would appear, however, from the old Registers, that for years the mortality from that class of diseases has been comparatively low;* and it would be an interesting subject of inquiry, What are the causes which lead to that result? Several years' accurate statistics, however, would require to be had before any reliance could be placed on conclusions which at present rest on insufficient data.

As illustrating the nature of that class of diseases, however, it is instructive to note that, of the other Towns (and probably, on an average of years, of *all* the Towns), Edinburgh and Leith present the smallest mortality from the Tubercular Class of Diseases. The position of Edinburgh on sloping hills, and its consequent free natural drainage, its neighbourhood to the sea, and the thorough ventilation of all its steep streets and closes by the breezes, to which it is more than agreeably subject, sufficiently explain its position at the head of the principal Scottish Towns as the most free from Tubercular Diseases; while much the same causes account for Perth and Aberdeen following so closely in the wake. Paisley and Glasgow, from being great manufacturing Towns, naturally have a high mortality from that class of complaints—a mortality, probably, in no small degree increased by the low, damp, level sites on which both Towns are built. But of the Eight Principal

* See Edinburgh Medical and Surgical Journal for 1849, and Statistical Journal, March 1851.

Towns, the highest mortality from that class of diseases occurs in Greenock, where the Deaths from the Tubercular Diseases amounted to the very high proportion of 659 Deaths in every hundred thousand persons. The very high epidemic mortality in that Town might have been expected to have diminished the Deaths attributed to the Tubercular Diseases, as it cannot be doubted that a great many of those whom the epidemics cut off would otherwise have more slowly fallen victims to the diseases of the Tubercular Class. The circumstance, however, of these two classes of disease having proved so very fatal during the same year, goes far to show that in that Town something is at serious fault, either in the sanitary arrangements, or in the social habits of the people, which merit a most searching investigation. Greenock, however, is built on a site which never can be a healthy one,—close under the north-east foot of a high hill, on the banks of a river which receives the whole drainage and sewerage of that overgrown Town, Glasgow; consequently, its atmosphere must always be imperfectly ventilated, and overloaded with moisture,—two elements which, when combined, are prejudicial to health, and which would require all its sanitary arrangements to be in a very perfect condition to bring the health of its inhabitants to the standard of other Towns.

Of the individual diseases to which the inhabitants of Scotland are liable, Consumption is by far the most fatal, cutting off almost exactly three times as many as Typhus Fever, which is the most fatal of all the epidemics. 7129 persons fell victims to Phthisis, or Consumption, in Scotland during 1855, which (allowing, as previously explained, for the proportion of non-specified causes) gives the proportion of 261 Deaths annually in every hundred thousand persons living, and constitutes 12·6 per cent. of the specified causes of Death. This is a proportion considerably below that of England for the same year, which gives the Deaths from Consumption as 282 in every hundred thousand persons in the population. Even this, however, is far, very far below the mortality of the same disease in some other countries. In the State of Massachusetts in the United States, for instance, a five years' average (1853–7) shows that Consumption proved fatal in the very high proportion of 412 Deaths annually in every hundred thousand persons in the population; and in the city of New York, a seven years' average (1847–53) shows that the mortality from Consumption was no less than 429 Deaths per annum in every hundred thousand persons living. Consumption, therefore, is by no means the peculiar scourge of Britain; and the facts which are already known relative to its causes, tend to show, that were our sanitary arrangements both in Town and Country in a better state, and were means used to procure a fresh supply of pure air both by night and by day to our dwellings, the mortality from this disease might be diminished by more than a half.

This is almost, indeed quite, demonstrated by the very great difference in the mortality from Consumption in Town and Country. Thus, in the Mainland Districts of Scotland, the mortality from Consumption was only in the proportion of 201 Deaths during the year in every hundred thousand persons living, but in the Town Districts, 359 deaths from Consumption occurred among an equal population.

It is an old tradition, which is confidently repeated at the present day, that the natives of the Western Isles of Scotland are remarkably free from Pulmonary Consumption; and it has even been stated by one who has had considerable experience as a medical practitioner in these Islands, that most of those who have fallen victims to the disease had contracted it during a re-

sidence on the Mainland. It was hoped that the statistics procured from the Registers would have sufficed either to prove or to disprove this statement ; but, from the circumstance of there being extremely few medical practitioners in these Islands, and the entries of the causes of Death being made by the relatives alone, not much confidence can be placed on the entries which record that the person died from "Consumption." In the Western Isles, it was ascertained that the word "Consumption" was used as a common term to express any illness which reduced the strength and wasted the body, and, in fact, it was commonly applied to the decay produced by the infirmities of old age. On writing, for instance, to one of the Registrars who had entered on his Register the Deaths of fourteen individuals as arising from "Consumption," but 10 of whom were above 60 years of age, and one individual past the 90th year of life, it appeared that not exceeding 3 died from true Pulmonary Consumption—that the whole of the rest were cut off by Old Age, vernacularly termed "Consumption," because attended with wasting of the body. Seeing this is the case, it is quite impossible to say what proportion of the Deaths assigned to "Consumption" in the Insular Districts have a right to be considered as cases of Pulmonary Phthisis. The 247 Deaths entered in the Tables as Deaths from Phthisis, include all the cases entered on the Registers as arising from "Consumption," as it was too late to make any corrections on them when the above facts were ascertained. Even thus augmented, the proportion is only 180 Deaths in every hundred thousand individuals living in the Western Isles, or 192 Deaths in the whole Insular Districts, in a like population ; or, if the correction were applied so far as is now practicable, by deducting all the Deaths above 65 as being in reality Deaths by Age and not by Phthisis, the proportion would be 157 Deaths from Consumption in every hundred thousand, or considerably less than half the mortality in the Town Districts. These proportions, it must be remembered, allow for the causes not specified, which in the case of the Insular Districts amount to nearly a third of the specified causes. It is necessary, however, to add, that Consumption or Phthisis is so well recognised a disease in Scotland, that, in so far as it is concerned, it is very doubtful whether any proportion ought to have been allowed for the causes *not specified*, as the surmise is, that every Death from Consumption was entered on the Registers. Should subsequent years' experience prove this to have been the case, then the proportion of Consumption prevailing in the Western Islands would be much less than that stated above.

From what has been even thus imperfectly ascertained, it is quite apparent that the Western Isles exhibit a freedom from Consumption surpassing that of any locality to which we send our consumptive patients ; and it can scarcely be doubted, that, if comfortable houses, with the appliances for health which science has shown to be necessary, were reared in proper and sheltered sites on some of the larger and more easily accessible of these Islands, they might prove of far more value to the consumptive than all the foreign stations to which they are at present forced to resort. The accessibility of these Islands, the mild winter climate they enjoy, the far greater humidity of the atmosphere over them—more especially during the spring season, when the cold, arid, easterly breezes blow over Britain, and increase so largely the Deaths from Consumption—and the ease with which the patient could be removed to them in the earlier stages of the complaint, when it is still curable, are recommendations to these Islands, as residences for the consumptive, deserving serious attention.

But the fact is, the whole County of Argyll exhibits the same freedom

from Consumption as compared with other parts of Britain; for, even taking all the Deaths from that disease as entered on the Register, including that large proportion which cannot be Tubercular Phthisis, and whose ages run from 60 to 95, the proportion of Deaths is only 177 in every hundred thousand of the population; and if these Deaths be exempted, the proportion will only be 131 from Consumption, in the whole County of Argyll, in every hundred thousand of its inhabitants. On the extensive seaward coasts, then, both of the mainland of Argyll and its Islands, numerous sheltered stations might be obtained, admirably adapted for invalid residences; having every advantage which nearness to the centres of population, easy and quick access by sea and land, and mildness of climate could afford. It must be remembered, however, that in the selection of such situation it is an absolute requisite that they be so chosen as to be quite sheltered from the biting north and east winds—an essential scarcely possessed by one of the numerous and favourite watering-places on our western shores.

Phthisis in Scotland cut off a larger proportion of males than of females, inasmuch as 263 males and only 258 females died from that disease in every hundred thousand of the respective sexes. We must not, however, from this single fact, jump to the conclusion that the unhealthy trades of many of the males led to this result, because, when the fact is viewed in its proper light, it appears that the very opposite conclusion is the just one. In the general population, and from all causes, 213 males died for every 199 females in equal populations of either sex. If, therefore, males and females died in the same proportion by Phthisis, 263 male Deaths would necessitate that only 245 female Deaths from the same cause should occur; whereas the proportion of female Deaths was 258, showing an excess of 13 female Deaths by Consumption above the proportion of Deaths in the two sexes from all causes. This fact, then, demonstrates that, *as a whole*, the male sex suffers less from Consumption than the female; and the very fact of the female mortality from that disease being so high—so much higher than the proportional female mortality from all causes—tends to confirm the conclusions formerly drawn, that the disease is more intimately connected with the social and sanitary condition of the class and locality, than on the mere trade or occupation pursued. This conclusion is further almost demonstrated by the proportion of male and female Deaths from Consumption in the Mainland, and consequently Rural Districts; for there we find that males were only cut off in the proportion of 194 in every hundred thousand of that sex, whereas 208 females died from that disease during the year out of a like female population. The probable explanation of this fact is, that the male in the Rural Districts, from spending so much time in the open air, resists better those baneful influences to which he is exposed in his narrow, damp, unwholesome, unventilated dwelling, during the many hours he is obliged to spend in it.

In the Town Districts, again, males and females were cut off by Consumption in very nearly the exact proportion in which they died from all causes; 367 males and 352 females dying from Phthisis in every hundred thousand of the respective sexes. From these general facts, then, it is quite fair to argue that unwholesome trades and occupations are not more productive of Consumption than they are of all other diseases, seeing that in the general population the proportional mortality of the sexes is even less from that disease than from all causes combined; and that, in fact, unhealthy trades and occupations act exactly a part analogous to an unhealthy site or locality, by diminishing the general health of the individuals exposed

to its influence, and thus rendering them more liable to the attacks of, and to be cut off by, whatever disease may happen to overtake them.

The Eight Principal Towns of Scotland exhibit a mortality from Phthisis which would arrange them pretty much in the same order as they occupied when placed according to the proportion of total Deaths to the population. In these comparisons, it is not to be expected that the arrangement of the Towns should be uniform, more especially that of the smaller Towns, as the number of facts on which the conclusions rest are too few in one year to give satisfactory averages. Still, they serve as valuable guides. The smallest mortality from Phthisis during the year was exhibited by Perth, the proportion of Deaths from Consumption being only 271 in every hundred thousand persons. In Edinburgh and Leith combined, the proportion was 302 Deaths; in Dundee, 304; in Aberdeen, 308; in Glasgow, 422; in Paisley, 469; and in Greenock, 494 Deaths, from Phthisis in every hundred thousand persons living. As before mentioned, Dundee appears in a more healthy position in this list than might have been anticipated; but to what cause this was owing, is not apparent.

Of the other diseases belonging to this class, Scrofula cut off 441, Tabes Mesenterica 535, and Hydrocephalus 1902 persons, during 1855; being in the respective proportions of 16, 19, and 69 Deaths in every hundred thousand persons of the population.

CLASS IV. *Diseases of Brain and Nervous System.*

The Diseases of the Brain and Nervous System proved fatal to 4607 persons in Scotland during 1855, and thus caused in the proportion of 168 Deaths in every hundred thousand persons, or constituted 8.18 per cent. of the general mortality. This class of diseases, as might be expected, proved most fatal to the inhabitants of the Town Districts, but scarcely, perhaps, to that extent which would have been anticipated when the mental stirring anxieties of a Town existence are contrasted with the dreamy languor of a Country life. In the Insular Districts the Deaths from the Diseases of the Brain were in the proportion of 97 to every hundred thousand living; in the Mainland Districts, in the proportion of 148 to a like population; but in the Town Districts, in the proportion of 213 Deaths in a similar number of inhabitants.

Males, as might be expected, were cut off by these diseases in a much larger proportion than females—191 males, but only 148 females, dying from Brain Diseases in every hundred thousand of each sex; and this difference in the proportion of the sexes was pretty uniform in the three great Divisions,—the proportion of males being only a little higher in the Town Districts, and a little lower in the Mainland Districts, when compared with that of all Scotland.

Apoplexy cut off 581 males and 460 females in Scotland during 1855; being in the proportion of 43 males and 32 females in every hundred thousand of each sex.

Paralysis proved fatal to 660 males and 725 females during the year; being in the proportion of 50 males and 50 females in every hundred thousand of each sex.

98 males and 98 females died from Epilepsy; being in the proportion of 7 males and 6 females in every hundred thousand persons of the population.

Convulsions in Scotland do not seem to be such a fatal disease as in England, in which, after Consumption, it is the complaint which, on the

average of years, produced the second greatest number of Deaths. In Scotland, on the other hand, only 689 Deaths occurred from it during the year, or in the proportion of 25 Deaths only in every hundred thousand persons of the population ; so that, instead of being the second most fatal disease in Scotland, it is somewhere about the sixteenth or seventeenth only. This may partly arise, perhaps, from a different system of tabulation being adopted in England and Scotland. If in England the Deaths from Convulsions are tabulated according to that which was the *immediate* cause of Death, that would account for the different proportion assigned to Convulsions in the two countries, seeing that Convulsions is frequently the *immediate* cause of Death in Hooping-cough, Hydrocephalus, Enteritis, the Eruptive Fevers, etc. In Scotland, however, the intelligible and only correct rule for the tabulation of disease is laid down, that every Death from disease must be tabulated under the primary form of disease which attacked the person. Hence, an attack of Pneumonia supervening on Measles is tabulated as Measles, for this is the common way in which Measles proves fatal ; an attack of Convulsions proving fatal during a fit of Hooping-cough is registered as Hooping-cough, for without the fit of Hooping-cough there would have been no Convulsions ; and, not to multiply instances, Deaths from the increase of dropsical symptoms caused by Organic Disease of the Heart, are tabulated as Heart Disease,—the Dropsy being a mere symptom (though the fatal one) of the real Organic Disease in the Heart. Male children are more liable to succumb to Convulsions than female ; 30 males and only 20 females having been cut off in every hundred thousand of the respective sexes.

CLASS V. *Diseases of the Heart and Organs of Circulation.*

The Diseases of the Circulating System proved fatal to 2007 persons, and thus cut off in the proportion of 73 persons in every hundred thousand persons during the year. In the Insular Districts only 29 Deaths, in the Mainland Districts 63 Deaths, but in the Town Districts 96 Deaths, occurred from this class of diseases in every hundred thousand persons living. From this very striking disparity, one would be apt to conclude that a quiet unagitating existence, like that spent by the greater proportion of the Insular inhabitants, gave a man the best chance of escaping from that class of diseases ; and, no doubt, to a considerable extent it does so, only not to the extent shown by the above proportions, as may be proved by one single fact. In the Town Districts, where medical aid can easily be procured, and medical certificates are given, a very large proportion of the cases which in the Insular Districts would be entered on the Registers as Deaths from “Dropsy,” are recognised to be Dropsy dependent on Diseased Heart, and are registered and tabulated under the present class ; and accordingly, as previously pointed out, instead of Dropsy appearing to be less frequent in the Insular than in the Town Districts, it appears to be more prevalent and fatal ; while, from the cases of Dropsy which depended on Diseased Heart not being registered and tabulated as such, the proportion of Deaths from Diseases of the Organs of Circulation appears to be less than it is in the Insular Districts. Still, even making every allowance for this, it will be seen that the Deaths from Diseases of the Circulatory Organs are much less in the Insular and Mainland Districts than in the Towns, though perhaps not greater than the general difference in the proportion of Deaths from all causes.

CLASS VI. *Diseases of the Respiratory Organs.*

The inflammatory Diseases of the Respiratory Organs proved the third most fatal class of diseases,—cutting off in Scotland, during the year 1855, no less than 7075 persons, or in the proportion of 258 Deaths in every hundred thousand persons, and thus constituted $12\frac{1}{2}$ per cent. of the specified causes of Death. This class of diseases is far most fatal to those up in years, and next to infants; while those from 10 to 15 years of age enjoy an immunity from them which strikingly contrasts with the mortality at other periods of life. Thus, besides the 10 Deaths from these diseases whose ages were not ascertained, 2502 were under 5 years of age, 222 were between 5 and 10 years, only 77 between 10 and 15 years, 124 between 15 and 20 years, 667 between 20 and 40, 1239 between 40 and 60, 1917 between 60 and 80, and 327 above 80 years of age.

The relative proportion of Deaths from Diseases of the Respiratory Organs in the three great Districts of Scotland varied greatly; being much lowest in the mild, damp climate of the Insular Districts, and very much higher in the Town Districts, where one would almost have expected their mortality to have been less, seeing that a Town population is, on the whole, so much better housed and protected from sudden atmospheric changes than are the inhabitants of the Country. In the Insular Districts, Diseases of the Respiratory Organs proved fatal in the proportion of 183 Deaths in every hundred thousand persons; in the Mainland Districts, in the proportion of 202 Deaths in a like population; but in the Town Districts, in the high proportion of 362 Deaths in every hundred thousand persons living, or nearly exactly double the ratio of Deaths in the Insular Districts.

As Scotland partakes of the nature of an Insular climate to a much greater extent than England, it is interesting to see the effect of that milder, damper climate (more especially in the winter and spring months, when the mortality from these diseases is highest) in keeping the proportion of Deaths from these diseases lower than that of England. Thus, during 1855, while Scotland only had 258 Deaths from these diseases in every hundred thousand of her inhabitants, England had 343 Deaths from the same diseases in a like number of her population. The combined effect, therefore, of locality and atmospheric influences is thus proved to be very great on this class of diseases.

Of the individual diseases under this class, Bronchitis proved the most fatal, cutting off 3036 persons in Scotland during the year, or in the proportion of 111 Deaths in every hundred thousand persons living, thus constituting 5·39 per cent. of the specified causes of Death. It thus appears that (excluding the Deaths by the natural decay of Old Age), in Scotland, Bronchitis follows Consumption as the next most fatal of the diseases to which the inhabitants are liable. The extreme severity of the season of 1855 may have had the effect of increasing considerably the usual number of Deaths from that complaint; but, making every allowance for this, it will probably be found always to constitute one of the most fatal of the diseases in Scotland. Bronchitis, however, in so far as one year allows any conclusion to be drawn, does not appear to be so fatal in Scotland as in England; seeing that in the latter country the Deaths in 1855, from that disease, were in the proportion of 146 in every hundred thousand persons of the population, but in Scotland only 111 in a like population.

Pneumonia, or Inflammation of the Lungs, was the next most fatal disease of this class, cutting off 2094 persons in Scotland during the year,

or in the proportion of 76 Deaths in every hundred thousand of the population. This was little more than half the mortality from that disease in England during the same year, where 140 Deaths from Pneumonia occurred in every hundred thousand persons.

These two diseases, Bronchitis and Pneumonia—and, indeed, all the inflammatory affections of the Respiratory Organs—have their prevalence and fatality almost entirely regulated by the temperature of the atmosphere; the Deaths therefrom steadily increasing with a fall in temperature, and as steadily declining under an increase of the same. This ascertained fact cannot, however, be shown for the year 1855, in consequence of the want of a staff sufficient to extract from the Registers all the information which would prove useful to the public.

CLASS VII. *Diseases of the Digestive Organs.*

Diseases of the Digestive Organs proved fatal to 4326 persons, or in the proportion of 158 Deaths in every hundred thousand persons, and thus constituted 7·6 per cent. of the specified causes of Death. This is a proportion considerably higher than that of England for the same year, where the Deaths from this class of diseases were in the proportion of 124 in every hundred thousand persons of the population. This result is one which every medical practitioner could have predicted; seeing that the coarser food of the native of Scotland, and the less attention paid to its preparation by cooking, cause a much larger proportion of Stomach and Bowel Complaints than in the sister Kingdom. The fatality of these complaints was greater in the male than could be accounted for by the different rate of mortality in the two sexes—seeing that males died in the proportion of 173 in every hundred thousand males, but only 144 females in a like number of females; whereas, had the relative proportion of Deaths in the sexes been the same as from all causes, the female Deaths would have been 161, and not only 144. It can scarcely be doubted that the higher mortality in the male sex from this class of diseases is caused by the much larger quantity of ardent spirits which the men consume, and which, with them, is a fruitful cause of Stomach Complaints.

CLASS VIII. *Diseases of the Urinary Organs.*

Kidney and Urinary Diseases proved fatal to 679 persons in Scotland in 1855, being in the proportion of 24 Deaths from such diseases in every hundred thousand persons of the population. It is a somewhat remarkable circumstance that this is almost the only class of diseases in which the same proportional mortality occurred in the Insular, the Mainland, and the Town Districts. But if locality had little effect on the mortality from Diseases of the Urinary Organs, sex had much; for, while males were cut off in the proportion of 37 in every hundred thousand, only 13 females died from the same diseases in a like number of females. This proportion was much greater in some of the Districts of Scotland than in others. Thus, in the Insular Districts 45 males died of these complaints for every 5 females; in the Mainland Districts, 36 males died for every 12 females; and in the Town Districts, 37 males for every 16 females, in every hundred thousand of the respective sexes of each District. It seems at first sight difficult to account for this great disparity in the fatality of these diseases in the two sexes; but any one who has had tolerably extensive practice among the natives of Scotland well knows that many of the Kidney and Urinary Diseases owe

their origin to the abuse, as well as to the use, of alcoholic drinks ; and to this cause it seems reasonable to refer the peculiarity referred to.

CLASS IX. *Uterine Diseases and Childbirth.*

This class of diseases proved fatal to 493 women during 1855, or in the proportion of 18 Deaths in every hundred thousand of the general population ; the English proportion being 16 in a like population for the same year.

Childbirth is the chief cause of Death in this class of diseases ; but, in order to ascertain what is the proportion in which it proves fatal, the Deaths from Metria (Childbed Fever) must be added. It may be remarked, that it is against the only correct rule for the tabulation of the Deaths to arrange Metria under the Epidemic Diseases. Excepting in being capable of being communicated by contagion from one to another woman who is in childbed, it has no right to be placed among the Zymotic Diseases ; for it is never a primary disease, but always a secondary, and can only occur as a secondary—being exactly in the same relation to Childbirth as Flooding, Convulsions, Rupture of Uterus, Death from Exhaustion, etc., *during Childbirth*. Including, then, the Deaths from Metria with those of Childbirth, 510 women died from the effects of Childbirth in Scotland in 1855 ; giving the proportion of 34 Deaths in every hundred thousand females of the population, or rather more than twice the mortality from the same cause in England. Can this striking fact be explained ?

In nothing does England and Scotland differ more than in the supply of qualified medical practitioners to its Rural and Insular Districts. With the exception of some half dozen stations, nearly the whole Insular Districts and a large number of the Mainland Districts are unprovided with qualified medical practitioners ; so that, if anything goes wrong during Childbirth, the mother's life is almost sure to fall a sacrifice to the meddling interference of the ignorant neighbours or self-taught midwife. This, however, it is feared, will scarcely account for the circumstance ; for it is found that, combining the Deaths from Childbirth and Metria, 33 in every hundred thousand were cut off by these affections in the Insular Districts, where medical aid is unattainable by the great majority ; while in the Rural Districts of the Mainland, where there is a fair average supply of medical practitioners, the mortality was nearly the very same.

There is, therefore, only another difference between the inhabitants of England and of Scotland which seems capable of explaining the circumstance, and that is, the difference in race. A very large proportion of the inhabitants of Scotland consist of what is usually styled the Celtic race, either in an unmixed state, or crossed by intermarriages with the Picts, Saxons, and other races who make up our population. The osseous peculiarities of that race are, the skull flattened laterally (that is, comparatively speaking), and the consequent greater antero-posterior elongation of the cranium ; while the women of the race, not to mention other peculiarities, though broader-shouldered than the fair Saxon, have a well-known smaller-sized, or rather narrower, pelvis. It might be well worthy of inquiry, therefore, by those who have the opportunity, whether these peculiarities have anything to do with the greater mortality of the Scottish female in childbirth, for which, otherwise, we are quite unable to account.

CLASS XII. *Debility--Premature Birth.*

Under this class are arranged all the Deaths which occur from the infant being prematurely born, or, from want of vitality, dying at or shortly after Birth. 2068 children, during the year, entered this world just to open their eyes and then close them for ever in death. 1136 of these were males, and 932 females; so that the proportion of the sexes was 122 males to every 100 females, a much greater proportion of males than in the general Births. This striking fact shows that the male tendency to Death is far greater than that of the female, not only from the moment of Birth, but even, it might be said, in the womb. This fact would have been rendered apparent had the *Still-Births* been registered, but no provision has been made by the Act for the Registration of such. It may, however, be interesting to state, that the Statistics published on this subject by Quetelet, show that among the Still-born 122 males were born for every 100 females,—the very proportion of sexes which the Deaths from Debility at Birth were at in Scotland during 1855.

CLASS XV. *Age.*

The very large number of 5685 Deaths from Age, without apparent disease, was registered in Scotland during 1855, giving the proportion of 208 Deaths in every hundred thousand inhabitants, or 10 per cent. of the Deaths. During the same year, in England, the proportion of Deaths from Age was only 160 in a like population. Of the above number, 2136 were males, 3549 females; showing that in every hundred thousand of the respective sexes 164 males, but 248 females, died from Age.

Unlike the diseases, the proportion of persons dying from Old Age was much higher in the Insular and Mainland than in the Town Districts; for while, in the Town Districts, only 177 persons in every hundred thousand died from Old Age, 216 died in the Mainland Districts, and 361 in the Insular Districts. As formerly stated, however, when commenting on the Deaths from Consumption, a large proportion of the Deaths above 60 entered on the Registers as "Consumption" were really those of Old Age; and if these were added to the Deaths from Age in the Insular Districts, the proportion would be 397 Deaths from Age in every hundred thousand inhabitants.

These facts, taken in connection with all that has been stated relative to the smaller mortality prevailing in the Insular and Rural Districts, show clearly how very much the sanitary science has yet to effect before the mortality of our Towns is reduced to that prevailing in the Country. That it could be reduced to the level or average of that now prevailing in the Mainland Rural Districts can scarcely be doubted, especially when it is seen that so much of the disease which prevails in these rural parts is caused, or rather courted, and spread, and rendered fatal, by the neglect of the simplest and cheapest sanitary precautions. No one can have visited the Rural Districts of Scotland without being struck with the filthy state in which most of the cottages of the peasantry are kept. Damp earthen floors, low roofs covered with thatch—a fixed window of small size, which gives little light and no ventilation, and in many of the Highland and Insular Districts no chimney for the smoke from the fire to escape—a pool before the door, into which every fluid refuse is thrown, and which exhales a choking putrid exhalation during all the warmer months of the year—a pig-stye or dunghill close to the wall of the house behind,—these do not combine

the elements of health ; and hence, even in the Districts most favoured by Nature, diseases which ought to be almost unknown to the inhabitants decimate their numbers, and reduce the health, and consequent ability to work, of those who for a while are spared.

CLASS XVII. *Violent Deaths.*

The Deaths by Violent Causes cut off 1913 persons in Scotland during 1855, or in the proportion of 70 persons in every hundred thousand inhabitants. This is a proportion considerably lower than that of England for the same year, where the Violent Deaths were in the proportion of 82 Deaths in every hundred thousand persons. The great mass of the Deaths tabulated in this class result from Fractures and Contusions, from Drowning, and from Burns and Scalds ; and, though the proportion of these forms of Violent Death differs to a great extent in the three Great Divisions of Scotland, it is surprising how very near the general mortality from that class is in the Insular, Mainland, and Town Districts. Thus, in the Insular Districts Violent Deaths cut off in the proportion of 63 persons in every hundred thousand, 66 in the Mainland Districts, and 77 in the Town Districts.

As might be expected, men were cut off by these Violent Causes in a much larger proportion than females ; for, while 1410 males, only 503 females died from their effects during the year ; being in the proportion of 109 male Deaths, but only 35 female Deaths from these causes, in every hundred thousand persons of the respective sexes.

617 Deaths in Scotland during 1855 resulted from Fractures and Contusions, being at the rate of 22 Deaths in every hundred thousand persons. Bodily injuries from these causes are, however, much less frequent in the Insular Districts, where there are no railroads, and few manufactories, quarries, or mines ; and, accordingly, Fractures and Contusions only proved fatal to 10 in every hundred thousand persons in the Insular Districts, but to 20 in Mainland, and to 26 in the Town Districts, in a like population. Men, as might be expected, suffered much more severely from Fractures and Contusions than women ; inasmuch as 513 males, but only 104 females, were killed by these causes during 1855 ; being in the proportion of 39 males, but only 7 females, in every hundred thousand of the respective sexes.

440 persons were drowned during the year, being in the proportion of 16 Deaths in every hundred thousand living. Contrary to what was observed with regard to Fractures and Contusions, by far the greatest proportion of Deaths by Drowning occurred in the Insular Districts, 26 Deaths by Drowning having occurred in every hundred thousand living ; whereas in the Mainland, and also in the Town Districts, the proportion was only 15 respectively in like populations. Of the 440 Deaths by Drowning, 374 were males, and only 66 females.

Of the remaining Deaths by Violence, 311 were produced by Burns and Scalds ; and it is somewhat remarkable that the proportion of such Deaths in the Insular, Mainland, and Town Districts of Scotland is the very same, viz., 11 Deaths in every hundred thousand living ; from which we might be inclined to conclude that the Deaths from accidents were under as fixed laws as those from disease.

During this, the first, year of Registration in Scotland, the entries in the Registers relative to the Violent Deaths were not given with that

minuteness which was requisite to enable the Deaths by accident to be distinguished from those caused by murder or by suicide. In such circumstances, it would only convey a false impression as to the comparative prevalence of suicide in Scotland, were attempts to be made from such imperfect data to construct Tables which would contrast with those of England; for, though it is highly probable that suicide will be found to be less prevalent in Scotland from the mere circumstance that the Deaths from violence of all kinds are less common than in England, erroneous Tables are not the way in which such a fact is to be determined.

Before quitting the subject of the fatal diseases, it may prove interesting to compare the 12 most fatal diseases of Scotland with the 12 which proved most fatal in England during the same year. These are set forth in the accompanying Tables; the diseases being arranged in the order of their fatality.

The Twelve most fatal Diseases in
SCOTLAND in 1855.

Disease.	Number of Deaths.	Proportion of Deaths to 100,000 living.
Phthisis	7129	261
Bronchitis	3036	111
Typhus	2419	88
Scarlatina	2138	78
Pneumonia	2094	76
Hooping-cough . .	1903	69
Hydrocephalus . .	1902	69
Paralysis	1385	50
Diarrhoea	1320	49
Small-pox	1309	49
Dropsy	1220	44
Measles	1180	43

The Twelve most fatal Diseases in
England in 1855.

Disease.	Proportion of Deaths to 100,000 living.
Phthisis	282
Bronchitis	146
Pneumonia	140
Convulsions	134
Scarlatina	93
Typhus	86
Diarrhoea	68
Hooping-cough . .	55
Dropsy	50
Paralysis	48
Apoplexy	46
Hydrocephalus . .	40

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY.

Besides the specific diseases, which are the more immediate gateways (or trap-doors) through which our race drops into the grave, there are other agencies which powerfully modify these diseases, and their action on mankind. Of these, the most important to consider are, the state of trade (including the question as to the wages paid, and the fulness of the occupation), the price and quality of the provisions, and the weather.

It is a well ascertained fact, that a bad harvest, which raises the price of all kinds of provisions, is in general attended by an increased mortality; for, though the wages of those in full employment may advance somewhat in proportion to the increased price of the provisions, yet so many of the lower classes are so close at all times on the starving point, that the smallest rise in the price of provisions tells on them, and through insufficient nourishment they die in much greater numbers under any and every disease with which they may be seized.

The year 1855 was not, however, one in which trade was dull, or employment for the working classes scarce, as is best proved by the sums which were deposited by the working classes in the savings' banks during that year; for both the number of depositors, and the sums deposited in these banks during that year in Scotland, considerably exceeded those of

both 1854 and 1856—the previous and subsequent years—as will be seen by the subjoined Table. Whatever the year 1855 was, therefore, in other respects, it was a year of prosperity for the working classes. Let us see, then, how the year stood with regard to the supply and price of provisions. The subjoined Tables of the supply of animal food—both of cattle and fish—during the year 1855, shows that these necessities of life were abundant during the year, exceeding that of the two subsequent years; and as the supply almost exactly keeps pace with the demand, this fact proves that during 1855 the people felt no want, and had a sufficient supply within their reach of nitrogenous, or muscle-producing food. Were we to judge of the relative scarcity or abundance of food by the price of wheat alone, considerable error might be committed; inasmuch as it so happened that wheat attained its maximum average price in the year 1855, being considerably dearer that year than during several previous or subsequent years. Thus its price per quarter rose from the average of 52s. 11d. in 1853, to 74s. 8d. in 1855; after which it fell to 69s. 2d. in 1856, and to 56s. 4d. in 1857. The prices of the other grains, however, and of potatoes, did not follow the same law as wheat; for, while the prices of oats, rye, beans, and peas were very little higher than in subsequent years, barley and potatoes were considerably lower in price. As in Scotland wheat is but little used by a great mass of the people—oats, barley, peas, and potatoes being the substitutes—the high price of wheat could have little or no influence on the mortality; and, as it has been shown that trade was good, wages high, labour abundant, and the great staples of food cheaper than in other years, we are forced to arrive at the conclusion, that any excess of Deaths during the year was not, at all events, caused by want of food,—that, in fact, in

TABLE XXII.—SAVINGS BANKS in SCOTLAND in Years 1854, '55, and '56.

Years	Number of Banks.			Number of Accounts remaining open.			Total Amounts owing to Depositors.		
	1854	1855	1856	1854	1855	1856	1854	1855	1856
Total	46	47	46	118,602	123,388	119,281	£1,931,999	£2,014,115	£1,936,496

TABLE XXIII.—Supply of Cattle, etc., to the Metropolitan Market in 1855, 1856, and 1857.

Years.	Cattle.	Calves.	Sheep.	Pigs.
1855	272,916	27,370	1,552,920	37,705
1856	268,996	24,713	1,422,250	28,325
1857	272,843	29,706	1,391,960	25,030

TABLE XXIV.—Cod and Herring Fisheries in Scotland in 1855, '56, and '57.

Years	1855	1856	1857
Cod or Ling taken or purchased—Cwts. .	170,498	162,593	149,473
Herrings caught—Barrels	877,259	691,138	628,549

so far as these elements are concerned, the year 1855 was one of prosperity and abundance.

We know, however, that the year 1855 was one of high comparative mortality. In our review of the diseases which prevailed during the year, we have seen that that high mortality could not be ascribed to the peculiar prevalence or fatality of any one disease in particular. We have further seen, that of the external agencies, it cannot be ascribed to the depressing effects arising from stagnation of trade, and the consequent inability of the labouring classes to provide sufficient food and clothing, nor yet can it be ascribed to the high price or the scarcity of wholesome food. Only one cause, therefore, remains to account for it, viz., Weather. Let us now inquire whether any circumstances relative to weather existed in 1855, which will satisfactorily account for the comparative high mortality of that year.

That the mortality, or number of Deaths, is greatly influenced by the kind of weather which prevails, has been long known, but till recently this subject has not received half the attention which it deserves; and yet the influence of weather, but more especially temperature and amount of moisture in the air, both in the production of diseases and in increasing their fatality, is far more striking and far more powerful than any other known cause. One fallacy, however, which runs through almost all inquiries into this subject, has been the idea that atmospheric agencies must have the same action in all parts of the world, irrespective of climate, locality, and race. This, however, is by no means the case. That which observation may prove to be the law of the influence of weather on the mortality in Britain, will not apply to countries situated under different latitudes, or even in the same latitude, if the locality be greatly different. Each country, in fact, must endeavour to find out for itself the influence of weather on its mortality, as the laws which regulate it are modified by so many different circumstances from what they are in other countries. As a general rule, however,

TABLE XXV.—Prices of Grain per Imperial Quarter, and Potatoes per Ton, in England in various years.

	WHEAT.					BARLEY.		
Years	1853	1854	1855	1856	1857	1855	1856	1857
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Price per Quarter Imperial	52 11	72 5	74 8	69 2	56 4	34 9	41 1	42 1

	OATS.			RYE.			BEANS.		
Years	1855	1856	1857	1855	1856	1857	1855	1856	1857
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Price per Quarter Imperial	27 5	25 2	25 0	45 8	45 0	38 3	46 6	43 11	43 0

	PEAS.			POTATOES per Ton.				
Years	1855	1856	1857	1853	1854	1855	1856	1857
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Price per Quarter Imperial	43 4	41 7	41 4	130 7½	131 3	100 4½	86 0	120 8½

it will be found that countries which are adjoining, and whose atmospheric phenomena are, as a whole, regulated by the same laws, will conform more than those whose atmospheric phenomena are directed by different agencies.

It is from neglecting to make this discrimination that we find it constantly asserted by writers, that “epidemics seem to be generally combined with summer or hot weather;” and hence, without examining the facts for themselves, sanitary inquirers in this country repeat the same stereotyped phrase, and attribute every epidemic to the existence of fetid exhalations from drains, cesspools, etc. Were this the case in this country, it would be found that epidemics would chiefly rage when the heat was greatest, when alone these putrid emanations are rife; but the fact stares us in the face, that, excepting one single class of diseases—viz., Bowel Complaints—the prevalence and fatality of almost all other epidemics in this country abates, and is at a minimum, during our warmest months; and the still stronger, because direct, fact, is now clearly proved, that the prevalence and fatality of all the ordinary epidemics in this country *increases with the increase of cold*—increases as the supposed putrid exhalations become less virulent, or are quite arrested.

Let us first, however, look at the influence of temperature on the total Deaths, and endeavour to ascertain whether in this country it is heat or cold which is most to be dreaded; whether it is heat or cold which gives rise to the greatest number of Deaths. The accompanying Table shows the mean temperature of each month of 1855, together with the corrected number of Deaths; each month being reduced to 30 days, and, for facility of reference, there is added the per centage which the Deaths during each month bear to the total Deaths during the year. From this it will be seen, that the connection between temperature and the number of Deaths is of the closest kind; that the coldest month is also the most fatal, and that each month yields a number of Deaths nearly exactly proportioned to its *coldness*; and that, contrary to the assertion of all writers on sanitary matters, the Deaths do not increase with the heat, but constantly and rapidly diminish;—that, in fact, in this country, it is cold which kills, and not heat. This Table then shows, in the most unmistakeable of all forms, the fatal effects of reduction of temperature. The last month of the year 1854 had a mean temperature of 36°. But the low temperature, when it first sets in, takes some time to exert its hurtful

TABLE XXVI.—Influence of Temperature on Mortality in SCOTLAND during 1855.

MONTHS.	Mean Temperature.	Corrected Deaths—each Month reduced to 30 days.	Per centage to the Total corrected Deaths.
January	36°	5,621	9·1627
February	27°	7,747	12·6284
March	36°	6,310	10·2860
April	44°	5,324	8·6787
May	44°	5,203	8·4814
June	55°	4,624	7·5376
July	60°	4,330	7·0584
August	57°	4,313	7·0306
September	52°	4,037	6·5807
October	44°	4,225	6·8872
November	40°	4,374	7·1300
December	35°	5,238	8·5383
	44°	61,346	100·0000

effects to the full extent. Accordingly, though the mean temperature during January 1855 was the same as that of December 1854, viz., 36° , the mortality increased to 5621. Keen frost, however, occurred in February, accompanied with cold north-easterly winds, and deep falls of snow, so that the mean temperature of the month only reached the average of 27° ; and so deadly did this low temperature react on the population, that the corrected Deaths amounted to 7747. March still remained a cold month; the mean temperature of the month only rose to 36° ; but this degree of cold acting on frames previously weakened by the preceding low temperature, produced a greater mortality than in January, when the mean temperature was the same, and the corrected Deaths amounted to 6310. After this, the temperature slowly rose, giving a mean of 44° both during April and May; the keen east and north-east winds during these months appearing quite to neutralize the heating effects of the sun's rays. The mortality during these months was therefore 5324 in April, and 5203 in May. The mean temperature of June was 55° , and the number of corrected Deaths 4624; so that, as the heat increased, the Deaths diminished. The temperature still went on improving, attaining a mean of 60° during July, when the corrected Deaths fell to 4330. During that year, instead of August being warmer than July, it was 3° degrees cooler, or 57° ; so that the usual autumnal Bowel Complaints, which always appear when the temperature exceeds 60° , scarcely manifested themselves, and the Deaths still continued to diminish, so that the corrected Deaths only amounted to 4313 during the month. During September, the mean temperature was 52° ; and on this, the month when, if at all, epidemics should have been raging and decimating the population, if there was any truth in the assertions of the theoretic sanitarians, the Deaths attained their minimum for the year, and only numbered 4037 during the month. After this the mortality increased with the fall of mean temperature, till the corrected Deaths in December reached 5238, with a mean temperature of 35° . In Scotland, therefore, the mean temperature most favourable to health is when it is not above 60° , nor below 50° Fahrenheit.

Now, supposing it be taken for granted that the year 1855 manifested the usual influence of temperature on the mortality of the inhabitants of Scotland—and it quite agrees with all we know on the subject—then we have not to dread an increased mortality with a rise of temperature as high as we usually have it, but we have to look in every case for a reduction in the number of Deaths. The fact is, the monthly mean temperature in Scotland very rarely rises above 60° , even during our warmest months, July and August; and it is only when the temperature keeps *at or above* 60° for any considerable period, that any tendency is ever observed to an increased mortality. When the temperature, however, keeps at or above 60° during July and August, a slight increase of the Deaths is observed, solely dependent on Bowel Complaints, viz., Diarrhœa, Dysentery, and Autumnal Cholera; but in no case, so far as yet observed, dependent on other epidemics. These Bowel Complaints are the epidemics in Scotland which increase with increase of temperature; almost all the other epidemics seem subject, to a very great extent, to the same laws which rule the ordinary Deaths, viz., they increase in number as the temperature falls below 50° Fahrenheit. Unfortunately, from the want of a sufficient statistical staff, this important fact cannot be shown for 1855; but the fact has been pointed out for other years, so that there can be no doubt on the subject.

If such be the case with Scotland, how, it may be asked, has the state-

ment originated that epidemics, and of course increased mortality, are generally associated with summer or hot weather? If we look to the influence of season on the population of those countries which are situated in warmer latitudes, and which enjoy a continental climate, the explanation is at once apparent. With them, the cool months, as might be expected, are the healthy ones, while the warmer months are the unhealthy ones. And even the observations made in these favoured temperate lands suggest the cause of this; for even here we find that the moment the mean monthly temperature rises above 60°, diseases are induced by the heat which prove fatal to the population nearly in the exact ratio of the rise of mean monthly temperature above 60°. The accompanying Table, showing the monthly Deaths in the City of New York and the State of Massachusetts, in the United States, for a series of years, together with the mean monthly temperature of the same years as taken at New York, will serve as a good example of the baneful effects of a rise of mean temperature above 60° on the health of the population. Here it will be observed, that while the mean temperature rises from the freezing point the Deaths diminish, as in Scotland, till the mean monthly temperature reaches 60° Fahr.; but from the moment that the mean temperature rises above that point, the number of Deaths begins to increase, and during the warmest months attains a maximum nearly double that of the cooler months, and continues high so long as the mean temperature is above 60°. As the diseases induced by a high temperature, however, take some time to run their course, the first month when the mean temperature rises above 60° does not exhibit anything like the full amount of the destructive action of the heat; and from the same cause, the cooler month, which succeeds the hot ones, contains among its Deaths a considerable proportion of those whose diseases were induced by the hot weather. Hence at New York, June, though a hot month, exhibits but a slight increase of Deaths, while in July and August the number of Deaths is nearly doubled; and it is not till the cool month of November that they have subsided so far as to allow the minimum mortality for the year to be attained. With the setting in of winter, however,

TABLE XXVII.—Influence of Season on the Mortality in New York and Massachusetts.

MONTHS.	NEW YORK.		MASSACHUSETTS.
	Mean Temperature 1850-2-3-4.	Total Deaths 1850-2-3-4.	Total Deaths—5 Years, 1853-4-5-6-7.
January	30°·0	7,075	8,031
February	33°·4	6,699	7,417
March	37°·9	7,156	8,571
April	45°·8	6,323	8,160
May	59°·1	6,062	7,705
June	67°·6	6,540	6,981
July	74°·2	10,462	8,657
August	72°·4	11,475	11,663
September	65°·1	8,282	11,641
October	53°·9	6,865	9,438
November	45°·4	5,893	7,629
December	34°·4	7,017	8,463

These are the latest statistics we have received from these places. It is necessary to state that the mean temperature, as given above, does not correspond with that given in the Reports themselves, but are corrected to the true temperatures by only taking the thermometer observations made at corresponding hours of the morning and evening—leaving out the readings at 2 P.M., as they have no corresponding midnight readings.

the Deaths again increase, as in this country,—attaining their winter maximum in March, as in several of the Continental States of Europe. In these warm regions, however, where the summer or autumnal mortality rises so very high, the winter maximum mortality never nearly approaches that of the hot season.

The Continental States of Europe, though so far under the same mortality law as to season as Scotland, exhibit peculiarities due to their continental sites, and to their position with regard to the surrounding seas and latitude. Thus in Belgium, the month of greatest mortality is not February, but January. In France and Geneva, the most fatal month is March. But as we go northward, and to countries which have a more purely continental climate, as Saxony, we find a double winter maximum occurs; the first and most deadly month being February, as in Scotland, and the second deadly month is April, not far behind February in the number of its daily Deaths. When we go farther north, however, we find that February ceases to be the most fatal month; and April, which was foreshadowed in Saxony as a deadly month, becomes far the most deadly month of the year. Thus in Sweden, the Deaths during April greatly exceed those of any other month, and March is the second most fatal month of the year.

Now these countries, though so far agreeing with Scotland in the general law of weather, as affecting mortality, in that their greatest number of Deaths occurs during winter, also evidence a tendency to conform to that law which appears more especially to regulate the mortality of hotter regions, in that the mortality increases in them to a slight extent during the two warmest months of the year, when the mean temperature rises above 60° Fahr.; so that during August and September in these countries a slight, but distinct, increase of the Deaths is observed.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, 8th April 1861.

ANNUAL ABSTRACTS

OF

BIRTHS, DEATHS, AND MARRIAGES,

1855.

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1855.

1855.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres.
		1841.	1851.	Males.	Fem.	Total	Mal.	Fem.	Total	Males.	Fem.	Total.			
SCOTLAND, - -		2,620,184	2,888,742	47804	45545	93349	3760	3597	7357	30,626	31378	62004	19680	31345	20,047,462
DIVISIONS.															
1	NORTHERN, . . .	122,190	127,035	1730	1566	3296	77	75	152	965	1047	2012	710	1284	2,651,769
2	NORTH-WESTERN, . .	172,961	175,735	2229	2009	4238	114	80	194	1336	1494	2830	872	1408	4,739,876
3	NORTH-EASTERN, . .	317,971	348,366	5511	5281	10792	690	701	1391	2916	3123	6039	2110	4753	2,429,594
4	EAST-MIDLAND, . .	475,529	514,907	7878	7470	15348	692	575	1267	4986	5116	10102	3263	5246	2,784,119
5	WEST-MIDLAND, . .	244,825	243,506	3570	3351	6921	230	228	458	2298	2323	4621	1358	2300	2,678,220
6	SOUTH-WESTERN, . .	746,375	881,092	17800	17136	34936	1122	1171	2293	12125	12093	24218	7368	10718	1,431,875
7	SOUTH-EASTERN, . .	341,650	383,217	5933	5729	11662	465	398	863	4022	4154	8176	2823	3486	1,210,788
8	SOUTHERN, . . .	198,683	215,884	3153	3003	6156	370	368	738	1978	2028	4006	1171	2150	2,121,221
COUNTIES.															
I. NORTHERN.															
1	Shetland, . . .	30,558	31,078	428	379	807	9	17	26	239	257	496	179	311	} 988,873*
2	Orkney, . . .	30,507	31,455	381	398	779	17	15	32	216	243	459	190	320	
3	Caithness, . . .	37,410	39,782	608	517	1125	43	36	79	328	325	653	237	472	
4	Sutherland, . . .	23,715	24,720	313	272	585	8	7	15	182	222	404	104	181	
II. NORTH-WESTERN.															
5	Ross and Cromarty, .	79,941	83,781	1105	1010	2115	45	30	75	624	737	1361	419	754	2,016,375
6	Inverness, . . .	93,020	91,954	1124	999	2123	69	51	120	712	757	1469	453	654	2,723,501
III. NORTH-EASTERN.															
7	Nairn, . . .	7,186	8,076	92	94	186	12	9	21	61	65	126	51	60	137,500
8	Elgin (or Moray), . .	37,140	40,862	681	621	1302	65	71	136	309	338	647	218	655	340,000
9	Banff, . . .	46,375	51,023	846	845	1691	120	111	231	427	461	888	314	803	439,219
10	Aberdeen, . . .	193,731	213,466	3346	3220	6566	426	440	866	1883	1979	3862	1348	2704	1,260,625
11	Kincardine, . . .	33,539	34,939	546	501	1047	67	70	137	236	280	516	179	531	252,250
IV. EAST-MIDLAND.															
12	Forfar, . . .	172,854	193,632	3290	3067	6357	304	262	566	2142	2235	4377	1367	1980	568,750
13	Perth, . . .	134,797	136,305	1760	1632	3392	166	148	314	1273	1269	2542	756	850	1,814,063
14	Fife, . . .	140,479	153,789	2393	2376	4769	181	134	315	1349	1386	2735	977	2034	322,031
15	Kinross, . . .	9,558	9,626	110	116	226	17	11	28	61	85	146	50	80	49,531
16	Clackmannan, . . .	17,841	21,555	325	279	604	24	20	44	161	141	302	118	302	29,744
V. WEST-MIDLAND.															
17	Stirling, . . .	80,859	84,861	1437	1347	2784	102	89	191	897	871	1768	585	1016	295,875
18	Dumbarton, . . .	46,005	46,995	854	831	1685	55	66	121	478	496	974	329	711	189,844
19	Argyll, . . .	102,221	94,042	1086	993	2079	61	60	121	750	762	1512	345	567	2,083,126
20	Bute, . . .	15,740	16,608	193	180	373	12	13	25	173	194	367	99	6	109,375
VI. SOUTH-WESTERN.															
21	Renfrew, . . .	154,160	157,950	3044	2908	5952	173	193	366	2220	2202	4422	1289	1530	150,000
22	Ayr, . . .	164,477	189,973	3494	3335	6829	233	249	482	2146	2130	4276	1344	2553	650,156
23	Lanark, . . .	427,738	533,169	11262	10893	22155	716	729	1445	7759	7761	15520	4735	6635	631,719
VII. SOUTH-EASTERN.															
24	Linlithgow, . . .	26,776	30,032	598	576	1174	54	36	90	307	288	595	206	579	64,375
25	Edinburgh, . . .	225,966	260,051	3842	3793	7635	276	259	535	2967	3125	6092	2085	1543	254,300
26	Haddington, . . .	35,835	36,363	583	561	1144	48	45	93	315	333	653	242	491	185,937
27	Berwick, . . .	34,345	36,165	564	514	1078	61	35	96	277	233	515	159	563	309,375
28	Peebles, . . .	10,558	10,804	178	140	318	14	17	31	84	78	162	68	156	226,488
29	Selkirk, . . .	8,170	9,802	168	145	313	12	6	18	72	87	159	56	154	170,313
VIII. SOUTHERN.															
30	Roxburgh, . . .	45,514	51,225	837	789	1626	81	74	155	403	451	854	323	772	460,938
31	Dumfries, . . .	76,085	81,962	1191	1121	2312	159	153	312	811	820	1631	451	681	722,813
32	Kirkcudbright, . . .	37,889	39,308	581	538	1119	64	71	135	414	406	820	182	299	610,734
33	Wigtown, . . .	39,195	43,389	544	555	1099	66	70	136	350	351	701	213	398	326,736

* The number of Statute Acres is given on the authority of the census of 1851; but the number of acres assigned to Shetland and Orkney is unquestionably much too high in consequence of the channels lying between the islands having been included in the estimated number of acres of land. Deducting these, the land of the Orkney and Shetland Islands may be estimated at 598,726 acres, thus making the extent of Scotland 19,637,315 Statute Acres.

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
I. NORTHERN.													
1. SHETLAND.													
1	Bressay, etc.—												
	(1) Bressay,	928	906	13	13	26	1	—	1	7	5	12	5
	(2) Burra and Quarff,	870	906	5	12	17	—	—	—	1	5	6	2
2	Delting,	2019	2124	34	28	62	1	1	2	16	13	29	13
3	Dunrossness, etc.—												
	(1) Dunrossness,	c. 2007	1992	26	25	51	1	—	1	15	13	28	11
	(2) Sandwick and Cunningsburgh,	c. 2255	2233	33	35	68	1	2	3	16	19	35	11
	(3) Fair Isle,	232	280	7	6	13	—	—	—	7	8	15	2
4	Fetlar, etc.—												
	(1) Fetlar,	761	658	7	5	12	—	—	—	2	7	9	2
	(2) North Yell,	984	998	22	7	29	—	—	—	4	6	10	2
5	LERWICK,	3284	3390	46	32	78	—	2	2	38	38	76	28
6	Mid and South Yell,	1705	1741	14	17	31	—	1	1	9	11	20	8
7	Nesting, etc.—												
	(1) Nesting,	769	814	7	7	14	—	1	1	12	6	18	3
	(2) Lunnasting,	775	822	13	16	29	—	1	1	4	4	8	0
	(3) Whalsay and Skerries,	750	784	15	8	23	—	—	—	3	5	8	9
8	Northmavine,	2504	2534	31	29	60	—	2	2	14	22	36	15
9	Sandsting and Aithsting,	2478	2603	40	41	81	2	4	6	19	31	50	13
10	Tingwall, etc.—												
	(1) Tingwall,	1799	1680	20	22	42	1	1	2	23	13	36	15
	(2) Whiteness & Weesdale,	1158	1194	14	14	28	1	—	1	7	13	20	5
11	Unst,	2831	2977	37	33	70	—	—	—	20	11	31	13
12	Walls, etc.—												
	(1) Walls,	1231	1224	25	14	39	1	—	1	10	10	20	9
	(2) Sandness,	621	619	9	9	18	—	2	2	3	8	11	7
	(3) Papa-Stour,	382	359	9	3	12	—	—	—	6	7	13	4
	(4) Foula,	215	240	1	3	4	—	—	—	3	2	5	2
Total,				428	379	807	9	17	26	239	257	496	179
2. ORKNEY.													
13	Birsay,	1634	1749	16	19	35	1	—	1	12	13	25	11
14	Deerness,	777	786	16	5	21	2	1	3	3	6	9	9
15	Eday and Pharay,	1011	1016	27	16	43	—	—	—	6	10	16	5
16	Evie and Rendall,	1518	1446	11	15	26	2	—	2	9	16	25	9
17	Firth and Stennes,	1167	1327	19	12	31	3	—	3	8	6	14	9
18	Harray,	772	750	5	4	9	—	—	—	4	6	10	6
19	Holm and Paplay,	866	749	7	5	12	1	—	1	6	1	7	5
20	Hoy and Græmsay,	547	615	8	5	13	—	—	—	8	4	12	0
21	KIRKWALL and ST OLA (incl. Burgh),	3599	3990	43	62	105	1	3	4	30	48	78	20
22	North Ronaldshay,	481	526	7	8	15	—	—	—	5	4	9	3
23	Orphir,	1064	1157	18	18	36	—	—	—	10	3	13	7
24	Rousay and Egilsay,	1294	1215	12	18	30	2	—	2	5	6	11	4
25	St Andrews,	926	926	12	5	17	—	—	—	11	11	22	4
26	Sanday,	1892	2004	24	27	51	—	—	—	15	13	28	10
27	Sandwick,	1033	1107	21	17	38	1	1	2	6	5	11	11
28	Shapinshay,	935	899	14	4	18	—	—	—	6	9	15	7
29	South Ronaldshay and Burray,	3194	3086	34	51	85	1	4	5	19	17	36	23
30	STROMNESS,	2785	2770	16	24	40	2	3	5	23	35	58	11
31	Stronsay,	1268	1211	15	20	35	1	1	2	9	5	14	11

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
32	Walls and Flotta,	1613	1666	17	30	47	—	2	2	8	9	17	9
33	Westray & Papa-Westray,	2131	2459	39	33	72	—	—	—	13	16	29	16
	Total,			381	598	779	17	15	32	216	243	459	190
3. CAITHNESS.													
34	Bower,	1689	1658	29	25	54	1	1	2	9	12	21	6
35	Canisbay,	2306	2437	34	38	72	1	1	2	13	11	24	22
36	Dunnet,	1880	1868	23	16	39	2	1	3	10	12	22	20
37	Halkirk,	2963	2918	46	38	84	5	4	9	14	23	37	14
38	Latheron,	7637	8224	105	104	209	5	9	14	65	60	125	39
39	Olrig,	1584	1873	33	20	53	1	1	2	13	7	20	13
40	Reay,	2811	2506	31	22	53	—	1	1	21	17	38	14
41	THURSO,	4881	5096	78	60	138	6	7	13	51	49	100	20
42	Watten,	1266	1351	13	20	33	—	1	1	7	11	18	4
43	WICK—												
	(1) Burgh of Wick,	5522	6722	131	112	243	13	5	18	90	76	166	68
	(2) Landward,	4871	5129	85	62	147	9	5	14	35	47	82	17
	Total,			608	517	1125	43	36	79	328	325	653	237
4. SUTHERLAND.													
44	Assynt (Kirkton and Stoer)	3178	2989	36	27	63	—	—	—	24	41	65	12
45	Clyne,	1765	1933	24	17	41	1	—	1	15	10	25	12
46	Criech (Bonar & Rosehall)	2582	2714	35	28	63	1	1	2	22	29	51	10
47	Dornoch (incl. Burgh),	2714	2981	34	32	66	—	—	—	15	19	34	11
48	Durness,	1109	1152	12	18	30	—	—	—	4	5	9	3
49	Eddrachillis (Scourie and Kinlochbervie),	1699	1576	23	16	39	1	—	1	13	6	19	9
50	Farr (Kirkton & Strathy),	2217	2203	23	19	42	—	2	2	17	23	40	6
51	Golspie,	1214	1529	22	23	45	1	—	1	15	8	23	8
52	Kildonan,	256	2288	41	29	70	—	3	3	22	32	54	12
53	Lairg,	913	1162	10	14	24	—	1	1	5	9	14	3
54	Loth,	2526	640	6	5	11	—	—	—	7	8	15	0
55	Rogart,	1501	1535	20	12	32	3	—	3	10	11	21	4
56	Tongue,	2041	2018	27	32	59	1	—	1	13	21	34	14
	Total,			313	272	585	8	7	15	182	222	404	104
II. NORTH-WESTERN.													
5. ROSS AND CROMARTY.													
Mainland.													
57	Alness,	1269	1240	15	9	24	1	—	1	4	8	12	12
58	Applecross,	2861	2709	24	33	57	1	2	3	23	17	40	4
59	Avoch,	1931	2029	31	22	53	1	—	1	19	22	41	13
60	Contin,	1770	1562	24	24	48	—	1	1	10	9	19	16
61	Cromarty (incl. Burgh),	2662	2727	41	32	73	2	2	4	11	29	40	14
62	Dingwall (incl. Burgh),	2100	2364	32	27	59	2	2	4	17	21	38	19
63	Edderton,	975	890	5	10	15	1	1	2	5	5	10	2
64	Fearn,	1914	2122	36	35	71	1	1	2	26	25	51	13
65	Fodderty,	2437	2342	25	22	47	2	1	3	17	19	36	8
66	Gairloch,	4880	5162	63	62	125	1	—	1	40	48	88	30
67	Glenshiel,	745	573	8	4	12	1	—	1	5	4	9	3

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
68	Killearnan,	1643	1794	24	14	38	1	1	2	10	12	22	7
69	Kilmuir-Easter, . . .	1486	1437	25	14	39	—	1	1	11	19	30	4
70	Kiltearn,	1436	1538	22	20	42	3	1	4	10	12	22	6
71	Kincardine,	2108	1896	17	13	35	—	1	1	17	10	27	11
72	Kintail,	1168	1009	16	8	24	—	—	—	5	10	15	3
73	Knockbain,	2565	3005	33	30	63	—	5	5	14	23	37	11
74	Lochalsh,	2597	2299	32	34	66	—	1	1	16	12	28	9
75	Lochbroom & Coigach, .	4799	4813	63	63	126	2	2	4	43	54	97	29
76	Lochcarron,	1960	1612	21	19	40	2	1	3	16	14	30	4
77	Logie-Easter,	1015	965	8	9	17	—	—	—	5	15	20	5
78	Nigg,	1426	1457	16	11	27	1	—	1	10	15	25	11
79	Resolis,	1549	1551	16	16	32	—	—	—	10	13	23	8
80	Rosemarkie (incl. Burgh of Fortrose),	1719	1776	25	18	43	7	1	8	17	15	32	7
81	Rosskeen,	3222	3699	42	35	77	2	—	2	29	33	62	25
82	TAIN (incl. Burgh), . .	3128	3574	41	29	70	3	2	5	27	49	76	7
83	Tarbat,	1826	2151	36	34	70	1	1	2	25	21	46	14
84	Urquhart & Logie-Wester,	2997	3153	40	33	73	2	2	4	34	29	63	15
85	Urray,	2716	2621	27	22	49	5	—	5	17	24	41	9
<i>Insular.</i>													
86	Barvas,	3850	4189	74	80	154	2	—	2	31	43	74	30
87	Lochs,	3653	4256	83	70	153	1	1	2	36	27	63	17
88	STORNOWAY,	6218	8057	107	110	217	—	—	—	49	53	102	34
89	Uig,	3316	3209	33	43	76	—	—	—	15	27	42	19
Total,				1105	1010	2115	45	30	75	624	737	1361	419
6. INVERNESS.													
<i>Mainland.</i>													
90	Alvie,	972	914	14	10	24	1	2	3	4	4	8	2
91	Ardersier (incl. Fort- George),	1475	1337	22	15	37	—	1	1	28	21	49	34
92	Boleskine & Abertarff— (1) Boleskine,	c. 762	806	5	9	14	—	—	—	2	5	7	2
	(2) Fort-Augustus or Abertarff,	c. 1114	1200	11	8	19	—	1	1	3	3	6	6
93	Cromdale and Inverallan,	3561	3990	56	54	110	9	9	18	16	34	50	17
94	Croy and Dalcross, . .	1684	1777	19	15	34	2	—	2	12	10	22	3
95	Daviot and Dunlichty, .	1681	1857	11	27	38	1	—	1	14	10	24	7
96	Dores,	1745	1650	28	18	46	1	—	1	8	9	17	8
97	Glenelg— (1) Glenelg,	1155	996	7	8	15	—	—	—	4	4	8	10
	(2) Knoydart,	1035	935	3	11	14	—	—	—	3	9	12	0
	(3) North Morar, . . .	539	539	5	7	12	—	—	—	10	3	13	2
98	INVERNESS (incl. Burgh),	15418	16496	209	185	394	14	12	26	152	151	303	130
99	Kilmonivaig (Glengarry and Lochaber), . . .	2791	2583	24	23	47	1	—	1	24	20	44	10
100	Kilmorack,	2694	3007	31	35	66	—	1	1	23	30	53	14
101	Kiltarlity,	2869	2965	34	26	60	—	—	—	11	9	20	13
102	Kingussie and Insh, . .	2047	2201	24	23	47	1	—	1	15	16	31	8
103	Kirkhill,	1829	1730	26	20	46	3	—	3	12	10	22	7
104	Laggan,	1201	1223	15	9	24	3	2	5	7	7	14	3
105	Moy and Dalarossie, . .	967	1018	11	10	21	—	—	—	11	6	17	2
106	Petty,	1749	1784	26	16	42	1	—	1	17	18	35	7
107	Urquhart, etc.— (1) Urquhart,	c. 2442	c. 2580	31	34	65	3	2	5	18	28	46	7
	(2) Glenmoriston, . .	c. 662	c. 700	10	5	15	—	—	—	4	3	7	1

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
<i>Insular.</i>													
108	Barra,	2363	1873	27	26	53	—	1	1	18	18	36	7
109	Bracadale,	1824	1597	22	12	34	2	—	2	16	13	29	9
110	Duirinish,	4983	5330	54	39	93	—	1	1	49	52	101	18
111	Harris, Bernera, and St Kilda,	4429	4250	52	46	98	3	1	4	30	42	72	20
112	Kilmuir— (1) Kilmuir,	c. 2225	c. 1950	28	17	45	2	—	2	15	18	33	8
	(2) Stenscholl,	c. 1400	c. 1227	19	18	37	—	—	—	14	14	28	5
113	North Uist,	4428	3918	58	51	109	6	5	11	29	38	67	15
114	Portree and Rasay,	3574	3557	46	63	109	3	3	6	32	26	58	12
115	Sleat,	2706	2531	33	23	56	1	1	2	21	19	40	17
116	Small Isles,	993	916	6	10	16	—	2	2	—	6	6	3
117	Snizort,	3220	3101	37	29	66	1	1	2	22	19	41	18
118	South Uist (Benbecula, Howmore, & Boisdale),	7333	6173	81	66	147	8	3	11	45	53	98	13
119	Strath,	3150	3243	39	31	70	3	3	6	23	29	52	15
—			Total,	1124	999	2123	69	51	120	712	757	1469	453
III. NORTH-EASTERN.													
7. NAIRN.													
120	Ardelach,	1177	1278	17	23	40	4	2	6	10	5	15	6
121	Auldearn,	1466	1480	11	11	22	1	1	2	11	5	16	14
122	Cawdor,	1150	1202	10	8	18	2	—	2	5	8	13	7
123	NAIRN (incl. Burgh),	3393	4116	54	52	106	5	6	11	35	47	82	24
—			Total,	92	94	186	12	9	21	61	65	126	51
8. ELGIN (OR MORAY).													
124	Abernethy & Kincardine,	1832	1871	30	23	53	2	2	4	12	7	19	8
125	Alves,	913	919	14	4	18	1	—	1	4	5	9	3
126	Bellie,	c. 2134	c. 2025	26	22	48	5	2	7	17	20	37	9
127	Birnie,	407	427	6	5	11	1	—	1	1	1	2	1
128	Boharm,	1261	1363	13	17	30	2	4	6	10	4	14	2
129	Dallas,	1179	1226	19	21	40	4	5	9	6	4	10	13
130	Drainy,	1515	1856	51	42	93	5	4	9	14	17	31	18
131	Duffus,	2529	2983	49	48	97	2	2	4	24	24	48	20
132	Duthil, etc.— (1) Duthil,	c. 1350	c. 1363	21	23	44	1	5	6	7	4	11	7
	(2) Rothiemurchus,	c. 419	c. 425	6	6	12	1	1	2	1	4	5	2
133	Dyke,	1366	1369	17	15	32	2	1	3	15	10	25	4
134	Edinkillie,	1237	1343	20	26	46	2	—	2	12	5	17	8
135	ELGIN— (1) Burgh,	c. 4865	6337	130	110	240	10	15	25	69	84	153	33
	(2) Landward,	2172	1894	33	26	59	4	1	5	12	15	27	9
136	New Spynie,	c. 265	445	6	9	15	1	3	4	2	7	9	1
137	FORRES (incl. Burgh),	3711	4069	59	58	117	3	12	15	29	53	82	26
138	Kinloss,	1202	1370	17	17	34	—	1	1	13	7	20	7
139	Knockando,	1676	1771	33	21	54	8	—	8	14	9	23	6
140	Rafford,	987	1020	12	14	26	—	—	—	6	5	11	5
141	Rothies,	1843	2022	34	41	75	5	5	10	15	17	32	14
142	St Andrews Lhanbryde (Landward),	c. 1121	1208	24	12	36	1	1	2	7	6	13	4
143	Speymouth,	675	685	11	15	26	—	1	1	6	5	11	4
144	Urquhart,	2181	2544	50	46	96	5	6	11	13	25	38	14
—			Total,	681	621	1302	65	71	136	309	338	647	218

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
9. BANFF.													
145	Aberlour,	1352	1447	26	24	50	3	4	7	8	15	23	12
146	Alvah,	1407	1402	16	25	41	2	9	11	9	10	19	5
147	BANFF—												
	(1) Burgh,	5309	6000	103	101	204	7	5	12	49	64	113	42
	(2) Landward,	877	953	23	11	34	6	1	7	5	5	10	7
148	Botriphnie,	714	713	12	15	27	1	1	2	3	5	8	8
149	Boyndie,	1501	1564	26	40	66	3	7	10	15	15	30	16
150	Cullen (Burgh),	1564	1697	31	29	60	1	1	2	21	13	34	17
151	Deskford,	860	917	20	19	39	3	3	6	8	7	15	5
152	Enzie,	c. 1900	c. 1828	33	33	66	2	1	3	14	18	32	15
153	FORDYCE,	3442	3807	61	38	99	10	4	14	39	48	87	17
154	Forglen,	771	695	5	12	17	2	1	3	6	5	11	2
155	Gamrie (Landward),	2513	2758	41	56	97	11	5	16	14	20	34	17
156	Grange,	1661	1851	33	22	55	5	6	11	23	24	47	8
157	Inveravon & Auchbreck,	2417	2714	35	35	70	7	6	13	11	14	25	8
158	Inverkeithny,	687	835	22	13	35	3	1	4	5	6	11	4
159	KEITH,	4456	4986	74	88	162	12	18	30	59	70	129	35
160	Kirkmichael & Tomintoul,	1576	1558	18	19	37	1	3	4	15	14	29	8
161	Marnoch,	2691	2994	48	44	92	8	8	16	28	23	51	10
162	Mortlach,	2594	2804	40	36	76	8	7	15	19	16	35	18
163	Ordiquhill,	637	644	13	10	23	3	—	3	5	2	7	8
164	RATHVEN,	c. 4828	5846	119	36	255	12	15	27	49	53	102	40
165	Rothiemay,	1227	1413	15	17	32	2	3	5	10	7	17	5
166	St Fergus,	1391	1597	32	22	54	8	2	10	12	7	19	7
Total,				846	845	1691	120	111	231	427	461	888	314
10. ABERDEEN.													
168	ABERDEEN (Burgh)—												
	(1) St Nicholas,	36758	41470	647	627	1274	90	87	177	519	511	1030	327
	(2) Old Machar,	26530	30503	455	416	871	47	56	103	293	341	634	193
	(3) Landward,	1490	1254	10	11	21	—	2	2	8	7	15	0
169	Aberdour,	1645	1857	23	39	62	2	4	6	11	21	32	13
170	Aboyne,	1138	1108	14	15	29	2	2	4	8	9	17	5
171	Alford,	1037	1143	16	18	34	1	1	2	6	6	12	3
172	Auchindoir,	1188	1369	28	20	48	7	2	9	7	18	25	5
173	Auchterless,	1685	1837	28	23	51	9	5	14	14	15	29	8
174	Belhelvie,	1594	1692	30	24	54	5	1	6	7	10	17	12
175	Birse,	1295	1533	20	17	37	5	2	7	14	14	28	7
176	Bourtie,	469	529	4	6	10	—	—	—	—	2	2	1
177	Cabrach,	827	750	9	13	22	1	4	5	6	3	9	0
178	Cairney,	1638	1565	17	23	40	—	4	4	7	14	21	7
179	Chapel of Garioch,	2038	2102	28	26	54	4	4	8	17	18	35	14
180	Clatt,	524	543	7	5	12	—	1	1	4	2	6	3
181	Cluny,	959	1149	24	24	48	1	5	6	11	13	24	7
182	Coull,	744	734	10	13	23	2	1	3	10	8	18	3
183	Crathie and Braemar,	1712	1788	18	21	39	3	2	5	17	16	33	9
184	Crimond,	767	893	13	12	25	2	1	3	3	7	10	5
185	Cruden,	2349	2479	51	37	88	3	4	7	11	21	32	11
186	Culsamond,	1104	1042	17	22	39	5	3	8	5	7	12	3
187	Daviot,	643	601	9	9	18	1	1	2	5	5	10	7
188	Drumblade,	945	949	8	12	20	2	2	4	6	8	14	11
189	Drumoak,	811	948	10	14	24	1	1	2	8	10	18	7
190	Dyce,	472	470	8	10	18	1	2	3	4	7	11	4
191	Echt,	1078	1206	16	8	24	1	2	3	12	7	19	7

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
192	Ellon,	2941	3324	70	42	112	6	7	13	22	27	49	16
193	Fintray,	1032	1080	19	11	30	1	2	3	8	10	18	3
194	Forgue,	2489	2626	51	47	98	9	10	19	23	16	39	11
195	Foveran,	1620	1638	19	26	45	1	5	6	12	16	28	13
196	FRASERBURGH,	3615	4447	77	82	159	7	7	14	35	39	74	32
197	Fyvie,	3597	3927	68	61	129	9	8	17	28	32	60	22
198	Gartly,	1037	990	15	17	32	5	—	5	7	10	17	8
199	Glass,	886	972	17	16	33	3	3	6	9	7	16	6
200	Glenbucket,	542	542	7	13	20	1	4	5	3	5	8	5
201	Glenmuick, Tullich, and Glengairn,	2118	1984	21	18	39	—	2	2	13	21	34	4
202	HUNTLY,	3642	4061	76	56	132	10	7	17	28	32	60	18
203	Insch,	1379	1519	25	15	40	2	2	4	19	6	25	9
204	INVERURY (incl. Burgh),	2190	2829	56	34	90	6	2	8	25	27	52	16
205	Keig,	662	772	14	14	28	2	2	4	6	5	11	3
206	Keith-hall,	913	920	7	12	19	1	2	3	4	3	7	8
207	Kemnay,	637	680	14	7	21	—	—	—	4	4	8	0
208	Kildrummy,	627	643	13	5	18	2	3	5	8	3	11	2
209	Kincardine O'Neil,	1857	2098	29	22	51	2	4	6	16	17	33	6
210	King-Edward,	2492	2749	38	41	79	11	7	18	21	26	47	21
211	Kinnellar,	483	590	13	11	24	2	2	4	7	1	8	1
212	Kinnethmont,	1107	1108	20	20	40	1	—	1	9	8	17	14
213	Kintore (part of)—(incl. Burgh),	1129	1162	30	35	65	5	7	12	18	5	23	11
214	Leochel-Cushnie,	1084	1068	9	15	24	2	2	4	13	9	22	7
215	Leslie,	553	559	7	11	18	—	—	—	3	3	6	4
216	Logie-Buchan,	713	724	13	10	23	1	—	1	4	2	6	5
217	Logie-Coldstone,	936	889	11	14	25	1	3	4	9	5	14	6
218	Longside,	2612	2952	43	51	94	5	4	9	26	21	47	15
219	Lonmay,	1919	1964	32	36	68	2	6	8	16	13	29	16
220	Lumphanan,	964	1088	11	21	32	—	3	3	11	7	18	3
221	Methlic,	1737	1997	25	35	60	2	5	7	6	10	16	11
222	Midmar,	1093	1166	14	20	34	—	4	4	9	7	16	10
223	Monquhitter,	2074	2295	32	39	71	7	7	14	14	32	46	13
224	Monymusk,	895	940	9	9	18	3	1	4	10	10	20	2
225	New Deer,	3756	3973	61	68	129	7	6	13	22	34	56	32
226	Newhills,	2865	3325	54	51	105	3	2	5	34	31	65	20
227	New Machar,	1262	1298	13	15	28	1	1	2	8	10	18	6
228	Old Deer,	4453	4743	60	63	123	11	12	23	43	33	76	29
229	Old Meldrum,	1873	2002	37	35	72	8	4	12	22	17	39	19
230	Oyne,	796	919	20	20	40	3	3	6	10	10	20	8
231	Peterculter,	1259	1351	20	26	46	3	1	4	8	9	17	7
232	PETERHEAD— (1) Burgh,	5759	7298	162	123	285	11	10	21	64	65	129	54
	(2) Landward,	1860	2131	40	23	63	8	4	12	10	9	19	9
233	Pitsligo,	1582	1801	30	41	71	3	1	4	14	22	36	15
234	Premnay,	691	793	11	14	25	3	4	7	5	3	8	2
235	Rathen,	2270	2368	48	37	85	2	4	6	18	20	38	6
236	Rayne,	1542	1550	22	21	43	2	4	6	9	14	23	9
237	Rhynie,	1035	1017	13	18	31	—	3	3	3	8	11	5
238	Skene,	1846	1862	35	29	64	5	8	13	10	12	22	10
239	Slains,	1211	1232	23	20	43	6	4	10	5	6	11	10
240	Strathdon,	1563	1531	24	23	47	3	1	4	11	7	18	13
241	Strichen,	2012	2283	37	32	69	9	8	17	21	17	38	17
242	Tarland,	1093	1197	17	18	35	4	1	5	6	5	11	8
243	Tarves,	2397	2469	31	43	74	5	7	12	14	19	33	10
244	Tough,	762	891	12	16	28	—	1	1	4	10	14	5
245	Towie,	748	758	8	12	20	3	2	5	3	8	11	10
246	Tullynessle and Forbes,	846	930	7	13	20	—	3	3	9	4	13	1

PARISHES OR DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
247 Turriff,	3146	3584	66	47	113	11	9	20	36	43	79	27
248 Tyrie,	2639	2830	39	59	96	6	14	20	23	19	42	14
249 Udney,	1450	1513	31	24	55	5	3	8	12	5	17	9
		Total,	3346	3220	6566	426	440	866	1883	1979	3862	1349
11. KINCARDINE.												
250 Arbuthnot,	1015	1002	17	12	29	3	1	4	8	4	12	2
251 Banchory-Devenick,	2725	3073	46	51	97	9	9	18	14	20	34	18
252 Banchory-Ternan,	2241	2462	39	40	79	1	6	7	20	21	41	11
253 Benholm,	1648	1641	27	16	43	4	2	6	16	13	29	10
254 Bervie (or Inverbervie)— (incl. Burgh),	1342	1459	27	32	59	3	6	9	13	20	33	4
255 DUNNOTAR,	1873	1949	30	30	60	4	4	8	12	21	33	8
256 Durris,	1109	962	11	13	24	3	3	6	4	6	10	6
257 Fettercairn,	1793	1741	28	26	54	2	2	4	13	13	26	6
258 FETTERESSO,	5212	5720	95	72	167	12	12	24	32	43	75	21
259 Fourdoun,	2342	2386	36	28	64	—	1	1	21	26	47	9
260 Garvock,	446	457	7	8	15	1	—	1	3	3	6	3
261 Glenbervie,	1296	1239	20	14	34	4	2	6	4	12	16	6
262 Kinneff and Catterline,	1029	1069	13	22	35	1	1	2	8	9	17	3
263 Laurencekirk,	1904	2125	32	38	70	7	8	15	18	18	36	9
264 Maryculter,	991	1055	12	9	21	2	2	4	2	9	11	13
265 Marykirk,	2387	2232	42	32	74	3	3	6	22	18	40	13
266 Nigg,	1642	1841	24	24	48	3	3	6	16	7	23	23
267 St Cyrus,	1600	1579	23	21	44	3	4	7	7	10	17	9
268 Strachan,	944	947	17	13	30	2	1	3	3	7	10	5
		Total,	546	501	1047	67	70	137	236	280	516	179
IV. EAST-MIDLAND.												
12. FORFAR.												
269 Aberlemno,	1023	1116	18	10	28	—	1	1	3	4	7	5
270 Airlie,	868	856	8	12	20	—	2	2	3	2	5	2
271 Arbirlot,	1045	990	11	15	26	1	—	1	9	6	15	5
272 ARBROATH (Burgh),	c. 15258	17238	307	296	603	28	25	53	146	185	331	119
273 Auchterhouse,	769	686	10	17	27	—	3	3	8	2	10	4
274 Barry,	2124	2175	32	22	54	—	2	2	24	24	48	13
275 BRECHIN (incl. Burgh),	7560	8210	167	132	299	29	13	42	82	90	172	66
276 Carmylie,	1107	1240	20	11	31	2	1	3	15	6	21	6
277 Careston,	218	207	4	1	5	—	—	—	1	—	1	0
278 Cortachy and Clova,	867	722	6	4	10	—	1	1	5	3	8	7
279 COUPAR-ANGUS,	c. 2745	2972	48	34	82	4	2	6	42	50	92	11
280 Craig (Landward),	1795	1730	27	26	53	4	1	5	22	15	37	6
281 Dun (Landward),	c. 381	522	8	10	18	4	—	4	10	4	14	5
282 DUNDEE (Burgh)— (1) First District (incl. Landward of Dundee),	c. 32326	c. 39561	684	652	1336	37	32	69	499	486	985	312
(2) Second District,	c. 28408	c. 34766	706	664	1370	83	71	154	486	542	1028	309
(3) Third (or Lochee) Dis.,	c. 4658	c. 5700	98	93	191	8	10	18	69	69	138	42
283 Dunnichen,	1625	1884	31	30	61	4	5	9	17	10	27	12
284 Eassie and Nevay,	732	706	11	7	18	2	—	2	4	2	6	4
285 Edzell,	1064	1084	21	13	34	3	1	4	14	6	20	6
286 Farnell,	620	650	7	15	22	—	2	2	4	5	9	5
287 Fearn,	404	392	10	4	14	3	—	3	2	4	6	3
288 FORFAR (incl. Burgh),	9620	11009	183	162	345	18	13	31	106	115	221	71
289 Glammis,	2167	2152	27	28	55	4	1	5	22	19	41	8

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
290	Glenisla,	1134	1050	15	18	33	1	2	3	4	8	12	8
291	Guthrie,	530	469	9	10	19	1	—	1	3	2	5	1
292	Inverarity,	997	948	12	8	20	—	—	—	13	9	22	7
293	Inverkeillor,	1879	1871	29	29	58	1	—	1	11	12	23	6
294	Kettins,	1109	995	9	12	21	1	—	1	8	12	20	2
295	Kingoldrum,	440	429	10	7	17	—	—	—	2	6	8	2
296	Kinnell,	853	826	13	7	20	3	2	5	5	2	7	12
297	Kinnettles,	437	460	6	8	14	2	—	2	4	4	8	3
298	Kirkden,	1483	1763	39	30	69	3	4	7	10	13	23	9
299	KIRRIEMUIR,	7085	7617	120	124	244	12	19	31	78	96	174	45
300	Lethnott and Navar,	400	408	7	2	9	—	1	1	1	5	6	1
301	Liff, Benvie, and Inver- gowrie (Landward),	c. 1350	1467	18	15	33	1	2	3	6	10	16	5
302	Lintrathen,	981	926	10	8	18	2	—	2	10	7	17	0
303	Lochlee,	622	615	11	5	16	4	—	4	9	1	10	2
304	Logie-Pert,	1560	1609	22	13	35	1	3	4	9	7	16	3
305	Lunan,	272	279	8	2	10	—	—	—	2	2	4	4
306	Lundie,	448	450	2	5	7	—	1	1	2	3	5	0
307	Mains, etc.— (1) Mains,	1295	1299	21	26	47	—	4	4	12	12	24	8
	(2) Strathmartine,	815	735	15	8	23	2	1	3	6	9	15	1
308	Marytown,	452	366	10	9	19	1	1	2	3	5	8	2
309	Menmuir,	732	693	12	9	21	—	—	—	6	4	10	0
310	MONIFIETH,	3471	4267	75	70	145	5	4	9	32	37	69	37
311	Monikie,	1317	1317	27	21	48	3	—	3	13	12	25	9
312	MONTROSE,	c. 15446	16191	215	217	432	15	21	36	236	241	477	108
313	Murroes,	736	643	7	12	19	—	—	—	6	3	9	3
314	Newtyle,	1264	1141	13	16	29	3	—	3	12	6	18	8
315	Oathlaw,	420	424	6	8	14	1	—	1	1	6	7	2
316	Panbride,	1380	1372	20	25	45	1	1	2	11	15	26	8
317	Rescobie,	788	711	9	3	12	1	1	2	4	6	10	2
318	Ruthven,	471	503	3	7	10	—	—	—	2	—	2	1
319	St Vigeans (Landward),	c. 2242	2591	39	39	78	2	3	5	14	15	29	24
320	Stracathro,	553	505	6	5	11	1	1	2	4	3	7	2
321	Tannadice,	1654	1517	23	22	45	3	2	5	6	7	13	13
322	Tealing,	854	844	5	9	14	—	3	3	4	6	10	6
Total,				3290	3067	6357	304	262	566	2142	2235	4377	1367
13. PERTH.													
323	Aberdalgie,	360	343	5	2	8	—	—	—	3	1	4	3
324	Aberfeldy,	?	c. 2200	40	32	72	3	2	5	19	26	45	10
325	Aberfoyle,	543	514	9	6	15	2	—	2	4	2	6	0
326	Abernethy,	1920	2026	39	27	66	7	2	9	18	20	38	7
327	Abernyte,	280	275	2	6	8	—	—	—	4	1	5	0
328	Alyth,	2910	3152	53	37	90	8	10	18	19	26	45	8
329	AUCHTERARDER,	3434	4160	74	68	142	6	6	12	26	39	65	31
330	Auchtergaven,	3366	3232	45	41	86	8	4	12	28	30	58	13
331	Balquhiddie,	871	874	6	6	12	1	1	2	12	10	22	1
332	Bendochy,	783	773	8	8	16	1	1	2	2	4	6	1
333	Blackford,	1782	2012	27	28	55	4	3	7	17	23	40	12
334	Blair-Athol (part of),	?	?	23	14	37	1	3	4	13	6	19	7
335	BLAIRGOWRIE,	3471	4297	49	57	106	4	6	10	61	61	122	25
336	Callander,	1665	1716	14	15	29	2	4	6	16	17	33	4
337	Caputh (part of),	c. 2300	c. 2000	17	22	39	3	2	5	25	16	41	9
338	Cargill,	1642	1629	18	17	35	4	1	5	18	19	37	9
339	Clunie,	763	723	7	6	13	1	—	1	6	6	12	4
340	Collace,	702	581	13	8	21	2	1	3	3	6	9	2

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
341	Comrie,	2471	2463	21	30	51	1	4	5	18	22	40	14
342	CRIEFF,	4333	4504	66	44	110	9	4	13	42	36	78	34
343	Culross (incl. Burgh),	1444	1487	15	21	36	—	3	3	17	30	47	6
344	Dowally,	c. 656	c. 558	5	3	8	—	—	—	3	4	7	1
345	Dron,	441	394	8	1	9	1	—	1	3	5	8	1
346	Dull (part of),	?	?	19	20	39	2	3	5	17	7	24	7
347	Dunbarney,	1104	1066	14	8	22	—	—	—	4	12	16	5
348	Dunblane,	3361	3213	34	40	74	1	4	5	29	19	48	18
349	Dunkeld,	c. 1113	c. 1141	14	10	24	1	1	2	20	22	42	9
350	Dunning,	2128	2206	26	19	45	2	3	5	16	22	38	7
351	Errol,	2832	2796	54	31	85	4	2	6	18	24	42	13
352	Findo-Gask,	436	405	2	4	6	—	—	—	3	2	5	3
353	Forgandenny,	796	828	15	9	24	—	—	—	5	8	13	7
354	Forteviot,	638	638	6	9	15	—	—	—	4	2	6	2
355	Fortingall,	?	?	9	16	25	2	1	3	9	9	18	1
356	Fowlis-Easter,	286	300	2	8	10	—	—	—	5	4	9	0
357	Fowlis-Wester (part of),	?	?	13	15	28	1	3	4	2	6	8	1
358	Glendovan,	157	128	—	1	1	—	—	—	—	—	—	0
359	Inchture,	765	745	10	13	23	1	1	2	2	4	6	5
360	Kenmore,	?	c. 1746	17	18	35	1	—	1	15	11	26	3
361	Killin,	?	c. 2289	27	22	49	2	—	2	23	18	41	18
362	Kilmadock,	4055	3659	27	28	55	—	2	2	38	33	71	12
363	Kilspindie,	709	684	7	5	12	—	—	—	8	5	13	2
364	Kincardine,	2232	1993	22	31	53	3	3	6	23	24	47	12
365	Kinclaven,	880	881	14	4	18	—	—	—	6	4	10	5
366	Kinfauns,	720	650	12	5	17	—	1	1	4	1	5	6
367	Kinloch-Rannoch,	?	?	14	12	26	1	1	2	16	11	27	6
368	Kinnaird,	458	370	4	6	10	—	—	—	2	4	6	2
369	Kinnoull (Landward),	c. 634	771	7	9	16	—	—	—	6	8	14	3
370	Kirkmichael & Glenshee,	1412	1280	11	12	23	2	1	3	13	9	22	7
371	Lecropt,	513	442	9	5	14	1	—	1	5	2	7	3
372	Lethendy and Kinloch,	662	556	6	7	13	2	—	2	4	6	10	1
373	Little Dunkeld (part of),	2718	2155	24	22	46	2	—	2	16	18	34	12
374	Logie (Landward),	1363	1492	29	36	65	2	1	3	17	19	36	14
375	Logiealmond,	?	?	10	10	20	—	1	1	7	8	15	5
376	Logierait (part of),	?	?	25	19	44	3	1	4	12	17	29	12
377	Longforgan,	1660	1787	30	29	59	—	4	4	12	14	26	3
378	Madderty,	634	593	9	4	13	2	2	4	4	6	10	3
379	Meigle,	?	973	8	15	23	1	1	2	7	7	14	3
380	Methven (part of),	?	?	27	24	51	1	2	3	18	30	48	8
381	Moneydie (part of),	?	?	2	3	5	—	—	—	—	1	1	0
382	Monzie (part of),	?	?	2	4	6	—	—	—	—	1	1	1
383	Monzievaird,	853	790	7	7	14	—	1	1	6	4	10	2
384	Moulin (part of),	?	?	32	24	56	1	3	4	21	12	33	9
385	Muckhart,	706	685	10	6	16	—	—	—	12	2	14	1
386	Muthill,	3067	2972	50	36	86	4	3	7	30	25	55	18
387	PERTH—												
	(1) Burgh (incl. Burghal of Kinnoull),	20167	23835	355	365	720	35	29	64	324	308	628	234
	(2) Landward,	c. 1447	835	9	5	14	1	—	1	9	5	14	1
388	Port of Menteith,	1446	1419	16	10	26	1	3	4	10	11	21	4
389	Ratray,	1918	2336	31	25	56	8	4	12	17	17	34	11
390	Redgorton (part of),	?	?	21	20	41	1	4	5	14	15	29	13
391	Rhynd,	402	338	6	3	9	1	—	1	3	3	6	1
392	St Madoes,	327	288	1	3	4	—	—	—	2	1	3	3
393	St Martins,	1071	983	9	8	17	2	—	2	6	11	17	1
394	Scone (Landward),	c. 2372	2332	27	19	46	2	1	3	19	18	37	12
395	Tibbermore (Landward),	c. 1625	1469	9	19	28	—	3	3	2	4	6	2
396	Trinity-Gask,	620	597	10	8	18	—	1	1	6	4	10	1

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
397	TULLIALLAN, . . .	3196	3043	41	38	79	5	1	6	23	25	48	21
398	Weem (part of), . . .	?	c. 242	1	3	4	—	—	—	2	—	2	1
	Total,			1760	1632	3392	166	148	314	1273	1269	2542	756
14. FIFE.													
399	Abbotshall (Landward),	711	688	9	12	21	—	—	—	4	6	10	3
400	Abdie (part of), . . .	1508	1486	16	18	34	—	1	1	14	19	33	6
401	Aberdour, . . .	1916	1945	26	23	49	2	—	2	17	12	29	5
402	Anstruther-Easter (Burgh)	997	1161	19	11	30	1	1	2	19	12	31	8
403	Anstruther-Wester (incl. Burgh), . . .	449	443	4	8	12	—	1	1	3	4	7	1
404	Arngask, . . .	750	689	5	10	15	1	1	2	8	6	14	3
405	Auchterderran, . . .	1913	3210	85	92	177	5	2	7	36	36	72	11
406	AUCHTERMUCHTY (incl. Burgh), . . .	3356	3704	60	55	115	5	4	9	32	32	64	15
407	Auchtertool, . . .	530	517	15	10	25	1	—	1	7	4	11	1
408	Ballingry, . . .	436	568	20	21	41	4	3	7	8	4	12	5
409	Balmerino, . . .	993	945	12	16	28	1	3	4	9	8	17	1
410	Beath, . . .	973	1252	33	33	66	—	—	—	21	14	35	19
411	BURNTISLAND (incl. Burgh)	2210	3148	58	68	126	—	2	2	29	22	51	22
412	Cameron, . . .	1167	1207	23	18	41	4	1	5	6	5	11	15
413	Carnbee, . . .	1043	1129	17	15	32	1	—	1	8	4	12	11
414	Carnock, . . .	1270	3191	73	69	142	4	3	7	23	24	47	21
415	Ceres, . . .	2944	2833	32	45	77	4	3	7	23	17	40	15
416	Collessie, . . .	1346	1520	22	21	43	4	3	7	10	8	18	5
417	Crail (incl. Burgh), . . .	1737	1903	22	22	44	1	2	3	8	12	20	16
418	Criech, . . .	430	386	7	7	14	1	1	2	1	3	4	3
419	Cults, . . .	889	915	11	9	20	—	—	—	7	7	14	6
420	CUPAR (incl. Burgh), . . .	6758	7427	84	95	179	5	3	8	47	60	107	41
421	Dairsie, . . .	669	708	3	8	11	1	1	2	5	7	12	4
422	Dalgetty, . . .	1265	1513	24	26	50	2	1	3	9	12	21	9
423	Dunbog, . . .	219	220	12	9	21	—	—	—	1	5	6	1
424	DUNFERMLINE—												
	(1) Burgh, . . .	13296	13836	231	246	477	16	10	26	132	145	277	132
	(2) Landward, . . .	6921	7851	155	135	290	13	4	17	86	65	151	44
425	Dunino, . . .	471	289	3	4	7	—	—	—	3	2	5	1
426	DYSART (incl. Burgh), . . .	7591	8739	131	132	263	15	12	27	92	103	195	74
427	Elie, . . .	907	843	11	10	21	5	1	6	10	12	22	7
428	Falkland (incl. Burgh), . . .	2886	3102	42	52	94	5	3	8	25	30	55	10
429	FERRY-PORT-ON-CRAIG,	1741	2238	22	29	51	3	3	6	38	35	73	12
430	Flisk (part of), . . .	?	c. 134	—	5	5	—	—	—	—	—	—	0
431	Forgan, . . .	1219	1125	11	18	29	2	3	5	6	15	21	9
432	Inverkeithing (incl. Burgh)	2530	2499	53	49	102	3	7	10	28	20	48	14
433	Kemback, . . .	778	956	6	8	14	—	1	1	5	3	8	5
434	Kennoway, . . .	2044	2257	23	39	62	1	3	4	13	16	29	15
435	Kettle, . . .	2312	2601	38	34	72	4	1	5	25	21	46	14
436	Kilconquhar, . . .	2605	2489	30	22	52	2	1	3	20	29	49	13
437	Kilmany, . . .	659	662	9	15	24	—	2	2	6	9	15	7
438	Kilrenny (incl. Burgh),	2039	2194	29	34	63	2	1	3	23	30	53	18
439	Kinghorn (incl. Burgh),	2405	2455	31	32	63	—	4	4	26	30	56	8
440	Kinglassie, . . .	1155	1186	24	14	38	—	—	—	9	4	13	6
441	Kingsbarns, . . .	968	893	10	10	20	1	—	1	5	9	14	4
442	KIRKCALDY (incl. Burgh), c.	9905	10636	153	142	295	6	7	13	90	105	195	81
443	Largo, . . .	2751	2800	44	35	79	8	3	11	18	12	30	11
444	Leslie, . . .	3625	3800	52	42	94	6	2	8	17	33	50	29
445	Leuchars, . . .	1901	1991	33	22	55	3	1	4	26	19	45	9
446	Logie, . . .	419	467	6	4	10	—	—	—	2	1	3	8

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
447	Markinch,	5965	5843	75	94	169	5	7	12	47	48	95	32
448	Monimail,	1162	1102	14	16	30	1	—	1	11	6	17	2
449	Moonzie,	174	198	4	5	9	—	1	1	1	—	1	1
450	NEWBURGH (incl. Burgh),	2897	2986	42	45	87	3	4	7	37	41	78	14
451	Newburn,	419	375	7	5	12	1	—	1	3	5	8	4
452	Pittenweem (incl. Burgh),	1339	1473	17	19	36	1	—	1	10	16	26	5
453	ST ANDREWS and ST LEONARDS (incl. Burgh),	6571	7327	110	100	210	8	8	16	66	58	124	43
454	St Monance (or Aber- crombie),	1157	1241	29	20	49	1	—	1	16	16	32	16
455	Saline,	1057	1792	32	32	64	3	1	4	13	12	25	7
456	SCOONIE,	2836	3115	49	37	86	1	3	4	22	26	48	16
457	Strathmiglo,	2187	2509	35	35	70	1	5	6	15	13	28	12
458	Torryburn,	1435	1341	25	22	47	6	1	7	13	19	32	8
459	Wemyss,	5403	5647	115	92	207	6	1	7	35	35	70	39
Total,				2393	2376	4769	181	134	315	1349	1386	2735	977
15. KINROSS.													
460	Cleish,	681	659	7	12	19	3	1	4	6	9	15	7
461	Fossoway and Tulliebole,	1724	1621	21	28	49	1	5	6	10	17	27	8
462	KINROSS,	2822	3227	37	31	68	5	—	5	17	28	45	9
463	Orwell,	2715	2569	33	27	60	7	4	11	16	24	40	15
464	Portmoak,	1616	1550	12	18	30	1	1	2	12	7	19	11
Total,				110	116	226	17	11	28	61	85	146	50
16. CLACKMANNAN.													
465	ALLOA,	7921	9493	150	127	277	6	9	15	71	69	140	54
466	Clackmannan,	5145	5802	82	75	157	11	8	19	32	25	57	39
467	Dollar,	1562	1574	13	11	24	—	—	—	16	12	28	6
468	TILlicouLTRY,	3213	4686	80	66	146	7	3	10	42	35	77	19
Total,				325	279	604	24	20	44	161	141	302	118
V. WEST-MIDLAND.													
17. STIRLING.													
469	Airth,	1493	1319	19	10	29	2	—	2	9	5	14	6
470	ALVA,	2216	3204	57	48	105	5	2	7	23	22	45	15
471	Baldernock,	972	801	13	5	18	1	—	1	8	8	16	1
472	Balfron,	1970	1900	31	19	50	3	2	5	15	19	34	8
473	Bothkennar,	849	1179	27	30	57	1	1	2	9	12	21	14
474	Buchanan,	754	632	7	9	16	—	1	1	5	3	8	1
475	CAMPSIE,	6402	6918	128	120	248	11	10	21	70	49	119	53
476	DENNY,	4916	4754	84	93	177	7	9	16	49	56	105	27
477	Drymen,	1515	1481	25	30	55	—	2	2	14	7	21	13
478	Dunipace,	1578	1472	20	17	37	3	1	4	18	14	32	6
479	FALKIRK—												
	(1) Burgh,	8209	8752	136	153	289	4	9	13	122	119	241	77
	(2) Landward,	7412	7686	131	113	244	7	5	12	82	82	164	46
480	Fintry,	884	823	10	12	22	—	1	1	3	12	15	4
481	Gargunnoch,	803	754	8	9	17	1	—	1	9	3	12	1
482	Killearn,	1224	1176	14	10	24	1	1	2	11	12	23	7
483	KILSYTH,	5613	5346	117	100	217	18	10	28	72	54	126	30
484	Kippen,	1922	1892	16	22	38	3	3	6	25	17	42	4
485	Larbert,	4404	4606	104	82	186	7	5	12	48	54	102	29

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
486	Muiravonside,	2249	2647	60	41	101	1	2	3	19	15	34	30
487	Polmont,	3584	3764	83	76	159	8	3	11	34	33	67	28
488	St NINIANs (Landward),	c. 7880	7630	92	90	182	6	6	12	47	66	113	26
489	Slamannan,	979	1655	67	66	133	3	3	6	31	39	70	20
490	STIRLING (incl. Burgh),	12658	13460	175	176	351	10	9	19	167	164	331	135
491	Strathblane,	894	1010	13	16	29	—	4	4	7	6	13	4
Total,				1437	1347	2784	102	89	191	897	871	1768	585
18. DUMBARTON.													
492	Arrochar,	580	562	8	6	14	—	—	—	2	5	7	1
493	BONHILL,	6682	7643	147	106	253	14	12	26	68	59	127	43
494	CARDROSS (Landward),	c. 3616	3402	62	66	128	5	5	10	49	45	94	18
495	Cumbernauld,	4501	3778	73	65	138	6	8	14	28	31	59	22
496	DUMBARTON—												
	(1) Burgh,	4391	5445	159	174	333	3	7	10	72	89	161	82
	(2) Landward,	237	176	2	4	6	—	—	—	1	1	2	2
497	Kilmarnock,	931	1033	17	12	29	—	2	2	6	8	14	7
498	KIRKINTILLOCH,	8880	8426	146	148	294	18	21	39	81	85	166	46
499	Luss,	1052	907	5	12	17	—	—	—	8	7	15	3
500	New, or East, Kilpatrick,	3457	4286	82	70	152	5	6	11	38	35	73	26
501	OLD, or WEST, KILPATRICK,	7020	5921	96	104	200	1	2	3	62	72	134	50
502	Roseneath,	941	1044	9	10	19	1	—	1	11	12	23	6
503	Row,	3717	4372	48	54	102	2	3	5	50	49	99	23
Total,				854	831	1685	55	66	121	476	498	974	329
19. ARGYLL.													
Mainland.													
504	Ardchattan,	1461	1525	15	17	32	2	1	3	5	7	12	7
505	Ardnamurchan—												
	(1) Aharacle,	c. 2233	c. 2179	23	17	40	—	—	—	14	23	37	5
	(2) Arisaig,	c. 1181	c. 1089	12	11	23	1	—	1	13	8	21	3
	(3) Sunart (or Strontian),	c. 959	c. 1072	12	5	17	—	—	—	6	9	15	0
	(4) Western District,	c. 1208	c. 1106	12	12	24	—	2	2	10	15	25	1
507	CAMPBELTOWN (including Burgh),	9634	9381	124	106	230	8	8	16	74	82	156	64
508	Craignish,	873	756	9	9	18	1	—	1	4	5	9	1
509	Cumlodden,	?	?	16	14	30	—	—	—	7	9	16	3
510	DUNOON and KILMUN,	4211	4518	55	58	113	4	2	6	62	41	103	19
511	Glassary,	?	?	31	29	60	1	2	3	23	25	48	10
512	Glenorchy and Inishail,	1644	1450	22	10	32	1	—	1	11	15	26	4
513	Inverary (incl. Burgh),	2285	2229	23	17	40	—	—	—	23	17	40	8
514	Inverchaolain,	699	474	5	3	8	—	—	—	6	1	7	1
515	Kilbrandon & Kilchattan,	2602	2375	22	32	54	1	4	5	18	15	33	5
516	Kilcalmonell & Kilberry,	3325	2859	30	40	70	1	4	5	22	26	48	15
517	Kilchrenan and Dalavich,	943	776	7	6	13	—	2	2	7	11	18	—
518	Kilfinan,	1816	1695	30	23	53	2	—	2	17	10	27	13
519	Killeen and Kilchenzie,	2402	2219	26	25	51	—	—	—	10	14	24	11
520	Kilmallie,	5397	c. 5235	53	44	97	7	6	13	39	33	72	15
521	Kilmartin,	1233	1144	18	13	31	—	—	—	8	13	21	3
522	Kilmodan,	567	500	4	5	9	—	—	—	6	4	10	1
523	Kilmore and Kilbride—												
	(1) Burgh of Oban,	1398	1742	21	21	42	—	3	3	24	30	54	9
	(2) Landward,	1375	1389	11	13	24	—	—	—	7	7	14	3
524	Kilninver, etc.—												
	(1) Kilninver,	553	449	5	2	7	1	—	1	5	5	10	5
	(2) Kilmelford,	343	265	12	7	19	—	—	—	3	3	6	2

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
525	Lismore, etc.—												
	(1) Lismore,	c. 1021	c. 1000	21	11	32	2	2	4	9	11	20	7
	(2) Appin,	c. 1230	c. 1200	10	9	19	—	—	—	5	11	16	
526	Lochgilphead,	?	?	38	30	68	1	—	1	23	27	50	13
527	Lochgilphead & Kilmorich,	1018	834	9	7	16	1	—	1	6	5	11	2
528	Morvern,	1774	1517	17	12	29	1	—	1	15	13	28	5
529	Muckairn,	960	788	7	6	13	1	—	1	5	7	12	2
530	North Knapdale,	2170	1666	19	16	35	—	—	—	10	17	27	4
531	Saddell, etc. (part of)—												
	(1) Saddell,	846	791	8	10	18	—	—	—	6	5	11	1
	(2) Skipness,	967	713	5	9	14	—	1	1	8	4	12	—
532	Southend,	1594	1406	17	17	34	1	1	2	7	9	16	4
533	South Knapdale (part of),	2223	2178	23	22	45	—	—	—	8	9	17	3
534	Stralachlan and Strachur,	1086	915	4	1	5	—	—	—	4	7	11	1
<i>Insular.</i>													
536	Bowmore (or Kilarrow),	4026	3469	38	28	66	5	2	7	20	23	43	13
537	Gigha,	550	547	4	2	6	—	—	—	3	6	9	2
538	Iona,	c. 590	604	9	12	21	1	—	1	6	8	14	8
539	Jura, etc.—												
	(1) Jura,	c. 1382	1064	12	11	23	1	1	2	9	9	18	1
	(2) Colonsay,	c. 917	837	8	10	18	1	—	1	4	1	5	3
540	Kilchoman,	?	?	28	31	59	6	5	11	18	15	33	9
541	Kildalton,	2293	2424	16	26	42	1	—	1	18	17	35	10
542	Kilfinichen & Kilvickeon,	c. 3523	2450	21	28	49	1	3	4	15	16	31	5
543	Kilmeny,	1756	1413	13	16	29	2	3	5	16	6	22	7
544	Kilninian and Kilmore,	4335	3954	26	22	48	1	2	3	16	9	25	4
545	Kinlochspelve,	?	?	7	7	14	—	1	1	2	7	9	6
546	Oa,	1022	886	8	16	24	—	1	1	4	6	10	4
547	Portnahaven,	1260	1269	19	12	31	2	2	4	15	13	28	2
548	Salen,	?	?	9	6	15	1	—	1	4	12	16	4
549	Tobermory,	?	?	18	17	35	—	2	2	21	23	44	2
550	Torosay,	1616	1361	10	1	11	—	1	1	4	5	9	4
551	Tyree, etc.—												
	(1) Tyree,	4391	3709	51	46	97	3	1	4	35	26	61	10
	(2) Coll,	1442	1109	13	13	26	1	—	1	10	7	17	1
Total,				1086	993	2079	63	62	125	750	762	1512	345
20. BUTE.													
552	Cumraes,	1421	1275	14	11	25	1	1	2	11	14	25	7
553	Kilbride,	2786	2533	33	29	62	1	2	3	28	18	46	17
554	Kilmory,	3455	3414	33	28	61	1	1	2	29	32	61	13
555	Kingarth,	931	1007	18	15	33	1	1	2	5	6	11	2
557	North Bute,	1128	1025	14	14	28	—	1	1	10	9	19	8
558	ROTHESAY (incl. Burgh),	6019	7354	81	83	164	8	7	15	90	115	205	52
Total,				193	180	373	12	13	25	173	194	367	99
VI. SOUTH-WESTERN.													
21. RENFREW.													
559	ABBEY—												
	(1) Abbey District (Burghal) — (portion of Burgh of Paisley	15454	16319	294	256	550	25	10	35	222	207	429	119
	(2) Do. (Landward),	c. 5542	c. 5230	91	95	186	8	4	12	70	60	130	58
	(3) JOHNSTONE District,	c. 7250	c. 7000	161	151	312	6	8	14	105	99	204	71

PARISHES OR DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1841.	1851.	Males.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem	Total.	
560 Cathcart,	2349	2916	46	49	95	3	2	5	19	30	49	18
561 Eaglesham,	2428	2524	42	31	73	4	2	6	29	24	53	14
562 EASTWOOD,	7970	9243	191	193	384	14	24	38	141	140	281	86
563 Erskine,	1407	1232	17	24	41	—	2	2	8	19	27	8
564 GREENOCK (Burgh)— (1) New, or Middle, Parish,	8018	9414	199	183	382	10	7	17	162	186	348	124
(2) East Parish,	7868	7704	254	231	485	3	6	9	156	148	304	129
(3) Old, or West, Parish,	21050	20318	449	396	845	20	23	43	386	317	703	174
565 Houston and Killellan,	2818	2753	63	38	101	5	—	5	28	28	56	24
566 Inchinnan,	678	649	13	9	22	—	2	2	13	8	21	5
567 Innerkip— (1) Innerkip,	c. 1136	c. 1000	21	14	35	—	—	—	12	11	23	3
(2) Gourcock,	c. 2284	c. 2018	26	30	56	1	2	3	16	24	40	6
568 KILBARCHAN,	5595	5474	73	88	161	2	7	9	61	83	144	31
569 Kilmalcolm,	1616	1399	17	22	39	—	2	2	9	13	22	13
570 LOCHWINNOCH,	4716	4153	49	51	100	5	4	9	42	47	89	10
571 Mearns,	3077	3704	47	56	103	5	4	9	38	40	78	13
572 NEILSTON,	10577	12233	225	194	419	19	20	39	126	142	268	44
573 PAISLEY (Burgh)—(excl. of Abbey Parish)— (1) High Church,	14798	14643	251	261	512	12	14	26	171	192	363	128
(2) Low Church,	7080	7205	113	117	230	10	11	21	119	94	213	40
(3) Middle Church,	10363	9904	186	176	362	10	25	35	159	156	315	55
574 PORT-GLASGOW (includ. Burgh),	7007	7017	141	163	304	9	11	20	81	90	171	97
575 RENFREW (incl. Burgh),	3079	3898	75	80	155	2	3	5	47	44	91	19
		Total,	3044	2908	5952	173	193	366	2220	2202	4422	1289
22. AYR.												
576 ARDROSSAN,	4947	5581	98	112	210	9	11	20	81	91	172	38
577 Auchinleck,	1659	3697	93	85	178	3	5	8	44	43	87	21
578 AYR (incl. Burgh),	c. 16883	18840	290	322	612	22	33	55	289	287	576	161
579 Ballantrae,	1651	1801	24	24	48	1	2	3	14	10	24	11
580 Barr,	959	907	13	15	28	1	1	2	10	8	18	2
581 BEITH,	5795	6425	95	78	173	6	6	12	53	78	131	35
582 Colmonell,	2801	2934	38	37	75	1	1	2	26	20	46	9
583 Coylton,	1484	1542	36	20	56	2	1	3	10	8	18	8
584 Craigie,	779	793	11	8	19	—	—	—	5	4	9	3
585 Dailly,	2272	2413	45	34	79	6	3	9	20	16	36	10
586 Dalmellington,	1199	2910	106	88	194	5	3	8	35	38	73	22
587 DALRY,	4791	8865	222	219	441	13	13	26	105	101	206	83
588 Dalrymple,	909	1096	23	25	48	1	—	1	9	15	24	6
589 Dreghorn,	1222	1828	51	59	110	6	—	6	31	29	60	16
590 DUNDONALD (Landward),	c. 4192	4555	68	91	159	3	8	11	32	46	78	22
591 Dunlop,	1206	1115	10	14	24	1	1	2	7	12	19	4
592 Fenwick,	2018	1741	22	16	38	—	1	1	14	12	26	9
593 GALSTON,	4334	4392	82	91	173	5	6	11	36	49	85	29
594 GIRVAN,	7424	8588	95	94	189	6	9	15	131	103	234	52
595 IRVINE (incl. Burgh),	7738	8463	147	137	284	13	13	26	94	93	187	66
596 KILBIRNIE,	2631	5484	116	114	230	2	5	7	35	35	70	47
597 KILMARNOCK, Burgh,	19398	21443	442	402	844	31	27	58	266	291	557	180
598 Kilmaurs,	2617	3144	69	61	130	5	1	6	35	37	72	17
599 KILWINNING,	5251	6359	155	124	279	11	7	18	78	59	137	53
600 Kirkmichael,	2933	3262	53	64	117	8	9	17	19	26	45	26
601 Kirkoswald,	2030	2242	36	26	62	2	3	5	19	15	34	14
602 LARGS,	4044	3715	64	45	109	2	3	5	45	46	91	13

PARISHES OR DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
603 LOUDOUN,	4446	4720	86	80	166	5	3	8	45	31	76	35
604 Mauchline,	2156	2470	33	38	71	1	—	1	18	21	39	15
605 MAYBOLE,	7027	7615	104	94	198	1	5	6	75	69	144	46
606 Monkton and Prestwick,	1933	1960	29	25	54	4	—	4	24	24	48	12
607 Muirkirk,	3125	3423	74	53	127	7	10	17	39	33	72	41
608 New Cumnock,	2382	2759	48	51	99	2	6	8	23	24	47	20
609 Ochiltree,	1601	1787	35	27	62	2	3	5	13	19	32	7
610 OLD CUMNOCK,	2836	3777	61	74	135	6	6	12	36	42	78	34
611 RICCARTON, Landward, & Landward of Kilmarnock,	c. 3784	4427	128	87	215	6	6	12	67	54	121	20
612 St Quivox and Newton- upon-Ayr (Landward),	c. 1918	2231	37	41	78	3	2	5	31	23	54	18
613 Sorn,	4054	4174	62	55	117	6	3	9	43	33	76	37
614 Stair,	823	820	8	17	25	—	3	3	3	4	7	6
615 STEVENSTON,	3791	3811	109	103	212	5	8	13	91	77	168	37
616 STEWARTON,	4656	4572	74	57	131	8	3	11	42	45	87	21
617 Straiton,	1363	1540	27	31	58	4	5	9	16	9	25	13
618 Symington,	918	902	12	14	26	1	1	2	7	6	13	2
619 Tarbolton,	2612	2824	31	49	80	3	10	13	17	27	44	13
620 West Kilbride,	1885	2021	32	34	66	4	3	7	13	17	30	10
		Total,	3404	3335	6829	233	249	482	2146	2130	4276	1344
23. LANARK.												
621 AVONDALE,	6180	6451	111	87	198	15	11	26	58	39	117	50
622 BARONY (Landward)— (1) Maryhill,	c. 3000	c. 5701	144	129	273	7	6	13	79	67	146	41
(2) Springburn,	c. 3070	c. 5349	163	135	298	9	6	15	211	187	398	20
(3) Shettleston,	c. 2500	c. 5000	126	122	248	8	5	13	58	69	127	51
623 Biggar,	1865	2049	23	13	36	—	1	1	12	18	30	12
624 Blantyre,	3047	2848	51	36	87	4	3	7	23	28	51	18
625 Bothwell— (1) Bothwell,	3756	4657	116	102	218	3	5	8	65	79	144	40
(2) Holytown,	7419	10626	288	262	550	9	10	19	160	130	290	61
626 Cadder,	4425	5014	112	84	196	9	2	11	40	39	79	23
627 Cambuslang,	3022	3306	80	81	161	4	6	10	34	40	74	26
628 CAMBUSNETHAN,	5796	8621	219	226	445	10	14	24	118	104	222	82
629 CARLUKE,	4802	6283	133	119	252	8	9	17	59	59	118	52
630 Carmichael,	874	805	9	4	13	2	—	2	6	4	10	6
631 Carmunnock,	717	710	9	10	19	—	1	1	6	5	11	3
632 Carnwath,	3550	3551	58	48	106	13	2	15	38	36	74	17
633 Carstairs,	950	1066	18	14	32	3	—	3	8	4	12	6
634 Covington & Thankerton,	523	548	12	6	18	2	—	2	3	5	8	7
635 Crawford,	1684	c. 1670	27	33	60	1	4	5	14	20	34	7
636 Crawfordjohn,	993	1111	11	12	23	—	1	1	10	5	15	6
637 Culter,	536	472	5	10	15	—	1	1	3	6	9	6
638 Dalserf— (1) Larkhall,	c. 2505	c. 2883	39	59	98	3	2	5	18	26	44	21
(2) Dalserf,	c. 700	c. 700	12	12	24	—	—	—	6	5	11	6
639 Dalziel,	1457	2262	99	99	198	3	3	6	39	35	74	22
640 Dolphington,	305	305	4	4	8	1	1	2	3	1	4	2
641 Douglas,	2467	2611	46	52	98	6	7	13	22	20	42	26
642 Dunsyre,	288	312	5	6	11	1	2	3	1	1	2	1
643 East Kilbride,	3810	3760	69	56	125	4	4	8	38	22	60	27
644 GLASGOW (Burgh)— (1) Central District,	c. 34000	c. 42500	851	788	1639	59	57	116	837	863	1700	375
(2) High Church,	c. 33500	c. 41000	806	809	1615	53	60	113	881	737	1618	407
(3) Bridgeton,	c. 28000	c. 34700	668	648	1316	39	41	80	536	587	1123	185

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	(4) Calton,	c. 30000	c. 37244	855	852	1707	146	156	302	557	598	1155	413
	(5) Clyde,	c. 27000	c. 32668	514	554	1068	28	32	60	509	492	1001	206
	(6) Blythswood,	c. 19500	c. 24581	377	365	742	25	31	56	250	300	550	533
	(7) Milton,	c. 20500	c. 26000	617	576	1193	27	21	48	351	415	766	195
	(8) Anderston,	c. 21500	c. 27000	636	624	1260	20	27	47	402	409	811	191
	(9) Tradeston,	c. 26000	c. 31000	604	570	1174	17	21	38	449	486	935	357
	(10) Hutchesontown,	c. 27463	c. 32404	775	753	1528	35	40	75	474	522	996	211
645	Glassford,	1736	1955	32	26	58	5	2	7	16	12	28	7
646	GOVAN (Landward)—												
	(1) Govan,	c. 3206	c. 7326	163	160	323	3	9	12	92	76	168	83
	(2) Partick,	c. 3104	c. 7670	233	251	484	7	8	15	140	134	274	88
647	HAMILTON (incl. Burgh),	10862	11740	205	213	418	13	9	22	130	137	267	133
648	LANARK (incl. Burgh),	7679	8243	110	127	237	14	14	28	97	91	188	77
649	Lesmahagow,	6902	7746	155	143	298	17	7	24	70	59	129	67
650	Libberton,	796	800	9	11	20	1	1	2	4	3	7	6
651	NEW MONKLAND—												
	(1) Burgh of Airdrie,	12418	14435	363	346	709	22	25	47	157	166	323	199
	(2) Landward,	8093	8766	183	181	364	14	20	34	104	85	189	32
652	OLD MONKLAND—												
	(1) Western District,	c. 3509	c. 5740	165	134	299	3	3	6	65	65	130	18
	(2) Middle District,	c. 11000	c. 14201	383	364	747	13	9	22	209	169	378	137
	(3) Eastern District,	c. 5200	c. 7392	185	197	382	7	10	17	83	83	166	20
653	Pettinain,	416	428	5	9	14	1	4	5	2	3	5	3
654	RUTHERGLEN (incl. Burgh),	6513	7954	164	138	302	9	4	13	118	92	210	76
655	Shotts,	3861	5982	140	145	285	8	6	14	61	60	121	37
656	STONEHOUSE,	2471	2781	45	60	105	1	4	5	23	29	52	23
657	Symington,	488	536	6	8	14	—	1	1	1	3	4	5
658	Walston,	493	497	4	5	9	1	1	2	4	2	6	3
659	Wandell and Lamington,	358	369	5	4	9	—	—	—	—	5	5	2
660	Wiston and Robertson,	929	839	15	11	26	3	—	3	5	4	9	7
Total,				11262	10893	22155	716	729	1445	7759	7761	15520	4735
VII. SOUTH-EASTERN.													
24. LINLITHGOW.													
661	Abercorn,	2146	977	11	9	20	1	1	2	4	11	15	5
662	BATHGATE,	3928	4533	144	120	264	10	9	19	81	58	139	43
663	BORROWSTOUNNESS,	2347	5192	91	96	187	1	5	6	36	47	83	30
664	Carriden,	1208	1724	31	36	67	3	3	6	13	19	32	6
665	Dalmeny (Landward),	881	768	6	9	15	1	1	2	8	3	11	6
666	Ecclesmachan,	303	289	5	5	10	—	—	—	1	3	4	3
667	Kirkliston (part of),	2299	1471	40	19	59	7	3	10	15	17	32	7
668	LINLITHGOW—												
	(1) Burgh,	4009	4213	72	84	156	11	3	14	54	37	91	35
	(2) Landward (St Michael's Dist.),	1941	1902	32	19	51	3	2	5	12	6	18	11
669	Livingstone,	1004	1289	21	28	49	3	2	5	3	11	14	5
670	Queensferry (Burgh),	1233	1195	20	24	44	3	2	5	13	13	26	6
671	Torphichen,	1417	1356	26	20	46	4	1	5	12	10	22	9
672	Uphall,	1467	1331	15	19	34	3	1	4	11	12	23	9
673	Whitburn,	2593	3792	84	88	172	4	3	7	44	41	85	31
Total,				598	576	1174	54	36	90	307	288	595	206
25. EDINBURGH.													
674	Borthwick,	1617	1614	45	26	71	4	2	6	18	8	26	11
675	Carrington,	616	710	8	10	18	—	2	2	4	5	9	4

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
676	Cockpen,	2345	3228	48	37	85	3	3	6	31	31	62	18
677	Colinton,	2195	2676	30	34	64	3	—	3	11	22	33	7
678	Corstorphine,	1551	1499	24	20	44	3	1	4	11	10	21	5
679	Cramond,	1981	2547	34	47	81	2	1	3	24	15	39	14
680	Cranston,	1128	1235	16	12	28	1	—	1	5	3	8	7
681	Crichton,	1384	1387	26	20	46	4	3	7	5	14	19	8
682	Currie,	2000	2190	29	26	55	2	3	5	20	12	32	13
683	DALKEITH,	5830	6521	105	112	217	6	3	9	91	83	174	61
684	DUDDINGSTON—												
	(1) Burgh of Portobello,	3588	3497	50	46	96	2	3	5	30	40	70	36
	(2) Landward,	887	966	15	15	30	1	—	1	7	13	20	4
685	EDINBURGH (Burgh)—												
	(1) Dean, Boroughmuir- head, & Morningside (incl. Landward of St Cuthberts),	c. 20000	c. 23000	253	260	513	9	9	18	274	331	605	197
	(2) Newington & Grange,	c. 20600	c. 24000	346	329	675	17	16	33	245	263	513	129
	(3) Castle & Portsburgh,	c. 24000	c. 28000	351	367	718	15	14	29	321	406	727	366
	(4) St Giles,	c. 25500	c. 30000	475	486	961	82	82	164	554	494	1048	139
	(5) Holyrood & Canon- gate,	c. 20600	c. 24000	378	336	714	23	17	40	282	330	612	141
	(6) Calton & Bonnington,	c. 11787	c. 13648	227	233	460	9	9	18	160	152	312	213
	(7) Heriot & Warriston,	c. 16700	c. 19000	285	289	574	14	13	27	205	232	437	189
686	Fala and Soutra,	393	434	4	4	8	—	—	—	3	3	6	2
687	Glencross,	708	1138	16	13	29	1	1	2	9	7	16	4
688	Heriot,	355	352	6	2	8	—	1	1	1	1	2	3
689	INVERESK (incl. Burgh of Musselburgh),	8263	8653	118	115	233	9	6	15	106	110	216	58
690	Kirknewton and East- Calder,	2131	2188	22	24	46	2	1	3	8	10	18	10
691	Lasswade,	5025	5821	75	85	160	9	6	15	34	40	74	34
692	LEITH (Burgh)—												
	(1) North Leith,	c. 8716	c. 9451	158	180	338	—	6	6	83	81	164	108
	(2) South Leith (incl. Landward),	c. 18438	c. 22768	396	380	776	25	30	55	245	256	501	195
693	Liberton,	3450	3528	38	36	74	7	6	13	43	21	64	19
694	Mid-Calder,	1456	1474	16	26	42	2	2	4	10	9	19	8
695	Newbattle,	2033	2518	51	43	94	5	2	7	27	27	54	13
696	Newton,	1743	1780	33	23	56	2	2	4	17	8	25	12
697	Penicuik,	2572	3003	51	44	95	5	6	11	31	34	65	15
698	Ratho,	1815	1718	29	23	52	—	1	1	17	11	28	9
699	Stow,	1734	1973	38	34	72	6	3	9	9	7	16	14
700	Temple,	1159	1414	16	24	40	1	2	3	12	15	27	16
701	West-Calder,	1666	2120	30	32	62	2	3	5	14	16	30	8
Total,				3842	3793	7635	276	259	535	2967	3125	6092	2085
26. HADDINGTON.													
702	Aberlady,	1050	1099	13	21	34	2	3	5	6	8	14	6
703	Athelstaneford,	991	971	13	14	27	1	4	5	3	8	11	4
704	Bolton,	341	373	4	5	9	1	—	1	4	1	5	3
705	Dirleton,	1497	1634	21	20	41	3	—	3	10	20	30	3
706	DUNBAR (incl. Burgh), . .	4471	4415	65	83	148	5	5	10	40	35	75	22
707	Garvald,	862	869	11	11	22	2	—	2	3	10	13	2
708	Gladsmuir,	1699	1780	32	27	59	3	2	5	19	25	44	18
709	HADDINGTON (incl. Burgh),	5452	5525	90	102	192	4	12	16	61	75	136	65

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
710	Humbie,	881	925	14	6	20	—	—	—	7	3	10	4
711	Innerwick,	961	1012	18	16	34	1	2	3	5	3	8	5
712	Morham,	287	249	1	4	5	—	1	1	1	1	2	4
713	North Berwick (includ. Burgh),	1708	1643	26	20	46	2	1	3	18	11	29	11
714	Oldhamstocks,	694	692	7	12	19	1	1	2	6	8	14	3
715	Ormiston,	826	811	13	10	23	2	1	3	7	5	12	3
716	Pencaitland,	1127	1175	24	17	41	—	—	—	8	7	15	10
717	Prestonkirk,	1869	1894	31	26	57	1	3	4	23	18	41	13
718	Prestonpans,	2234	2123	36	46	82	3	1	4	19	27	46	14
719	Salton,	770	697	12	4	16	2	1	3	5	10	15	2
720	Spott,	603	595	7	7	14	—	1	1	2	4	6	7
721	Stenton,	686	719	7	7	14	2	1	3	7	9	16	5
722	TRANENT,	3887	4158	102	63	165	9	2	11	40	31	71	25
723	Whitekirk & Tynninghame	1170	1131	13	16	29	1	—	1	11	5	16	7
724	Whittinghame,	700	671	9	7	16	—	—	—	1	7	8	3
725	Yester (or Gifford),	1069	1202	14	17	31	3	4	7	9	7	16	3
		Total,		583	561	1144	48	45	93	315	338	653	242
27. BERWICK.													
726	Abbey St Bathans,	146	155	1	3	4	—	—	—	—	2	2	1
727	Ayton,	1693	1959	29	27	56	1	4	5	14	19	33	8
728	Bunkle and Preston,	748	715	12	8	20	2	1	3	4	9	13	1
729	Channelkirk,	780	728	6	11	17	1	—	1	6	2	8	3
730	Chirnside,	1203	1384	29	14	43	3	1	4	21	11	32	4
731	Cockburnspath,	1149	1196	13	21	34	—	2	2	8	12	20	6
732	Coldingham,	2837	3188	52	40	92	1	1	2	23	12	35	15
733	COLDSTREAM,	2857	3245	60	34	94	12	1	13	29	19	48	16
734	Cranshaws,	120	127	3	2	5	—	—	—	3	1	4	0
735	DUNSE,	3162	3407	56	51	107	6	6	12	29	25	54	18
736	Earlston,	1756	1819	23	36	59	5	5	10	17	14	31	12
737	Eccles,	1946	1892	29	33	62	5	1	6	13	14	27	7
738	Edrom,	1415	1474	22	23	45	2	—	2	8	10	18	3
739	Eyemouth,	1401	1488	39	25	64	—	2	2	15	10	25	4
740	Fogo,	455	604	8	11	19	—	—	—	6	3	9	1
741	Foulden,	393	430	8	5	13	—	—	—	5	2	7	0
742	Gordon,	903	983	10	12	22	1	—	1	5	7	12	3
743	Greenlaw,	1355	1378	19	21	40	2	—	2	11	8	19	12
744	Hume,	385	406	10	5	15	2	1	3	3	—	3	0
745	Hutton,	1133	1102	17	16	33	2	2	4	7	8	15	5
746	Ladykirk,	504	561	7	3	10	2	—	2	3	3	6	4
747	Langton,	479	484	5	10	15	—	1	1	2	3	5	4
748	Lauder (incl. Burgh),	2198	2154	27	24	51	4	2	6	13	14	27	12
749	Legerwood,	571	587	11	9	20	—	—	—	4	3	7	0
750	Longformacus,	390	411	6	6	12	2	1	3	1	6	7	1
751	Merton,	722	692	14	10	24	2	—	2	8	3	11	4
752	Mordington,	392	427	6	6	12	1	—	1	3	2	5	1
753	Nenthorn,	446	441	4	6	10	1	—	1	1	—	1	2
754	Polwarth	260	331	3	4	7	1	—	1	1	2	3	2
755	Swinton,	1095	994	10	12	22	—	3	3	4	2	6	4
756	Westruther,	829	791	14	12	26	1	—	1	7	4	11	2
757	Whitsome,	622	612	11	14	25	2	1	3	3	8	11	6
		Total,		564	514	1078	61	35	96	277	238	515	161

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
28. PEEBLES.													
758	Broughton,	274	284	5	3	8	1	—	1	2	2	4	0
759	Drumelzier,	228	244	2	3	5	—	1	1	3	1	4	1
760	Eddlestone,	742	790	9	12	21	—	—	—	3	2	5	3
761	Glenholm,	294	252	6	1	7	—	1	1	3	3	6	0
762	Innerleithen,	931	1236	27	21	48	4	—	4	8	10	18	9
763	Kilbucho,	361	345	7	1	8	1	—	1	5	1	6	1
764	Kirkurd,	305	326	7	3	10	—	—	—	—	—	—	1
765	Lyne and Meggat, . .	175	158	3	5	8	—	1	1	1	—	1	0
766	Manor,	270	256	1	6	7	—	1	1	—	1	1	3
767	Newlands,	1063	950	13	10	23	2	—	2	8	5	13	7
768	Peebles (incl. Burgh), .	2627	2667	44	31	75	2	1	3	34	37	71	19
769	Skirling,	345	316	3	4	7	—	—	—	—	2	2	1
770	Stobo,	465	478	11	8	19	1	—	1	1	1	2	2
771	Traquair,	682	646	10	6	16	1	3	4	4	5	9	6
772	Tweedsmuir,	276	220	3	2	5	1	—	1	—	1	1	2
773	West Linton,	1515	1630	27	24	51	1	9	10	12	7	19	13
Total,				178	140	318	14	17	31	84	78	162	68
29. SELKIRK.													
774	Ettrick,	525	477	4	6	10	1	1	2	4	4	8	3
775	GALASHIELS,	2140	3014	47	46	93	—	1	1	19	34	53	23
776	Kirkhope, c.	620	633	11	7	18	1	—	1	7	2	9	7
777	Roberton,	757	670	11	9	20	1	—	1	3	5	8	5
778	SELKIRK (incl. Burgh), .	3484	4285	83	70	153	8	4	12	36	39	75	15
779	Yarrow, c.	644	661	12	7	19	1	—	1	3	3	6	3
Total,				168	145	312	12	6	18	72	87	159	56
VIII. SOUTHERN.													
30. ROXBURGH.													
780	Anerum,	1407	1554	30	24	54	5	4	9	10	10	20	6
781	Ashkirk,	563	578	8	8	16	—	1	1	4	2	6	2
782	Bedrule,	256	240	5	5	10	1	1	2	1	3	4	4
783	Bowden,	857	981	18	11	29	—	1	1	8	10	18	8
784	Castleton,	2135	2130	31	31	62	5	4	9	13	16	29	6
785	Cavers,	1364	1495	14	25	39	1	2	3	12	10	22	3
786	Crailling,	667	734	8	6	14	1	2	3	4	5	9	4
787	Eckford,	1069	1073	15	10	25	2	—	2	2	9	11	4
788	Ednam,	615	658	6	6	12	—	2	2	1	1	2	3
789	HAWICK,	6573	7801	167	155	322	22	20	42	92	105	197	57
790	Hobkirk,	776	720	14	10	24	2	2	4	6	5	11	4
791	Hownam,	280	252	5	5	10	1	—	1	4	1	5	1
792	JEDBURGH (incl. Burgh),	5116	5476	78	74	152	7	6	13	40	43	83	39
793	KELSO,	5328	5634	80	66	146	5	3	8	52	56	108	37
794	Kirktown,	313	282	6	1	7	—	—	—	2	2	4	2
795	Lilliesleaf,	771	798	11	12	23	—	—	—	6	6	12	3
796	Linton,	526	630	6	11	17	2	2	4	2	6	8	2
797	Makerston,	355	345	5	5	10	—	—	—	2	4	6	4
798	Maxton,	459	550	5	12	17	—	1	1	6	7	13	2
799	MELROSE,	5331	7365	135	128	263	8	8	16	54	64	118	56
800	Minto,	455	467	5	7	12	1	1	2	3	4	7	3
801	Morebattle,	1051	997	17	13	30	1	1	2	9	5	14	5

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem	Total.	
802	Oxnam,	653	669	5	5	10	—	—	—	2	2	4	3
803	Roxburgh,	979	1141	18	21	39	1	2	3	7	7	14	10
804	St Boswells,	747	884	7	10	17	—	3	3	7	6	13	4
805	Smailholm,	592	617	14	4	18	3	—	3	2	5	7	2
806	Southdean,	868	845	13	12	25	1	—	1	7	5	12	6
807	Sprouston,	1439	1424	24	25	49	2	2	4	5	7	12	10
808	Stitchel,	462	426	6	7	13	—	—	—	—	3	3	4
809	Teviothead,	c. 345	550	13	6	19	1	—	1	3	1	4	—
810	WILTON,	1867	2557	53	56	109	6	4	10	23	29	52	23
811	Yetholm,	1295	1352	15	18	33	3	2	5	14	12	26	6
		Total,		837	789	1626	81	74	155	403	451	854	323
31. DUMFRIES.													
812	ANNAN (incl. Burgh),	5471	5848	98	91	189	13	8	21	82	76	158	31
813	Applegarth,	857	918	16	10	26	3	1	4	6	5	11	6
814	Canonbie,	3032	3163	44	43	87	8	13	21	16	31	47	10
815	Carlaverock,	1297	1418	14	10	24	—	3	3	10	15	25	3
816	Closeburn,	1530	1732	30	30	60	2	3	5	13	14	27	14
817	Cummertrees,	1277	1386	14	14	28	2	1	3	9	8	17	6
818	Dalton,	638	761	10	9	19	1	1	2	3	3	6	2
819	Dornock,	847	936	19	16	35	1	1	2	14	16	30	7
820	Dryfesdale,	2093	2409	33	52	85	5	11	16	26	17	43	13
821	DUMFRIES—												
	(1) Burgh,	13299	13166	156	161	317	17	17	34	192	185	377	92
	(2) Landward,	1340	2945	44	32	76	10	5	15	45	38	83	9
822	Dunscore,	1517	1578	39	14	53	4	—	4	14	11	25	8
823	Durrisdeer,	1445	1795	17	17	34	3	2	5	7	6	13	6
824	Eskdalemuir,	646	672	5	15	20	—	1	1	3	4	7	3
825	Ewes,	328	354	6	7	13	—	—	—	2	2	4	1
826	Glencairn,	2094	1980	27	24	51	2	5	7	14	15	29	18
827	Graitney (or Gretna),	1761	1830	23	33	56	5	7	12	6	17	23	6
828	Halfmorton,	737	687	16	9	25	4	2	6	6	6	12	3
829	Hoddam,	1627	1797	21	23	44	3	5	8	19	25	44	5
830	Holywood,	1061	1060	20	12	32	4	2	6	7	10	17	11
831	Hutton,	809	836	11	18	29	2	1	3	7	2	9	3
832	Johnstone,	1072	1261	18	15	33	2	—	2	12	14	26	6
833	Keir,	984	960	14	14	28	—	2	2	7	13	20	5
834	Kirkconnel,	1130	1245	10	15	25	1	3	4	9	7	16	5
835	Kirkmahoe,	1568	1553	23	30	53	2	4	6	14	17	31	20
836	Kirkmichael,	1108	1124	22	28	50	3	3	6	7	8	15	5
837	Kirkpatrick-Fleming,	1692	1829	39	34	73	5	6	11	16	17	33	8
838	Kirkpatrick-Juxta,	934	1097	17	15	32	1	—	1	11	10	21	9
839	Langholm,	2820	2990	58	43	101	10	4	14	32	35	67	13
840	Lochmaben (incl. Burgh),	2909	3127	54	51	105	9	7	16	28	28	56	22
841	Middlebie,	2150	2163	28	33	61	8	7	15	13	11	24	8
842	Moffat,	2199	2304	36	21	57	4	1	5	23	27	50	13
843	Morton,	2161	2482	30	27	57	2	1	3	27	23	50	14
844	Mousewald,	683	686	10	5	15	3	3	6	5	6	11	4
845	Penpont,	1266	1411	21	17	38	1	1	2	14	9	23	9
846	Ruthwell,	1032	1110	14	14	28	2	5	7	10	7	17	11
847	St Mungo,	618	645	12	10	22	1	2	3	4	7	11	4
848	SANQUHAR (incl. Burgh),	3577	4071	51	53	104	5	5	10	33	36	69	18
849	Tinwald,	1085	1080	11	18	29	1	2	3	17	12	29	5
850	Torthorwald,	1346	1313	22	13	35	4	3	7	12	10	22	7
851	Tundergarth,	524	577	10	11	21	4	4	8	5	7	12	3
852	Tynron,	474	482	10	6	16	1	—	1	1	2	3	3

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
853	Wamphray.	509	523	12	3	15	—	—	—	5	2	7	3
854	Westerkirk,	638	658	6	5	11	1	1	2	5	6	11	1
	Total,			1191	1121	2312	159	153	312	811	820	1631	453
32. KIRKCUDBRIGHT.													
855	Anwoth,	883	900	10	11	21	1	—	1	4	6	10	5
856	Balmaclellan (part of), . c.	924	c. 928	13	13	26	2	2	4	7	3	10	5
857	Balmaghie,	1252	1217	12	11	23	1	1	2	10	9	19	6
858	Borgue,	1117	1043	18	13	31	1	4	5	14	11	25	5
859	Buittle,	1059	1042	12	17	29	—	—	—	8	6	14	7
860	Carsphairn,	790	855	8	7	15	1	—	1	6	3	9	3
861	Colvend,	1495	1398	15	14	29	1	1	2	8	16	24	3
862	Corsock-Bridge, . . . c.	535	c. 551	8	6	14	1	—	1	5	5	10	3
863	Crossmichael,	1321	1362	17	19	36	2	3	5	14	15	29	7
864	Dalbeattie, c.	1632	c. 1879	39	26	65	9	3	12	23	29	52	13
865	Dalry,	1215	1238	18	16	34	3	3	6	11	14	25	4
866	Girthon,	1874	1787	20	19	39	4	1	5	23	18	41	8
867	Irongray,	927	918	16	14	30	2	2	4	5	8	13	4
868	Kells (incl. Burgh of New-Galloway),	1121	1091	15	14	29	2	4	6	8	12	20	5
869	Kelton,	2875	1386	55	42	97	8	6	14	35	29	64	14
870	Kirkbean,	891	982	13	8	21	—	3	3	4	8	12	4
871	KIRKCUDBRIGHT (includ. Burgh),	3525	3555	50	47	97	6	7	13	34	41	75	15
872	Kirkgunzeon,	638	734	11	8	19	1	—	1	8	5	13	4
873	Kirkmabreck,	1854	2266	19	21	40	2	3	5	22	18	40	8
874	Kirkpatrick-Durham (part of), c.	1344	c. 1364	21	25	46	4	3	7	12	9	21	4
875	Lochrutton,	659	726	8	8	16	1	1	2	4	4	8	4
876	Minnigaff,	1826	2054	32	20	52	2	1	3	17	11	28	4
877	New Abbey,	1049	1098	20	9	29	1	1	2	14	13	27	2
878	Parton (part of), . . . c.	623	c. 541	6	6	12	—	—	—	3	1	4	2
879	Rerrick,	1692	1725	27	19	46	—	1	1	13	15	28	13
880	Terregles (Landward), . .	564	566	1	10	11	—	2	2	4	5	9	5
881	Tongland,	842	924	13	11	24	3	4	7	4	4	8	4
882	Troqueer (Landward), . .	1121	1130	57	71	128	5	12	17	75	70	145	10
883	Twynholm,	777	782	11	12	23	1	3	4	5	1	6	3
884	Urr (part of), c.	1464	c. 1484	16	21	37	—	—	—	14	17	31	8
	Total,			581	538	1119	64	71	135	414	406	820	182
33. WIGTOWN.													
885	Glasserton,	1253	1487	22	15	37	2	2	4	12	5	17	2
886	Inch (Landward),	2512	2579	26	42	68	3	7	10	29	24	53	13
887	Kirkcolm,	1973	2018	26	21	47	1	4	5	13	21	34	14
888	Kirkcowan,	1423	1541	19	12	31	2	2	4	8	8	16	5
889	Kirkinner,	1769	1914	20	18	38	1	1	2	17	19	36	11
890	Kirkmaiden,	2202	2681	38	34	72	4	3	7	15	22	37	12
891	Leswalt (Landward), . .	1712	1703	34	21	55	6	1	7	15	5	20	7
892	Mochrum,	2539	2946	29	38	67	7	5	12	21	14	35	10
893	New Luce,	652	791	13	13	26	1	4	5	7	7	14	4
894	Old Luce (or Glenluce), .	2448	2841	36	34	70	8	5	13	26	19	45	7
895	PENNINGHAME,	3672	4155	55	52	107	7	7	14	42	43	85	33
896	Portpatrick,	2043	1963	25	19	44	5	5	10	12	22	34	5

PARISHES OR DISTRICTS.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1841.	1851.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
897	Sorbie,	1700	1886	18	22	40	4	2	6	11	8	19	3
898	Stoneykirk,	3062	3321	46	46	92	4	4	8	15	22	37	18
899	STRANRAER (Burgh), . .	4878	5738	63	96	159	5	11	16	54	60	114	44
900	Whithorn (incl. Burgh), .	2795	3001	38	38	76	3	6	9	35	27	62	15
901	WIGTOWN (incl. Burgh),	2562	2824	36	34	70	3	1	4	18	25	43	10
Total,				544	555	1099	66	70	136	350	351	701	213

MARRIAGES registered in SCOTLAND in 1855, and the Number of Persons who signed the Register by Marks.

COUNTY.	Regular Marriages according to the Rites of								Irregular Marriages.	Signed the Register by Marks.		
	Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholics.	Other Denominations.	Not Stated.	TOTAL.		Males.	Females.	TOTAL.
Shetland	122	36	5	-	-	16	-	179	-	20	85	105
Orkney	88	32	58	-	-	12	-	190	-	3	9	12
Caithness	64	152	14	-	-	7	-	237	-	10	26	36
Sutherland.....	23	81	-	-	-	-	-	104	-	20	36	56
Ross and Cromarty	90	321	7	-	1	-	-	419	-	154	207	361
Inverness	212	182	8	3	41	7	-	453	-	128	207	335
Nairn	15	27	6	1	-	2	-	51	-	3	12	15
Elgin	100	93	18	-	1	6	-	218	-	7	26	33
Banff.....	198	80	6	4	14	10	2	314	-	11	38	49
Aberdeen	776	356	57	59	25	75	-	1348	-	30	142	172
Kincardine.....	121	49	2	6	1	-	-	179	-	2	17	19
Forfar	688	252	171	43	130	37	46	1367	-	126	333	459
Perth.....	378	219	109	11	24	15	-	756	-	26	71	97
Fife	508	170	234	5	29	31	-	977	-	37	127	164
Kinross	29	10	11	-	-	-	-	50	-	-	4	4
Clackmannan.....	40	34	39	-	-	5	-	118	-	13	34	47
Stirling	265	103	118	1	63	35	-	585	-	93	135	228
Dumbarton	154	46	63	2	61	3	-	329	-	64	117	181
Argyll	207	104	14	2	14	4	-	345	-	50	98	148
Bute	28	49	11	1	8	2	-	99	-	9	16	25
Renfrew	442	292	264	27	208	55	1	1289	-	258	474	732
Ayr	719	263	210	11	90	45	6	1344	-	224	400	624
Lanark	1616	914	848	85	832	435	5	4735	-	711	1434	2145
Linlithgow	95	59	23	2	22	5	-	206	-	17	38	55
Edinburgh.....	955	432	372	78	164	71	13	2085	5	118	215	333
Haddington	154	36	20	1	30	-	1	242	-	34	49	83
Berwick.....	76	34	42	1	5	1	-	159	2	2	2	4
Peebles	40	6	16	-	3	3	-	68	-	2	4	6
Selkirk	28	9	11	-	2	6	-	56	-	-	-	-
Roxburgh	159	42	82	4	24	12	-	323	-	17	43	60
Dumfries.....	253	97	76	2	11	11	1	451	2	14	39	53
Kirkeudbright	120	40	11	1	8	2	-	182	-	13	23	36
Wigtown	116	45	26	-	15	10	1	213	-	28	45	73
SCOTLAND.....	8879	4665	2952	350	1826	923	76	19671	9	2244	4506	6750

AGES and CONDITION of Persons married in SCOTLAND in 1855.

Condition combined with Age.	Total.	Ages of Parties at Marriage.																	Age not stated.			
		Under 15	16	17	18	19	20	25	30	35	40	45	50	55	60	65	70	75		80	85	90
Bachelors and Spinsters.	15251	1	1	12	72	261	634	6156	4972	1808	766	307	149	43	24	8	2	2	-	-	-	33
	15251	-	39	186	447	933	1276	7031	3825	976	316	99	31	14	2	-	-	-	-	-	-	76
Bachelors and Widows.	557	-	-	-	1	3	2	104	170	111	77	46	24	7	5	2	1	-	-	-	-	4
	557	-	-	-	-	1	1	50	160	158	100	50	27	2	4	1	-	-	-	-	-	3
Widowers and Spinsters.	1863	-	-	-	-	-	-	35	214	356	388	313	219	128	100	57	28	10	3	-	1	11
	1863	-	1	1	10	17	38	369	469	363	292	165	77	26	9	2	-	1	-	-	-	23
Widowers and Widows.	619	-	-	-	-	1	-	5	33	69	96	123	105	77	60	38	5	5	1	-	-	1
	619	-	-	-	-	-	-	21	78	118	134	138	57	44	12	5	4	-	-	-	-	8
{ Males. Females. Condition not stated.	1390	-	-	-	-	3	20	413	443	220	128	59	36	9	7	3	1	-	-	-	-	48
	1390	-	-	3	18	38	66	571	380	152	59	30	10	2	-	-	-	-	-	-	-	61
TOTAL MALES	19680	1	1	12	73	268	656	6713	5832	2564	1455	848	533	264	196	108	37	17	4	-	1	97
TOTAL FEMALES ...	19680	-	40	190	475	989	1381	8042	4912	1767	901	482	202	88	28	8	4	1	-	-	-	171

AGES of MALES married in Scotland in 1855.

		TOTAL MALES.	Ages of Males at Marriage.																	Age not stated.		
			Under 15	16	17	18	19	20	25	30	35	40	45	50	55	60	65	70	75		80	85
SCOTLAND	.	19680	1	1	12	73	268	656	6713	5832	2564	1455	848	533	264	196	108	37	17	4	1	97
DIVISIONS.																						
1. NORTHERN	.	710	-	-	-	1	1	8	175	269	132	55	22	18	10	6	5	2	-	-	-	6
2. NORTH-WESTERN	.	872	-	-	-	-	-	9	164	273	198	103	55	26	14	11	8	5	1	2	-	3
3. NORTH-EASTERN	.	2110	-	-	-	-	8	41	626	693	322	188	94	61	37	19	12	2	2	-	-	5
4. EAST-MIDLAND	.	3268	-	-	6	18	63	95	1157	1001	375	221	122	94	38	37	16	3	4	-	-	18
5. WEST-MIDLAND	.	1358	-	-	1	-	16	26	451	401	203	107	59	33	25	11	6	3	1	-	-	15
6. SOUTH-WESTERN	.	7368	1	1	3	30	97	279	2899	2034	800	480	318	188	96	70	39	12	3	1	-	17
7. SOUTH-EASTERN	.	2823	-	-	1	12	58	142	867	812	388	210	122	82	33	34	18	8	3	1	1	31
8. SOUTHERN	.	1171	-	-	1	12	25	56	374	349	146	91	56	31	11	8	4	2	3	-	-	2
COUNTIES.																						
Shetland	.	179	-	-	-	-	1	1	44	79	31	10	6	2	3	-	-	1	-	-	-	1
Orkney	.	190	-	-	-	-	-	5	48	63	36	14	9	3	2	3	2	1	-	-	-	4
Caithness	.	237	-	-	1	-	-	2	61	91	39	21	7	8	2	1	3	-	-	-	-	1
Sutherland	.	104	-	-	-	-	-	-	22	36	26	10	-	5	3	2	-	-	-	-	-	-
Ross and Cromarty	.	419	-	-	-	-	-	5	82	139	85	50	24	12	7	3	4	3	1	2	-	2
Inverness	.	453	-	-	-	-	-	4	82	134	113	53	31	14	7	8	4	2	-	-	-	1

AGES of FEMALES married in Scotland in 1855.

Nairn .	51	-	-	1	1	2	16	21	2	4	4	-	-	-	-	-	-	-
Elgin .	218	-	1	1	7	9	88	65	20	19	3	2	-	-	-	-	-	-
Banff .	314	-	-	8	7	20	139	82	29	15	7	2	3	1	-	-	-	-
Aberdeen .	1348	-	-	7	21	41	547	391	138	66	34	11	3	1	1	1	-	-
Kincaidine .	179	-	-	-	3	10	70	61	18	11	4	1	-	-	-	-	-	-
Forfar .	1367	-	4	20	37	68	544	365	120	47	36	19	9	1	-	-	-	19
Perth .	756	-	-	5	7	16	323	201	77	50	21	10	1	-	3	-	-	4
Fife .	977	-	2	16	23	52	398	260	81	41	20	11	2	-	-	-	-	2
Kinross .	50	-	-	1	-	-	23	14	4	2	3	1	-	-	-	-	-	1
Clackmannan .	118	-	-	1	2	7	62	19	8	6	5	1	-	-	-	-	-	-
Stirling .	585	-	-	-	17	34	276	112	48	21	12	6	2	2	-	-	-	11
Dumbarton .	329	-	2	4	7	16	139	81	35	9	8	2	-	2	-	-	-	1
Argyll .	345	-	1	3	10	15	112	113	41	14	6	4	-	1	-	-	-	8
Bute .	99	-	3	-	5	5	31	34	13	3	2	-	-	-	-	-	-	2
Renfrew .	1289	-	1	5	16	53	619	288	89	46	37	22	7	2	-	1	-	7
Ayr .	1344	-	8	42	70	124	469	262	92	54	40	12	11	2	1	-	-	8
Lanark .	4735	-	7	34	93	269	2177	1023	363	214	110	36	21	7	2	1	-	24
Linlithgow .	206	-	2	8	9	14	73	42	14	8	4	7	1	-	-	-	-	3
Edinburgh .	2090	-	5	19	75	121	690	555	190	105	65	27	15	7	-	1	-	44
Haddington .	242	-	2	2	10	16	95	60	16	10	6	4	1	-	-	-	-	2
Berwick .	161	-	-	1	3	7	50	43	28	5	4	2	1	1	1	-	-	2
Peebles .	68	-	-	-	2	2	28	16	12	1	1	-	-	-	-	-	-	2
Selkirk .	56	-	-	1	2	4	21	13	5	3	-	-	-	-	-	-	-	-
Roxburgh .	323	-	-	3	14	26	143	74	23	16	4	-	-	-	-	-	-	-
Dumfries .	453	-	1	8	1	26	180	109	47	18	5	4	1	-	-	-	-	1
Kirkcudbright .	182	-	-	1	9	12	55	45	22	9	4	2	1	-	-	-	-	1
Wigtown .	213	-	1	4	9	16	71	54	17	14	8	4	1	-	-	-	-	1

DEATHS at Different Ages in SCOTLAND during the YEAR 1855.—BOTH SEXES.

	Population 1851.	BOTH SEXES.													
		ALL AGES.	MONTHS.			AGE UNDER									
			3	6	12	2	3	4	5	10	15	20	25	30	
SCOTLAND	2888742	62004	5813	1837	4041	5395	2679	1727	1179	2838	1548	2037	2262	2024	
Insular	166487	2693	216	59	87	132	56	38	29	56	66	86	94	79	
Mainland	1714522	30893	2751	835	1602	2064	1106	730	549	1439	845	1067	1124	973	
Towns	1007733	28418	2846	943	2352	3199	1517	959	601	1343	637	884	1044	972	
Shetland	31078	496	33	8	16	17	9	11	9	9	10	25	20	18	
Orkney	31455	459	28	5	10	9	3	5	4	9	6	7	17	13	
Caithness	39782	653	56	19	24	42	20	12	7	24	24	27	20	13	
Sutherland	24720	404	33	13	13	22	16	7	7	10	2	14	17	12	
Ross and Cromarty . .	83781	1361	109	25	33	71	29	16	14	49	28	36	40	34	
Inverness	91954	1469	137	30	46	63	31	16	14	35	32	40	49	62	
Nairn	8076	126	10	1	6	7	6	2	1	7	3	1	1	3	
Elgin	40862	647	56	16	23	26	14	11	3	11	12	21	27	21	
Banff	51023	888	88	26	35	37	15	19	19	29	24	33	29	34	
Aberdeen	213466	3862	357	96	171	185	98	77	64	177	116	146	163	139	
Kincardine	34939	516	41	9	22	26	11	3	8	18	12	10	16	19	
Forfar	193632	4377	496	121	300	397	215	119	86	213	119	117	111	141	
Perth	136305	2542	164	47	116	124	80	61	44	92	53	93	100	73	
Fife	153789	2735	217	83	158	207	119	85	71	155	60	82	68	60	
Kinross	9626	146	12	—	4	5	1	—	1	5	1	5	10	5	
Clackmannan	21555	302	22	8	10	19	10	13	5	13	6	16	13	11	
Stirling	84861	1768	148	46	120	152	70	59	40	95	48	63	68	49	
Dumbarton	46995	974	90	36	65	84	32	19	23	53	39	34	21	35	
Argyll	94042	1512	109	33	47	48	39	23	14	48	41	46	67	55	
Bute	16608	367	18	13	12	31	11	11	4	11	13	15	12	6	
Renfrew	157950	4422	435	157	370	510	235	175	83	275	109	164	171	137	
Ayr	189973	4276	398	136	258	404	230	117	93	231	142	173	195	147	
Lanark	533169	15520	1637	566	1471	2006	886	529	326	693	375	527	615	533	
Linlithgow	30032	595	77	20	65	61	32	20	17	32	11	13	22	11	
Edinburgh	260051	6092	552	193	371	531	252	176	130	283	112	153	204	235	
Haddington	36363	653	62	19	44	37	19	11	13	16	11	24	28	15	
Berwick	36165	515	44	11	17	18	21	7	5	20	10	17	12	15	
Peebles	10804	162	13	4	7	5	6	4	3	5	4	2	3	3	
Selkirk	9802	159	9	8	11	8	7	5	2	4	2	8	12	6	
Roxburgh	51225	854	97	24	43	57	23	17	11	26	22	26	21	28	
Dumfries	81962	1631	144	31	79	105	89	53	35	107	52	44	54	47	
Kirkcudbright	39308	820	64	18	40	46	31	29	15	62	32	31	26	18	
Wigtown	43389	701	57	16	33	35	19	15	8	21	17	24	30	27	

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1855.—BOTH SEXES.

Inverness	16496	303	27	6	10	12	9	6	3	8	3	3	12	15
Aberdeen	71973	1664	142	46	89	103	47	44	39	93	59	60	70	48
Arbroath	17238	331	38	8	19	18	16	9	5	13	9	9	6	16
Dundee	80027	2151	297	65	173	272	129	59	37	84	47	53	59	64
Forfar	11009	221	17	6	9	16	5	8	6	11	6	8	7	9
Montrose	16191	477	28	6	34	31	21	21	20	37	17	14	9	8
Perth	23835	628	62	13	38	50	28	19	14	17	8	21	26	22
Dunfermline	13836	277	21	7	29	31	10	16	9	12	2	5	12	3
Kirkcaldy	10636	195	15	4	11	10	13	6	2	13	1	6	5	5
Stirling	13460	331	15	12	20	22	10	11	6	21	4	14	16	11
Greenock	37436	1355	160	58	124	190	81	50	27	81	23	38	57	49
Paisley	48071	1320	117	36	101	138	74	55	25	76	37	55	35	34
Ayr	18840	576	50	25	37	77	38	18	6	21	17	19	27	20
Kilmarnock	21443	559	50	16	36	59	40	12	12	45	29	20	18	16
Glasgow	329097	10655	1140	389	1071	1424	652	385	224	459	229	346	429	376
Barony	16050	671	58	24	45	92	26	21	10	32	18	29	19	21
Govan	14996	442	42	14	43	51	25	15	9	19	9	15	14	22
Hamilton	11740	267	18	8	21	24	6	5	9	13	6	22	12	7
Airdrie	14435	323	36	18	42	43	26	9	8	10	10	7	10	9
Coatbridge, etc. . . .	14201	378	51	17	47	51	26	12	12	19	10	9	13	7
Edinburgh	161648	4254	348	130	269	382	188	138	99	192	72	107	146	182
Leith	32219	663	79	28	52	68	21	16	9	37	13	16	29	20
Dumfries	13166	377	35	8	31	35	26	24	10	30	8	8	13	10

DEATHS at Different Ages in SCOTLAND during the YEAR 1855.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1934	1953	1934	1934	1996	2259	2665	2691	3198	3174	2546	1422	555	172	*37	154
Insular . . .	72	65	75	64	100	99	148	130	214	226	241	126	76	30	*8	21
Mainland . . .	861	876	852	901	977	1145	1387	1558	1931	2010	1711	1009	381	106	21	82
Towns . . .	1001	1012	1007	969	919	1015	1130	1003	1053	938	594	287	98	36	8	51
Shetland . . .	19	11	12	12	15	15	26	29	34	39	39	34	11	8	—	7
Orkney . . .	12	15	14	11	17	20	28	20	37	60	48	38	18	3	1	1
Caithness . . .	23	17	17	19	25	19	29	34	33	50	52	29	11	5	1	1
Sutherland . . .	4	6	6	8	10	16	18	21	26	39	36	29	12	4	2	1
Ross and Cromarty . . .	41	31	44	38	42	62	77	74	112	122	137	42	34	14	*4	3
Inverness . . .	33	40	48	42	39	61	69	79	102	117	145	61	44	23	6	5
Nairn . . .	2	2	3	1	2	5	7	8	13	12	14	6	2	—	—	1
Elgin . . .	17	25	19	18	17	27	31	43	47	57	55	32	11	3	—	4
Banff . . .	26	21	21	20	29	26	40	46	68	63	62	60	12	3	1	2
Aberdeen . . .	143	124	113	136	130	147	163	165	267	258	216	133	52	15	3	8
Kincardine . . .	11	14	11	16	11	21	25	32	39	52	40	24	12	5	—	1
Forfar . . .	123	132	133	165	136	140	209	196	215	205	137	104	26	11	—	10
Perth . . .	85	70	76	84	95	102	140	140	185	212	162	89	38	12	3	2
Fife . . .	59	84	81	75	76	125	129	153	172	185	116	77	29	5	1	3
Kinross . . .	7	6	5	4	10	5	9	8	13	10	13	6	—	1	—	—
Clackmannan . . .	13	13	12	15	12	19	11	13	21	11	11	3	1	1	—	—
Stirling . . .	41	54	48	63	63	69	88	80	83	79	62	46	16	1	—	17
Dumbarton . . .	45	34	35	34	44	31	38	42	47	37	30	16	7	1	1	1
Argyll . . .	39	43	39	41	64	60	67	84	110	136	126	71	34	10	4	14
Bute . . .	12	7	10	12	17	16	21	18	32	29	20	8	4	—	—	4
Renfrew . . .	134	126	124	125	133	120	175	164	166	147	104	57	15	6	2	3
Ayr . . .	128	114	118	127	122	140	150	161	219	166	156	82	39	9	2	19
Lanark . . .	533	544	551	447	471	511	517	474	474	386	255	112	43	13	3	20
Linlithgow . . .	19	12	13	16	9	18	15	29	18	27	25	6	4	—	—	3
Edinburgh . . .	235	265	238	255	244	259	302	268	281	263	161	80	30	7	2	10
Haddington . . .	13	20	15	26	20	30	43	40	41	46	29	20	6	3	—	2
Berwick . . .	9	16	18	16	23	21	27	37	45	49	37	16	2	—	—	2
Peebles . . .	4	6	3	4	5	12	12	8	18	16	8	6	—	1	—	—
Selkirk . . .	4	5	3	6	6	12	8	4	8	8	9	2	1	—	—	1
Roxburgh . . .	20	17	23	22	33	43	52	47	70	51	48	27	3	1	—	2
Dumfries . . .	45	41	47	42	40	59	70	86	101	107	85	52	11	3	—	2
Kirkcudbright . . .	13	23	13	16	15	20	34	43	58	79	56	23	13	—	—	2
Wigtown . . .	18	16	19	18	22	28	36	44	41	57	52	26	14	4	—	4

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1855.—BOTH SEXES.

Inverness . . .	8	9	13	14	8	16	15	17	17	27	23	13	4	3	—	2
Aberdeen . . .	64	52	62	77	57	72	73	71	98	89	65	23	12	6	1	2
Arbroath . . .	16	12	11	9	15	13	15	23	18	15	14	3	1	—	—	—
Dundee . . .	60	76	70	84	64	69	85	80	74	71	38	28	6	1	—	6
Forfar . . .	4	5	6	9	7	10	18	9	15	14	7	5	2	2	—	—
Montrose . . .	18	11	17	25	17	19	27	19	22	17	20	14	3	1	—	1
Perth . . .	32	18	21	21	23	29	34	27	33	40	23	5	3	1	—	—
Dunfermline . . .	5	10	10	8	6	11	12	18	11	15	7	5	1	1	—	—
Kirkcaldy . . .	7	8	9	5	7	10	11	7	12	16	9	3	—	—	—	—
Stirling . . .	6	12	9	16	14	13	17	16	21	14	6	9	2	—	—	14
Greenock . . .	45	37	39	44	42	36	39	38	30	29	24	7	4	1	—	2
Paisley . . .	32	40	44	33	38	36	64	61	71	52	36	21	4	4	1	—
Ayr . . .	17	15	15	16	17	16	24	20	23	28	12	12	5	—	—	1
Kilmarnock . . .	20	16	13	12	16	19	18	18	28	21	14	8	1	1	1	—
Glasgow . . .	390	381	386	316	326	356	340	303	281	220	134	54	23	7	2	12
Barony . . .	24	21	29	17	26	26	44	20	29	16	10	8	4	1	—	1
Govan . . .	12	20	17	15	10	26	10	12	16	14	6	2	1	—	1	2
Hamilton . . .	10	9	13	6	6	8	10	12	15	10	14	1	1	1	—	—
Airdrie . . .	7	16	8	6	9	9	10	5	8	9	7	1	—	—	—	—
Coatbridge, etc. . .	9	12	13	13	10	6	13	11	6	7	—	2	1	1	—	—
Edinburgh . . .	175	190	172	185	173	184	212	179	187	165	94	55	19	4	2	5
Leith . . .	25	32	22	23	18	22	27	28	23	29	18	5	—	1	—	2
Dumfries . . .	14	9	8	14	10	10	13	8	15	20	13	3	1	—	—	1

* These numbers include a Female aged 110 years.

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1855.—MALES.

	Male Population 1851.	MALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
SCOTLAND	1433863	30626	3276	1027	2188	2728	1282	858	589	1467	816	1096	1227	988
Insular	76760	1293	134	38	47	77	27	19	18	30	32	49	61	45
Mainland	831101	15300	1560	470	884	1044	525	368	275	714	446	569	623	481
Towns	468609	14033	1582	519	1257	1607	730	471	296	723	338	478	543	462
Shetland	13145	239	19	4	8	10	3	7	6	2	6	19	13	12
Orkney	14350	216	18	2	4	6	1	2	4	6	4	4	8	7
Caithness	18809	328	33	12	19	21	9	4	4	16	18	19	13	5
Sutherland	11437	182	13	7	7	9	7	5	2	5	1	6	9	6
Ross and Cromarty	39489	624	61	14	15	43	14	10	5	24	9	20	18	16
Inverness	42814	712	75	24	26	32	21	5	8	18	18	21	36	42
Nairn	3831	61	7	—	4	3	2	1	—	2	1	—	1	3
Elgin	19104	309	33	10	13	9	7	3	2	4	3	9	15	13
Banff	24034	427	45	17	18	17	6	10	12	13	16	21	18	17
Aberdeen	100938	1883	190	56	97	85	50	29	34	96	67	82	96	74
Kincardine	17185	236	23	2	11	15	4	2	7	10	8	5	8	7
Forfar	89399	2142	284	63	167	188	106	52	37	116	56	65	55	66
Perth	65266	1273	85	21	66	65	44	31	30	41	30	46	60	35
Fife	73305	1349	130	49	80	114	45	39	34	89	29	40	31	33
Kinross	4660	61	4	—	3	1	1	—	1	1	—	1	9	2
Clackmannan	10634	161	15	5	6	13	4	7	3	12	4	6	8	6
Stirling	41563	897	77	29	64	83	30	30	16	51	24	34	37	23
Dumbarton	23340	478	59	19	34	43	11	7	12	23	26	16	9	16
Argyll	46197	750	72	21	25	32	17	13	5	23	17	24	41	37
Bute	7518	173	11	8	8	17	4	6	2	7	5	7	6	—
Renfrew	74224	2220	254	80	202	265	127	91	36	138	64	93	94	53
Ayr	92993	2146	212	70	162	191	125	69	44	109	77	89	97	81
Lanark	258450	7759	901	321	768	1007	428	253	166	368	198	273	323	244
Linlithgow	15137	307	50	12	33	29	10	14	10	19	6	11	15	7
Edinburgh	119713	2967	318	108	198	273	109	90	66	146	60	82	100	111
Haddington	17592	315	34	10	20	15	6	7	7	9	6	13	19	6
Berwick	17367	277	31	8	7	10	11	5	3	9	3	13	9	8
Peebles	5400	84	7	1	—	4	1	3	2	5	2	1	1	2
Selkirk	4836	72	3	4	7	4	3	—	—	2	1	3	5	1
Roxburgh	25002	403	56	12	26	30	11	9	5	9	7	14	12	7
Dumfries	38901	811	85	17	47	47	37	30	17	52	30	26	33	28
Kirkcudbright	19502	414	32	9	25	26	20	18	6	29	14	17	12	8
Wigtown	20335	350	39	12	18	21	8	6	3	13	6	16	16	12
MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1855.														
Inverness	7401	152	13	4	5	7	6	2	1	4	1	3	7	7
Aberdeen	31746	812	82	28	53	45	19	16	20	53	38	37	36	28
Arbroath	7866	146	15	2	7	9	8	5	2	9	5	5	2	6
Dundee	36364	1054	178	36	94	134	67	23	15	41	20	28	34	28
Forfar	5017	106	13	2	6	5	3	5	1	5	2	7	4	5
Montrose	7131	236	16	3	15	17	7	8	12	25	11	7	4	4
Perth	11282	324	26	4	26	25	15	9	9	8	3	14	18	11
Dunfermline	6901	132	13	3	19	16	3	6	3	9	2	1	4	1
Kirkcaldy	4906	90	8	2	7	2	5	2	2	10	1	1	1	3
Stirling	6348	167	10	5	15	10	4	7	1	12	2	10	10	7
Greenock	17905	704	89	34	74	105	43	26	13	38	12	28	31	19
Paisley	22608	671	72	19	56	68	38	29	14	43	23	31	21	15
Ayr	8670	289	21	12	18	44	20	12	3	9	11	9	11	14
Kilmarnock	10237	268	30	12	24	27	20	7	4	22	16	6	8	11
Glasgow	154930	5246	604	213	537	733	317	183	115	249	119	176	223	172
Barony	8090	348	34	17	26	49	12	13	6	15	9	20	8	8
Govan	7286	232	29	6	24	24	13	13	5	12	3	6	6	8
Hamilton	5576	130	11	4	9	10	4	3	7	7	1	11	4	3
Airdrie	7405	157	23	8	26	15	11	3	3	4	4	5	5	4
Coatbridge	7684	209	35	10	27	22	13	6	6	8	6	3	9	5
Edinburgh	72067	2041	197	75	145	195	81	69	45	104	36	59	69	87
Leith	15482	327	43	15	27	29	10	9	6	17	8	5	17	7
Dumfries	5849	192	20	5	17	15	10	14	2	19	5	6	7	7

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1855.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND . . .	902	903	937	972	950	1079	1277	1268	1406	1426	1065	563	191	53	9	83	
Insular . . .	28	31	35	32	44	44	58	58	86	105	92	47	29	11	2	14	
Mainland . . .	411	402	409	479	469	567	708	724	884	925	739	413	130	32	6	43	
Towns . . .	463	470	493	461	437	468	511	486	436	396	234	103	32	10	1	26	
Shetland . . .	6	7	3	8	5	7	9	15	12	20	17	11	3	1	—	6	
Orkney . . .	3	9	9	8	9	5	10	6	10	26	24	16	11	3	—	1	
Caithness . . .	15	7	9	11	12	7	13	10	17	17	16	14	6	—	—	1	
Sutherland . . .	2	5	2	5	2	11	7	9	12	17	14	13	3	2	1	—	
Ross and Cromarty .	21	17	23	18	21	31	32	34	42	49	51	15	15	2	2	2	
Inverness . . .	16	14	22	23	17	23	37	35	40	51	53	26	15	10	1	3	
Nairn . . .	1	—	1	1	1	2	4	3	9	5	5	4	1	—	—	—	
Elgin . . .	12	13	12	9	9	18	13	19	19	20	29	8	3	1	—	3	
Banff . . .	14	11	8	10	14	12	19	19	23	28	24	28	5	1	—	1	
Aberdeen . . .	66	54	57	68	69	74	69	84	116	116	81	51	11	5	1	5	
Kincardine . . .	5	4	3	7	3	12	13	14	19	23	16	9	5	1	—	—	
Forfar . . .	50	52	55	79	58	64	109	105	98	94	60	40	14	4	—	5	
Perth . . .	35	32	42	42	40	48	80	70	88	101	80	46	13	1	—	1	
Fife . . .	28	37	36	45	28	57	70	64	71	90	62	34	10	3	1	—	
Kinross . . .	2	—	2	2	6	1	5	2	7	4	4	2	—	1	—	—	
Clackmannan . . .	7	7	4	4	4	10	7	7	10	6	6	—	—	—	—	—	
Stirling . . .	20	27	28	32	32	34	40	43	41	41	27	20	5	1	—	8	
Dumbarton . . .	18	16	14	16	21	14	22	25	25	14	8	6	3	—	—	1	
Argyll . . .	15	25	20	18	34	30	33	40	53	53	51	29	9	4	2	7	
Bute . . .	6	2	7	7	5	10	7	9	16	15	6	1	—	—	—	1	
Renfrew . . .	61	62	52	59	51	66	76	86	73	63	43	23	4	2	—	2	
Ayr . . .	59	50	63	66	64	67	77	73	101	74	71	32	12	2	—	9	
Lanark . . .	249	254	269	231	234	249	245	229	206	169	102	40	16	3	1	12	
Linlithgow . . .	9	3	7	7	4	7	7	9	10	15	11	1	—	—	—	1	
Edinburgh . . .	121	134	121	117	127	113	137	110	109	117	60	28	7	—	—	5	
Haddington . . .	6	8	6	16	12	14	18	18	21	21	10	8	2	2	—	1	
Berwick . . .	6	9	9	10	12	11	12	18	24	26	15	6	1	—	—	1	
Peebles . . .	1	2	2	1	1	7	6	4	13	11	3	4	—	—	—	—	
Selkirk . . .	2	4	1	4	5	5	4	1	3	5	5	—	—	—	—	—	
Roxburgh . . .	6	5	12	9	13	16	27	29	31	23	21	8	2	1	—	2	
Dumfries . . .	28	19	24	21	21	28	34	33	53	44	34	16	5	—	—	2	
Kirkcudbright . . .	6	8	6	9	9	13	16	25	17	43	30	11	3	—	—	2	
Wigtown . . .	6	6	7	9	8	13	19	20	17	25	26	13	7	3	—	1	

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1855.

Inverness . . .	3	4	9	8	3	6	8	12	8	11	12	5	2	1	—	—
Aberdeen . . .	28	21	33	36	31	31	25	30	47	34	19	7	1	3	—	1
Arbroath . . .	8	5	4	5	5	3	8	11	8	8	6	—	—	—	—	—
Dundee . . .	20	30	30	36	28	34	45	49	29	28	13	9	3	—	—	2
Forfar . . .	2	1	3	4	4	3	6	3	4	6	3	5	2	2	—	—
Montrose . . .	7	5	7	14	7	11	14	10	10	6	11	2	2	—	—	1
Perth . . .	16	12	13	13	9	15	20	13	13	21	8	2	1	—	—	—
Dunfermline . . .	2	6	5	3	—	3	6	8	5	7	6	1	—	—	—	—
Kirkcaldy . . .	5	2	2	1	4	5	6	4	5	6	4	2	—	—	—	—
Stirling . . .	1	6	4	7	6	6	5	9	8	6	4	4	2	—	—	6
Greenock . . .	18	19	16	23	16	17	19	23	15	10	10	4	1	—	—	1
Paisley . . .	14	20	19	13	17	21	28	33	27	22	13	9	1	1	—	—
Ayr . . .	10	7	5	9	6	8	11	11	11	12	7	6	1	—	—	1
Kilmarnock . . .	5	5	7	4	5	7	7	7	14	11	4	4	1	—	—	—
Glasgow . . .	186	176	184	150	155	164	150	146	112	91	54	16	9	2	1	9
Barony . . .	9	9	14	9	15	14	22	11	16	8	1	1	2	—	—	—
Govan . . .	9	6	9	8	6	16	4	6	6	8	3	1	1	—	—	—
Hamilton . . .	3	5	7	3	2	5	5	1	8	6	9	1	—	1	—	—
Airdrie . . .	2	9	6	3	5	3	7	3	2	4	1	1	—	—	—	—
Coatbridge . . .	3	6	9	8	5	4	8	9	3	3	—	1	—	—	—	—
Edinburgh . . .	87	96	89	85	93	83	90	71	69	64	30	18	2	—	—	2
Leith . . .	17	15	13	9	12	2	12	13	8	18	12	1	—	—	—	2
Dumfries . . .	8	5	5	9	3	6	5	2	7	6	4	3	1	—	—	1

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1855.—FEMALES.

	Female Population 1851.	FEMALES.												
		ALL AGES.	AGE UNDER											
			MONTHS.			2	3	4	5	10	15	20	25	30
			3	6	12									
SCOTLAND	1572095	31378	2537	810	1853	2667	1397	869	590	1371	732	941	1035	1036
Insular	89727	1400	82	21	40	55	29	19	11	26	34	37	33	34
Mainland	883421	15593	1191	365	718	1020	581	362	274	725	399	498	501	492
Towns	539124	14385	1264	424	1095	1592	787	488	305	620	299	406	501	510
Shetland	17933	257	14	4	8	7	6	4	3	7	4	6	7	6
Orkney	17105	243	10	3	6	3	2	3	—	3	2	3	9	6
Caithness	20973	325	23	7	5	21	11	8	3	8	6	8	7	8
Sutherland	13283	222	20	6	6	13	9	2	5	5	1	8	8	6
Ross and Cromarty	44292	737	48	11	18	28	15	6	9	25	19	16	22	18
Inverness	49140	757	62	6	20	31	10	11	6	17	14	19	18	20
Nairn	4245	65	3	1	2	4	4	1	1	5	2	1	—	—
Elgin	21758	338	23	6	10	17	7	8	1	7	9	12	12	8
Banff	26989	461	43	9	17	20	9	9	7	16	8	12	11	17
Aberdeen	112528	1979	167	40	74	100	48	48	30	81	49	64	67	65
Kincardine	17754	280	18	7	11	11	7	1	1	8	4	5	8	12
Forfar	104232	2235	212	58	133	209	109	67	49	97	63	52	56	75
Perth	71039	1269	79	26	50	59	36	30	14	51	23	47	40	38
Fife	80484	1386	87	34	78	93	74	46	37	66	31	42	37	27
Kinross	4966	85	8	—	1	4	—	—	—	4	1	4	1	3
Clackmannan	10921	141	7	3	4	6	6	6	2	1	2	10	5	5
Stirling	43298	871	71	16	57	69	40	29	24	44	24	29	31	25
Dumbarton	23655	496	31	17	31	41	21	12	11	30	13	18	12	19
Argyll	47845	762	37	12	22	16	22	10	9	25	24	22	26	18
Bute	9090	194	7	5	4	14	7	5	2	4	8	8	6	6
Renfrew	83726	2202	181	77	168	245	108	84	47	137	45	71	77	84
Ayr	96980	2130	186	66	96	213	105	48	49	122	65	84	98	66
Lanark	274719	7761	736	245	703	999	458	276	160	325	177	245	292	289
Linlithgow	14895	288	27	8	32	32	22	6	7	13	5	2	7	4
Edinburgh	140338	3125	234	85	173	258	143	86	64	137	52	71	104	124
Haddington	18771	338	28	9	24	22	13	4	6	7	5	11	9	9
Berwick	18798	238	13	3	10	8	10	2	2	11	7	4	3	7
Peebles	5404	78	6	3	7	1	5	1	1	—	2	1	2	1
Selkirk	4966	87	6	4	4	4	4	5	2	2	1	5	7	5
Roxburgh	26223	451	41	12	17	27	12	8	6	17	15	12	9	21
Dumfries	43061	820	59	14	32	58	52	23	18	55	22	18	21	19
Kirkcudbright	19806	406	32	9	15	20	11	11	9	33	18	14	14	10
Wigtown	23054	351	18	4	15	14	11	9	5	8	11	8	14	15

FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1855.

Inverness	9095	151	14	2	5	5	3	4	2	4	2	—	5	6
Aberdeen	40227	852	60	18	36	58	28	28	19	40	21	23	30	18
Arbroath	9372	185	23	6	12	9	8	4	3	4	4	4	4	10
Dundee	43663	1097	119	29	79	138	62	36	22	43	27	25	25	36
Forfar	5992	115	4	4	3	11	2	3	5	6	4	1	3	4
Montrose	9060	241	12	3	19	14	14	13	8	12	6	7	5	4
Perth	12553	304	36	9	12	25	13	10	5	9	5	7	8	11
Dunfermline	6935	145	8	4	10	15	7	10	6	3	—	4	8	2
Kirkcaldy	5730	105	7	2	4	8	8	4	—	3	—	5	4	2
Stirling	7112	164	5	6	6	12	6	4	5	9	2	4	6	4
Greenock	19531	651	71	24	50	85	38	24	14	43	11	10	26	30
Paisley	25463	649	45	17	45	69	35	25	10	33	14	24	14	19
Ayr	10170	287	29	13	19	33	18	6	3	12	6	10	16	6
Kilmarnock	11206	291	20	4	12	32	20	5	8	23	13	14	10	5
Glasgow	174167	5409	536	176	534	691	335	202	109	210	110	170	206	204
Barony	7960	323	24	7	19	43	14	8	4	17	9	9	11	13
Govan	7710	210	13	8	19	27	12	2	4	7	6	9	8	14
Hamilton	6164	137	7	4	12	14	2	2	2	6	5	11	8	4
Airdrie	7030	166	13	10	16	28	15	6	5	6	6	2	5	5
Coatbridge, etc. . . .	6517	169	16	7	20	29	13	6	6	11	4	6	4	2
Edinburgh	89581	2213	151	55	124	187	107	69	54	88	36	48	77	95
Leith	16737	336	36	13	25	39	11	7	3	20	5	11	12	13
Dumfries	7317	185	15	3	14	20	16	10	8	11	3	2	6	3

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1855.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1032	1050	997	962	1046	1180	1388	1423	1792	1748	1481	859	364	119	*28	71
Insular . . .	44	34	40	32	56	55	90	72	128	121	149	79	47	19	*6	7
Mainland . . .	450	474	443	422	508	578	679	834	1047	1085	972	596	251	74	15	39
Towns . . .	538	542	514	508	482	547	619	517	617	542	360	184	66	26	7	25
Shetland . . .	13	4	9	4	10	8	17	14	22	19	22	23	8	7	—	1
Orkney . . .	9	6	5	3	8	15	18	14	27	34	24	22	7	—	1	—
Caithness . . .	8	10	8	8	13	12	16	24	16	33	36	15	5	5	1	—
Sutherland . . .	2	1	4	3	8	5	11	12	14	22	22	16	9	2	1	1
Ross and Cromarty . . .	20	14	21	20	21	31	45	40	70	73	86	27	19	12	*2	1
Inverness . . .	17	26	26	19	22	38	32	44	62	66	92	35	29	13	5	2
Nairn . . .	1	2	2	—	1	3	3	5	4	7	9	2	1	—	—	1
Elgin . . .	5	12	7	9	8	9	18	24	28	37	26	24	8	2	—	1
Banff . . .	12	10	13	10	15	14	21	27	45	35	38	32	7	2	1	1
Aberdeen . . .	77	70	56	68	61	73	94	81	151	142	135	82	41	10	2	3
Kincardine . . .	6	9	9	9	8	9	12	19	21	29	24	20	7	4	—	1
Forfar . . .	73	80	78	86	78	76	100	91	117	111	77	64	12	7	—	5
Perth . . .	50	38	34	42	55	54	60	70	97	111	82	43	25	11	3	1
Fife . . .	31	47	45	30	48	68	59	89	101	95	54	43	19	2	—	3
Kinross . . .	5	6	3	2	4	4	4	6	7	5	9	4	—	—	—	—
Clackmannan . . .	6	6	8	11	8	9	4	6	11	5	5	3	1	1	—	—
Stirling . . .	23	27	20	31	31	35	47	37	41	38	35	26	11	—	—	9
Dumbarton . . .	27	18	21	18	23	17	16	17	22	23	22	10	4	1	1	—
Argyll . . .	24	18	19	23	30	30	34	44	57	83	75	42	25	6	2	7
Bute . . .	6	5	3	5	12	6	14	9	16	14	14	7	4	—	—	3
Renfrew . . .	73	64	72	66	82	54	99	78	93	84	61	34	11	4	2	1
Ayr . . .	69	64	55	61	58	73	73	88	118	92	85	50	27	7	2	10
Lanark . . .	286	290	282	216	237	262	272	245	268	217	153	72	27	10	2	8
Linlithgow . . .	10	9	6	9	5	11	8	20	8	12	14	5	4	—	—	2
Edinburgh . . .	114	131	117	138	117	146	165	158	172	146	101	52	23	7	2	5
Haddington . . .	7	12	9	10	8	16	25	22	20	25	19	12	4	1	—	1
Berwick . . .	3	7	9	6	11	10	15	19	21	23	22	10	1	—	—	1
Peebles . . .	3	4	1	3	4	5	6	4	5	5	5	2	—	1	—	—
Selkirk . . .	2	1	2	2	1	7	4	3	5	3	4	2	1	—	—	1
Roxburgh . . .	14	12	11	13	20	27	25	18	39	28	27	19	1	—	—	—
Dumfries . . .	17	22	23	21	19	31	36	53	48	63	51	36	6	3	—	—
Kirkcudbright . . .	7	15	7	7	6	7	18	18	41	36	26	12	10	—	—	—
Wigtown . . .	12	10	12	9	14	15	17	24	24	32	26	13	7	1	—	3

FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1855.

Inverness . . .	6	6	4	6	5	10	7	5	9	16	11	8	2	2	—	2
Aberdeen . . .	36	31	29	40	26	40	48	40	50	55	46	16	11	3	1	1
Arbroath . . .	8	7	7	4	10	10	7	12	10	7	8	3	1	—	—	—
Dundee . . .	40	46	40	48	36	35	40	31	45	43	25	19	3	1	—	4
Forfar . . .	2	4	3	5	3	7	12	6	11	8	4	—	—	—	—	—
Montrose . . .	11	6	10	11	10	8	13	9	12	11	9	12	1	1	—	—
Perth . . .	16	6	8	8	14	14	14	14	20	19	15	3	2	1	—	—
Dunfermline . . .	3	4	5	6	6	7	6	10	6	8	1	4	1	1	—	—
Kirkcaldy . . .	2	6	7	4	3	5	4	4	7	10	5	1	—	—	—	—
Stirling . . .	5	6	5	9	8	7	12	7	13	8	2	5	—	—	—	8
Greenock . . .	27	18	23	21	26	19	20	15	15	19	14	3	3	1	—	1
Paisley . . .	18	20	25	20	21	15	36	28	44	30	23	12	3	3	1	—
Ayr . . .	7	8	10	7	11	8	13	9	12	16	5	6	4	—	—	—
Kilmarnock . . .	15	11	6	8	11	12	11	11	14	10	10	4	—	1	1	—
Glasgow . . .	204	205	202	166	171	192	190	157	169	129	80	38	14	5	1	3
Barony . . .	15	12	15	8	11	12	22	9	13	8	9	7	2	1	—	1
Govan . . .	3	14	8	7	4	10	6	6	10	6	3	1	—	—	1	2
Hamilton . . .	7	4	6	3	4	3	5	11	7	4	5	—	1	—	—	—
Airdrie . . .	5	7	2	3	4	6	3	2	6	5	6	—	—	—	—	—
Coatbridge, etc. . .	6	6	4	5	5	2	5	2	3	4	—	1	1	1	—	—
Edinburgh . . .	88	94	83	100	80	101	122	108	118	101	64	37	17	4	2	3
Leith . . .	8	17	9	14	6	20	15	15	15	11	6	4	—	1	—	—
Dumfries . . .	6	4	3	5	7	4	8	6	8	14	9	—	—	—	—	—

* These numbers include a Female aged 110 years.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	62004	496	459	653	404	1361	1469	126	647	888	3862	516	4377	2542	2735	14
SPECIFIED CAUSES	56272	378	366	494	309	1061	1139	109	517	733	3569	468	3775	2364	2532	13
I. Zymotic Class	13582	85	59	120	78	255	218	29	83	164	714	87	1031	492	667	1
II. Diseases of Uncer. Seat	2535	20	22	22	20	62	52	3	24	37	185	36	194	125	150	
III. Tubercular Class	10007	51	43	89	54	174	171	12	101	112	718	69	573	356	286	1
IV. Brain and Nervous Sys.	4607	20	35	27	19	71	67	11	53	85	325	44	299	238	230	1
V. Organs of Circulation	2006	2	6	15	3	15	29	4	15	26	137	23	168	107	102	
VI. Respiratory Organs	7075	39	42	63	32	132	157	3	65	77	414	50	468	304	280	2
VII. Organs of Digestion	4326	27	27	32	11	55	62	9	44	73	266	48	282	165	204	2
VIII. Urinary Organs	679	4	10	13	10	13	11	2	8	18	36	5	36	40	22	
IX. Organs of Generation	493	4	6	5	2	13	21	1	7	12	29	5	31	14	27	
X. Organs of Locomotion	290	—	5	4	1	14	13	—	5	4	27	3	13	20	6	
XI. Skin, etc.	71	—	1	—	—	2	1	—	1	2	6	1	4	1	3	
XII. Malformation	152	1	—	—	1	2	1	—	2	—	5	2	12	2	6	
XIII. Premature Debility	2068	1	10	5	4	11	30	2	6	17	125	7	183	61	84	
XIV. Atrophy	535	1	1	1	—	4	12	—	1	4	35	2	25	14	26	
XV. Age	5685	94	84	70	62	198	258	31	82	67	365	66	333	336	326	
XVI. Sudden Deaths	248	1	—	2	—	5	5	—	—	2	20	2	13	21	18	
XVII. Violent Deaths	1913	28	15	26	12	35	31	2	20	33	112	18	110	68	95	
I. Small Pox	1309	—	—	—	—	4	8	1	—	3	23	9	235	55	24	
Measles	1180	52	—	24	1	21	32	—	—	—	9	6	7	10	1	
Scarlatina	2138	5	—	3	1	31	1	—	8	6	108	5	94	91	190	
Hooping Cough	1903	—	11	37	39	44	27	15	18	41	70	4	176	63	172	
Croup	873	3	3	12	6	23	16	3	4	5	47	9	91	50	63	
Thrush	34	1	—	—	—	—	2	—	—	—	1	1	2	—	1	
Diarrhœa	1320	1	3	6	3	15	15	3	13	12	63	10	80	45	42	
Dysentery	602	2	—	—	2	6	13	3	5	6	25	2	34	18	17	
Cholera	238	1	1	—	—	1	4	—	1	1	2	—	14	1	2	
Influenza	701	2	32	13	18	60	28	3	19	50	82	10	36	46	23	
Purpura	51	—	—	1	—	—	—	—	1	1	4	1	4	1	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	47	—	—	—	—	—	—	—	—	—	—	—	—	2	—	
Infantile Fever	112	—	—	1	—	1	1	—	1	2	10	1	4	11	7	
Typhus	2419	8	8	18	5	36	54	1	10	25	218	24	210	79	91	
Metria	169	—	—	1	—	3	—	—	—	1	8	2	6	5	10	
Rheumatic Fever	57	2	1	1	—	7	4	—	—	2	5	—	2	—	3	
Erysipelas	326	7	—	3	3	3	12	—	3	7	35	3	29	14	19	
Syphilis	79	1	—	—	—	—	—	—	—	—	4	—	5	1	2	
Noma	23	—	—	—	—	—	1	—	—	2	—	—	—	1	—	
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
II. Hæmorrhage	146	1	—	—	1	2	1	—	2	2	4	1	9	8	19	
Dropsy	1220	13	13	10	12	39	25	3	14	14	83	8	105	55	69	
Abscess	88	—	—	3	—	—	—	—	1	3	13	4	6	5	4	
Ulcer	39	—	—	—	—	—	1	—	—	—	4	2	5	—	2	
Fistula	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
Mortification	153	—	1	3	—	2	5	—	1	3	19	2	12	9	8	
Cancer	871	5	8	6	7	19	19	—	6	15	59	18	54	48	46	
Gout	14	1	—	—	—	—	1	—	—	—	3	1	2	—	2	
III. Scrofula	441	1	1	2	—	2	5	—	2	9	50	4	31	19	10	
Tabes Mesenterica	535	1	—	2	1	1	6	1	2	6	29	2	19	17	9	
Phthisis	7129	45	40	69	51	161	149	10	87	78	483	53	410	271	202	
Hydrocephalus	1902	4	2	16	2	10	11	1	10	19	156	10	113	49	65	

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—BOTH SEXES.

DISEASES.	Clack- manan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	302	1768	974	1512	367	4422	4276	15520	595	6092	653	515	162	159	854	1631	820	701
SPECIFIED CAUSES . . .	174	1555	906	1347	332	4034	4051	14501	538	5694	607	497	154	148	825	1441	777	638
Exanthematic Class . . .	38	374	167	250	62	1152	1077	3773	179	1315	116	91	26	31	131	398	201	104
Uncertain Seat . . .	12	72	29	68	18	170	183	459	21	246	45	40	5	7	49	68	46	37
Tubercular Class . . .	58	226	222	200	71	811	850	2964	73	995	79	57	21	27	133	202	86	105
Brain, etc.	29	115	83	110	20	301	276	1018	26	601	76	57	17	20	116	121	53	33
Heart, etc.	9	67	29	34	19	117	101	437	18	295	37	16	9	9	41	57	27	27
Respiratory Organs . . .	37	208	89	149	38	436	417	2136	70	781	74	63	18	25	77	141	98	68
Digestive Organs . . .	19	148	73	98	17	327	305	1198	39	381	47	53	16	6	70	84	70	49
Urinary Organs . . .	4	16	12	26	7	27	37	94	9	108	6	4	4	2	13	13	10	9
Generative Organs . . .	—	8	10	13	5	27	26	128	3	50	2	6	2	—	9	9	4	11
Locomotive Organs . . .	2	5	7	6	1	20	19	46	1	31	3	5	2	2	3	12	4	5
Skin	—	2	—	3	—	5	6	16	—	7	1	3	—	—	2	2	1	1
Malformation	—	7	2	1	—	10	18	35	6	28	3	—	—	—	3	4	—	1
Immature Debility . . .	10	59	35	30	6	151	139	672	19	195	23	18	6	5	49	53	21	24
Atrophy	5	7	11	12	2	71	37	163	3	57	4	3	1	—	16	8	4	4
Age	33	163	81	280	55	291	383	845	43	384	66	61	26	7	88	224	129	133
Sudden Deaths	1	5	4	8	—	14	16	48	4	40	1	2	—	—	3	5	3	5
Violent Deaths	17	73	52	59	11	104	161	469	24	180	24	18	1	7	22	40	20	22
Small Pox	—	16	20	20	15	151	60	404	68	42	—	10	—	9	23	67	14	28
Measles	—	38	7	4	2	178	81	620	3	24	—	—	—	5	5	27	15	8
Scarlatina	2	77	19	27	9	207	216	354	20	369	5	15	—	2	12	149	110	2
Whooping Cough	2	55	26	31	8	99	59	475	31	307	38	4	6	1	14	17	12	7
Croup	7	24	13	21	2	61	52	221	9	80	6	7	1	1	5	7	8	4
Diphtheria	—	—	2	—	—	3	5	5	—	5	—	1	—	1	1	1	1	1
Gonorrhoea	7	35	19	16	2	117	132	469	10	107	15	8	2	2	11	35	12	7
Gonorrhoea	5	14	11	10	8	70	44	233	3	41	3	3	—	1	3	10	3	7
Cholera	—	6	1	1	—	12	111	32	1	36	2	1	2	—	2	2	1	—
Influenza	2	9	8	70	2	19	38	54	8	17	6	8	2	1	7	17	2	9
Erysipelas	—	1	1	—	—	1	6	18	—	4	—	1	—	—	—	4	1	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scorbut	1	2	1	3	—	6	8	16	—	1	—	—	—	—	1	1	2	3
Infantile Fever	—	7	3	1	1	9	9	18	3	8	4	3	—	—	—	5	1	1
Erysipelas	10	69	23	42	6	174	211	676	20	195	30	25	11	8	40	46	15	22
Erysipelas	1	9	4	—	1	16	15	56	—	19	2	1	—	—	2	6	1	—
Pneumatic Fever	1	1	1	1	1	4	5	10	—	4	—	—	—	—	1	—	—	1
Erysipelas	—	10	6	2	4	19	20	66	1	41	5	4	1	—	4	2	2	1
Erysipelas	—	—	2	1	1	5	4	32	1	15	—	—	—	—	—	2	1	2
Erysipelas	—	1	—	—	—	1	1	14	1	—	—	—	1	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	5	2	6	1	7	12	37	1	7	1	3	—	—	2	5	—	4
Erysipelas	6	38	17	21	7	104	81	260	7	74	23	21	2	2	25	25	22	16
Erysipelas	2	3	—	—	—	7	3	19	2	11	—	—	—	—	—	1	—	1
Erysipelas	—	2	1	1	—	6	—	8	1	4	1	—	—	—	—	1	—	—
Erysipelas	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Erysipelas	—	4	1	10	2	5	15	18	—	14	3	1	1	1	4	2	5	2
Erysipelas	1	20	8	29	8	40	71	115	10	135	17	15	2	4	18	34	19	13
Erysipelas	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—
Erysipelas	3	6	6	12	8	33	43	111	3	42	1	3	3	1	5	14	5	6
Erysipelas	2	9	9	5	3	30	55	216	2	64	7	1	2	—	19	8	4	3
Erysipelas	41	153	160	169	43	589	607	1987	46	682	56	38	10	20	90	155	65	93
Erysipelas	12	58	47	14	17	159	145	650	22	207	15	15	6	6	19	25	12	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—BOTH SEXES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	389	5	6	—	4	4	7	3	3	5	26	2	15	15	19	2
Apoplexy	1041	3	5	6	1	10	14	3	12	13	67	10	90	64	58	4
Paralysis	1385	8	14	8	6	34	23	2	16	24	76	15	85	90	91	2
Delirium Tremens . . .	71	—	—	—	—	—	—	—	—	—	5	—	9	4	5	—
Chorea	9	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy	196	—	2	1	2	6	7	—	—	2	21	3	10	9	11	1
Tetanus	62	—	—	—	1	—	—	—	—	—	1	—	4	2	3	1
Insanity	58	—	—	2	—	—	2	—	—	1	1	—	5	5	2	1
Convulsions	689	1	2	5	3	8	7	1	10	16	73	7	50	19	19	—
Brain Disease	707	3	6	5	2	9	7	2	12	24	55	7	30	30	22	—
V. Pericarditis	84	—	—	3	—	—	3	—	1	2	3	1	4	3	1	—
Aneurism	45	—	1	1	—	—	2	—	1	—	7	—	—	1	2	—
Heart Disease	1877	2	5	11	3	15	24	4	13	24	127	21	164	103	99	—
VI. Laryngitis	101	—	—	—	1	—	1	—	—	3	8	1	3	4	12	—
Bronchitis	3036	16	13	21	13	38	56	2	31	27	195	28	191	146	134	—
Pleurisy	451	—	2	4	1	7	31	—	1	6	25	3	30	27	26	—
Pneumonia	2094	10	6	16	1	27	27	—	19	19	113	7	116	65	75	—
Asthma	935	5	10	17	16	55	33	1	7	10	38	8	93	42	16	—
Lung Disease	458	8	11	5	—	5	9	—	7	12	35	3	35	20	17	—
VII. Teething	1014	2	—	2	—	7	5	—	8	16	51	6	115	25	30	—
Quinsey	57	2	—	1	—	3	—	—	—	4	3	—	2	2	6	—
Gastritis	162	1	2	1	—	3	5	—	1	—	5	2	9	6	8	—
Enteritis	857	3	3	8	1	9	7	2	9	9	29	8	37	20	52	—
Peritonitis	263	3	2	1	2	3	5	—	1	8	22	5	15	14	16	—
Ascites	92	—	2	—	—	—	2	—	3	—	3	—	5	4	4	—
Ulceration of Intestines	150	—	—	2	—	—	—	—	2	2	12	3	3	7	10	—
Hernia	86	—	—	1	1	—	3	—	2	5	5	3	4	6	4	—
Ileus	284	3	—	2	1	6	7	—	7	6	38	4	13	20	15	—
Intussusception . . .	42	—	3	1	1	1	—	—	—	1	2	1	4	1	1	—
Stricture of Intestines	18	—	—	—	—	—	1	—	—	—	4	1	4	1	—	—
Stomach Disease . . .	488	5	8	2	1	11	15	5	8	11	47	6	30	18	21	—
Pancreas Disease . . .	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hepatitis	123	4	1	4	—	2	1	—	—	2	6	—	9	6	5	—
Jaundice	171	1	1	3	—	4	3	1	1	6	17	5	8	10	12	—
Liver Disease	507	3	5	4	4	5	8	1	2	3	22	4	23	24	20	—
Spleen Disease	10	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
VIII. Nephritis	33	1	—	1	—	1	—	—	—	1	1	—	—	2	2	—
Nephria	138	—	1	2	—	—	—	—	—	—	5	1	4	6	5	—
Ischuria	41	—	1	—	2	1	—	—	—	2	11	—	1	3	—	—
Diabetes	60	—	1	—	1	—	—	—	2	—	9	1	4	2	1	—
Stone	69	2	3	4	1	1	4	2	1	2	16	—	3	4	1	—
Cystitis	36	—	2	1	—	2	1	—	—	—	3	—	4	2	—	—
Stricture of Urethra . .	8	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Kidney Disease	294	1	2	5	6	8	6	—	5	11	41	3	20	21	13	—
IX. Paramenia	13	—	—	—	—	1	—	—	—	1	1	1	—	—	2	—
Ovarian Dropsy	48	1	1	—	1	1	1	—	1	2	2	—	3	1	3	—
Childbirth	341	3	5	1	1	10	17	1	5	7	21	1	19	8	17	—
Uterine Disease	91	—	—	4	—	1	3	—	1	2	5	3	9	5	5	—
X. Arthritis	21	—	—	1	—	—	1	—	—	—	—	—	1	1	—	—
Rheumatism	124	—	2	1	1	8	7	—	4	3	9	—	1	10	3	—
Joint and Bone Disease	145	—	3	2	—	6	5	—	1	1	18	3	11	9	3	—
XI. Carbuncle	20	—	—	—	—	—	1	—	1	1	—	—	3	1	1	—
Phlegmon	6	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Skin Disease	45	—	1	—	—	2	—	—	—	—	4	1	1	—	2	—
XII. Cyanosis	27	—	—	—	—	1	1	—	—	—	—	—	5	—	3	—
Spina Bifida	27	—	—	—	—	—	—	—	1	—	2	1	—	2	2	—
Other Malformations . .	98	1	—	—	1	1	—	—	1	—	3	1	7	—	1	—
XVII. Intemperance . . .	57	—	—	—	1	1	—	—	1	—	4	—	2	3	1	—
Privation	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Want of Breast Milk . .	29	—	—	—	—	—	—	—	—	1	5	—	1	—	1	—
Neglect	8	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Cold	30	4	—	1	—	—	1	—	2	—	3	1	2	—	—	—
Poison	45	—	—	—	—	2	—	—	—	—	2	1	3	1	2	—
Burns and Scalds . . .	311	4	2	3	2	2	9	2	5	7	25	1	17	7	18	—
Hanging, etc. . . .	42	—	—	—	—	—	—	—	1	—	5	1	3	1	5	—
Suffocation	84	—	—	—	—	—	—	—	—	1	4	1	7	4	2	—
Drowning	440	14	7	18	8	16	10	—	3	12	18	6	22	16	29	—
Fracture and Contusion .	617	2	2	3	1	9	3	—	4	6	19	5	32	30	27	—
Wounds	78	1	—	—	—	—	4	—	1	1	5	1	13	1	3	—
Other Violent Causes . .	167	3	4	1	—	5	4	—	3	5	22	1	7	4	6	—
Not Specified	5732	118	93	159	95	300	330	17	130	155	293	48	602	178	203	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—BOTH SEXES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	4	4	6	3	2	19	23	125	2	48	7	3	-	2	3	13	7	2
Apoplexy	7	25	16	27	5	77	68	209	5	126	20	10	6	9	24	21	17	9
Paralysis	6	28	29	42	10	116	77	234	5	158	26	29	6	3	43	50	16	13
Delirium Tremens . .	-	1	2	-	-	6	6	16	-	13	-	-	1	-	2	-	-	1
Chorea	-	-	-	-	-	1	1	3	-	1	1	-	-	-	-	1	-	-
Epilepsy	2	3	2	3	-	4	6	39	1	35	3	2	2	2	5	7	3	2
Tetanus	-	2	1	7	-	8	10	14	-	4	-	2	-	-	1	-	-	1
Insanity	-	2	2	4	-	4	1	10	-	12	-	1	-	-	-	3	-	-
Convulsions	1	18	8	17	3	27	50	199	9	77	7	5	1	4	25	7	5	5
Brain Disease . . .	9	32	17	7	-	39	34	169	4	127	12	5	1	-	13	19	5	-
Pericarditis	-	-	4	3	1	3	8	21	2	7	3	-	-	-	4	3	2	2
Aneurism	-	2	1	2	-	1	2	4	-	13	-	-	-	-	1	2	-	1
Heart Disease . . .	9	65	24	29	18	113	91	412	16	275	34	16	9	9	36	52	25	24
Laryngitis	-	6	2	1	-	6	6	31	-	8	1	2	1	-	1	2	-	-
Bronchitis	20	54	30	62	21	199	169	907	42	369	39	22	8	15	26	56	48	29
Pleurisy	2	20	7	5	-	15	33	68	4	73	7	7	2	2	12	16	2	10
Pneumonia	11	71	33	45	9	126	137	730	13	223	17	19	6	8	26	53	40	20
Asthma	4	30	10	30	4	63	51	279	9	61	3	7	1	-	8	7	5	9
Lung Disease	-	27	7	6	3	27	21	121	2	47	7	6	-	-	4	7	3	-
Coughing	5	29	15	11	3	133	63	373	11	63	4	2	-	-	9	11	3	9
Quinsey	-	1	-	-	1	5	5	12	1	6	-	2	-	-	-	-	-	1
Gastritis	1	5	2	5	-	13	15	43	-	14	1	1	1	-	1	5	5	5
Enteritis	1	22	19	13	7	61	88	297	7	55	8	8	3	1	8	19	32	6
Peritonitis	1	4	1	4	-	11	15	64	-	31	8	1	2	2	7	6	5	-
Ascites	-	8	2	5	-	5	7	23	1	9	1	1	1	-	2	3	-	-
Ulceration of Intestines	1	9	1	3	-	11	7	31	1	29	1	6	2	-	2	2	2	1
Hernia	2	6	-	4	-	5	4	20	2	5	2	1	-	-	-	5	-	-
Leus	1	5	3	7	1	9	18	43	-	25	4	10	3	-	8	8	4	7
Intussusception . . .	-	1	1	1	-	1	7	3	-	8	1	1	-	-	-	-	2	-
Stricture of Intestines	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	1	-
Stomach Disease . . .	3	27	5	20	2	25	26	88	6	48	3	11	3	1	13	8	4	7
Pancreas Disease . .	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	1	1	5	6	-	8	7	33	1	7	1	3	1	-	2	2	1	3
Jaundice	-	8	4	6	1	9	6	31	1	18	1	2	-	-	4	1	1	6
Liver Disease	3	22	15	12	2	30	33	133	7	60	11	4	-	2	14	14	10	4
Spleen Disease . . .	-	-	-	1	-	1	3	2	-	1	-	-	-	-	-	-	-	-
Nephritis	-	1	1	-	-	5	3	10	-	4	-	-	-	-	-	1	1	-
Nephria	1	-	2	5	1	5	3	33	3	49	-	1	2	-	1	2	2	2
Hematuria	-	1	1	-	-	1	2	8	-	3	1	-	-	-	3	-	-	-
Diabetes	-	3	1	1	-	2	3	11	-	6	-	1	-	1	4	1	1	4
Gonorrhoea	-	-	-	8	-	1	4	5	-	3	-	-	-	-	2	1	-	1
Cystitis	-	1	2	2	-	-	2	7	1	3	-	-	1	-	1	-	1	-
Stricture of Urethra .	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	1	1	-
Kidney Disease . . .	3	10	5	9	6	13	20	19	5	39	5	2	1	1	4	4	4	2
Parasemia	-	-	-	-	-	-	2	5	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . .	-	-	1	-	2	6	3	7	-	6	-	1	-	-	-	1	1	1
Childbirth	-	8	9	10	2	19	17	96	2	28	1	4	2	-	8	8	2	7
Uterine Disease . . .	-	-	-	3	1	2	4	20	1	16	1	1	-	-	-	1	1	3
Arthritis	-	-	-	-	-	4	1	6	-	4	-	-	-	-	-	1	-	-
Rheumatism	1	2	-	5	-	10	8	23	1	6	-	4	-	2	-	3	1	1
Joint Disease	1	3	7	1	1	6	10	17	-	21	3	1	2	-	2	8	3	4
Carbuncle	-	-	-	1	-	2	1	4	-	2	-	-	-	-	1	-	1	-
Phlegmon	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Skin Disease	-	2	-	1	-	3	5	12	-	4	1	2	-	-	1	2	-	1
Cyanosis	-	-	-	-	-	-	4	4	1	2	3	-	-	-	1	1	-	1
Spina Bifida	-	3	1	-	-	3	1	6	1	3	-	-	-	-	1	-	-	-
Other Malformations .	-	4	1	1	-	7	13	25	4	23	-	-	-	-	1	3	-	-
Intemperance	-	-	4	-	-	2	7	14	6	7	1	1	-	-	2	-	-	-
Starvation	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-
Want of Breast Milk .	-	-	1	-	-	-	2	11	2	3	-	2	-	-	-	-	-	-
Neglect	-	-	-	1	-	-	1	3	-	1	-	-	-	-	-	-	-	-
Cold	-	4	1	-	-	1	1	6	-	1	-	1	-	-	-	1	-	-
Poison	1	5	2	1	-	5	5	7	-	3	-	1	-	-	1	2	-	-
Burns and Scalds . .	3	11	7	8	2	17	19	87	4	21	5	4	-	1	2	9	2	4
Drowning, etc. . . .	-	-	1	-	-	-	4	6	2	8	1	1	-	-	-	-	-	2
Suffocation	-	1	3	1	1	6	10	27	-	8	2	-	-	1	4	-	1	-
Drowning	6	18	15	25	2	34	28	89	1	16	3	2	-	2	3	11	5	2
Fracture and Contusion	6	23	10	13	3	34	65	174	5	80	10	4	1	3	9	13	5	11
Wounds	1	2	-	3	1	-	4	15	2	13	-	1	-	-	1	-	3	2
Other Violent Causes .	-	9	8	7	2	5	12	28	2	18	2	1	-	-	-	3	4	1
Not Specified	28	213	68	165	35	388	225	1019	57	398	46	18	8	11	29	190	43	63

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	30626	239	216	328	182	624	712	61	309	427	1883	236	2142	1273	1349	61
SPECIFIED CAUSES	27780	191	177	254	143	480	533	53	251	357	1733	220	1871	1172	1244	58
I. Zymotic Class	6517	40	23	58	37	125	112	10	31	63	321	42	495	238	312	6
II. Diseases of Uncer. Seat	1000	10	7	9	9	24	17	1	12	19	72	15	71	47	64	5
III. Tubercular Class	5014	26	22	50	28	75	94	7	60	57	393	36	278	182	138	9
IV. Brain and Nervous Sys.	2485	14	18	12	6	42	36	7	30	44	176	25	162	142	118	4
V. Organs of Circulation	1052	1	4	8	3	7	19	3	10	15	67	13	79	58	52	2
VI. Respiratory Organs	3634	19	18	29	12	60	72	—	32	39	203	21	254	158	151	12
VII. Organs of Digestion	2257	12	15	22	5	30	40	4	23	38	127	20	148	76	112	10
VIII. Urinary Organs	485	4	9	12	9	8	8	2	7	15	68	3	27	33	13	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	154	—	2	3	—	6	7	—	1	3	11	2	4	14	2	—
XI. Skin, etc.	35	—	1	—	—	—	—	—	1	1	3	1	2	—	2	—
XII. Malformation	89	1	—	—	1	1	1	—	—	—	2	1	9	—	4	—
XIII. Premature Debility	1136	1	9	4	—	5	12	2	4	9	65	5	107	29	44	2
XIV. Atrophy	242	—	1	—	—	2	3	—	—	4	15	—	15	5	11	1
XV. Age	2136	39	38	22	24	67	85	15	28	29	118	21	137	133	133	6
XVI. Sudden Deaths	134	1	—	1	—	2	2	—	—	—	10	—	8	12	10	—
XVII. Violent Deaths	1410	23	10	24	9	26	25	2	12	21	82	15	75	45	78	1
I. Small Pox	681	—	—	—	—	3	7	—	—	2	12	5	119	23	12	—
Measles	584	24	—	11	1	10	16	—	—	—	5	3	2	3	—	—
Scarlatina	1073	2	—	1	—	14	—	—	6	3	49	3	50	51	97	—
Hooping Cough	812	—	5	19	16	17	13	6	5	11	26	1	79	29	82	1
Croup	473	3	2	9	4	13	10	1	—	3	27	5	49	23	31	—
Thrush	17	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—
Diarrhœa	671	1	1	2	1	11	7	1	7	7	26	6	45	28	17	1
Dysentery	278	—	—	—	1	4	6	2	2	1	8	1	11	11	7	—
Cholera	114	1	—	—	—	—	3	—	—	1	2	—	5	1	2	—
Influenza	281	1	11	6	9	31	11	—	3	14	33	5	18	19	8	—
Purpura	21	—	—	1	—	—	—	—	1	—	2	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	62	—	—	—	—	—	—	—	1	1	4	1	3	4	2	—
Typhus	1176	3	4	6	2	18	27	—	6	12	105	10	100	36	43	4
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	29	1	—	1	—	3	4	—	—	1	2	—	1	—	2	—
Erysipelas	165	4	—	2	3	1	6	—	—	5	15	1	11	9	8	—
Syphilis	34	—	—	—	—	—	—	—	—	—	4	—	2	—	1	—
Noma	16	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	72	—	—	—	—	1	—	—	2	1	2	1	5	3	9	—
Dropsy	517	8	4	6	4	15	7	1	8	7	36	2	41	20	33	4
Abscess	47	—	—	1	—	—	—	—	—	3	7	2	4	4	2	—
Ulcer	21	—	—	—	—	—	—	—	—	—	—	1	5	—	1	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Mortification	70	—	1	1	—	—	3	—	1	1	6	1	6	4	3	—
Cancer	261	1	2	1	5	8	7	—	1	7	18	8	8	16	15	1
Gout	9	1	—	—	—	—	—	—	—	—	3	—	1	—	1	—
III. Scrofula	272	1	1	2	—	1	3	—	2	4	42	1	15	15	5	—
Tabes Mesenterica	279	—	—	2	1	—	1	1	—	3	12	2	8	13	4	—
Phthisis	3433	24	20	37	25	66	85	6	51	39	250	25	192	128	100	8
Hydrocephalus	1030	1	1	9	2	8	5	—	7	11	89	8	63	26	29	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—MALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkeud- bright.	Wigtown.
ALL CAUSES . . .	161	897	478	750	173	2220	2146	7759	307	2967	315	277	84	72	403	811	414	350
SPECIFIED CAUSES . .	144	798	448	664	152	2016	2037	7222	271	2768	292	267	80	67	392	716	396	313
Zymotic Class . . .	23	179	71	115	30	574	531	1834	89	622	42	50	10	12	73	186	108	55
Uncertain Seat . . .	9	33	8	33	8	70	68	182	7	75	20	21	4	3	25	28	18	6
Tubercular Class . .	31	119	114	98	38	419	399	1449	36	494	41	34	12	9	66	113	38	49
Brain, etc.	15	69	52	58	9	163	144	561	15	315	38	26	6	10	58	58	31	21
Heart, etc.	6	40	14	15	9	58	48	226	9	162	14	6	6	4	25	33	18	18
Respiratory Organs .	16	109	40	79	16	232	233	1126	38	368	37	38	11	12	37	79	52	31
Digestive Organs . .	9	70	35	61	10	149	176	627	17	208	57	32	10	3	29	41	42	29
Urinary Organs . . .	2	10	12	17	7	22	28	63	4	66	5	4	3	2	6	7	6	3
Generative Organs . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs .	1	2	6	5	—	12	12	20	1	19	1	3	—	1	2	8	2	4
Skin	—	1	—	3	—	3	4	7	—	2	1	1	—	—	1	—	1	—
Malformation	—	5	1	—	—	7	7	23	4	17	—	—	—	—	1	3	—	1
Premature Debility .	5	34	24	17	3	87	79	355	12	111	12	14	2	1	26	34	9	13
Atrophy	3	4	4	6	1	35	16	68	2	32	2	2	1	—	1	4	2	2
Age	11	66	28	101	16	100	150	319	19	128	30	26	14	3	30	86	54	60
Sudden Deaths . . .	—	4	1	6	—	7	8	27	1	24	1	—	—	—	2	5	—	2
Violent Deaths . . .	13	53	38	50	5	78	134	335	17	125	21	10	1	7	10	31	15	19
Small Pox	—	7	10	12	5	87	35	205	32	22	—	7	—	4	14	33	9	16
Measles	—	25	4	2	1	103	36	293	2	13	—	—	—	2	3	13	8	4
Scarlatina	1	34	7	16	7	100	98	181	12	190	4	7	—	2	9	73	55	1
Hooping Cough . . .	1	23	11	12	2	48	19	204	12	134	14	3	1	—	7	8	7	4
Croup	6	11	6	13	2	28	30	114	7	49	1	2	1	—	3	5	4	3
Thrush	—	—	—	—	—	2	2	2	—	4	—	1	—	—	1	—	1	1
Diarrhœa	4	17	11	5	1	58	69	247	7	46	5	6	1	2	6	13	6	6
Dysentery	3	5	7	7	5	29	23	106	1	19	2	1	—	1	3	5	3	4
Cholera	—	3	—	—	—	10	57	12	1	13	—	1	—	—	1	1	—	—
Influenza	1	2	2	28	1	8	20	23	3	4	2	4	—	—	3	6	—	5
Purpura	—	1	—	—	—	—	3	6	—	3	—	1	—	—	—	2	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	1	1	—	3	7	10	—	1	—	—	—	—	1	1	2	2
Infantile Fever . . .	—	5	3	1	—	6	4	12	—	6	—	3	—	—	—	4	1	1
Typhus	6	39	4	18	3	78	114	357	10	85	12	12	6	1	19	19	10	7
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . .	—	—	1	—	1	—	3	6	—	2	—	—	—	—	—	—	—	1
Erysipelas	—	6	3	—	2	11	8	36	—	25	2	2	—	—	3	1	1	—
Syphilis	—	—	1	—	—	2	2	13	1	6	—	—	—	—	—	2	—	—
Noma	—	1	—	—	—	1	1	7	1	—	—	—	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	2	2	1	4	1	4	7	16	—	4	—	2	—	—	1	1	—	3
Dropsy	4	22	5	7	4	45	30	117	5	21	10	10	2	1	15	13	10	—
Abscess	2	2	—	—	—	3	2	7	1	7	—	—	—	—	—	—	—	—
Ulcer	—	1	1	1	—	3	—	4	—	2	1	—	—	—	—	1	—	—
Fistula	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Mortification	—	2	—	5	2	3	8	6	—	5	3	1	1	1	2	1	2	1
Cancer	1	4	1	15	1	11	20	30	1	36	6	8	1	1	7	12	6	2
Gout	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Scrofula	3	3	3	7	3	21	24	65	1	30	—	2	2	—	3	7	3	3
Tabes Mesenterica . .	2	5	4	4	3	12	25	127	—	25	2	1	—	—	14	5	2	1
Phthisis	19	77	81	81	22	301	273	915	23	322	32	23	7	6	37	87	28	43
Hydrocephalus	7	34	26	6	10	85	77	342	12	117	7	8	3	3	12	14	5	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—MALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	231	4	4	—	1	3	2	2	2	3	15	2	11	10	11	—
Apoplexy . . .	581	3	2	4	—	6	9	2	8	7	37	9	54	38	28	3
Paralysis . . .	660	5	7	4	3	18	12	1	7	9	42	6	31	50	44	1
Delirium Tremens . . .	56	—	—	—	—	—	—	—	—	—	4	—	7	3	3	—
Chorea . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	98	—	1	1	—	4	4	—	—	—	5	2	4	3	7	—
Tetanus . . .	43	—	—	—	—	—	—	—	—	—	1	—	3	1	3	—
Insanity . . .	30	—	—	—	—	—	2	—	—	1	1	—	1	4	1	—
Convulsions . . .	393	—	1	2	1	7	3	1	4	11	36	4	32	12	9	—
Brain Disease . . .	389	2	3	1	1	4	4	1	9	13	35	2	19	21	12	—
V. Pericarditis . . .	49	—	—	1	—	—	2	—	1	1	3	—	2	3	—	—
Aneurism . . .	34	—	1	1	—	—	2	—	—	—	5	1	—	1	2	—
Heart Disease . . .	969	1	3	6	3	7	15	3	9	14	59	12	77	54	50	2
VI. Laryngitis . . .	65	—	—	—	1	—	—	—	—	3	5	1	2	2	6	—
Bronchitis . . .	1427	7	3	9	4	19	20	—	16	14	80	9	90	75	74	4
Pleurisy . . .	256	—	1	4	1	4	18	—	—	5	14	—	17	12	13	2
Pneumonia . . .	1205	3	5	9	1	17	18	—	10	10	68	4	74	28	46	4
Asthma . . .	432	3	4	5	5	17	14	—	4	4	18	4	45	25	8	1
Lung Disease . . .	249	6	5	2	—	3	2	—	2	3	18	3	26	16	4	1
VII. Teething . . .	519	1	—	2	—	5	4	—	3	10	29	4	57	14	21	2
Quinsey . . .	31	—	—	—	—	1	—	—	—	4	2	—	2	2	3	—
Gastritis . . .	98	—	—	1	—	—	4	—	—	—	2	1	7	3	5	1
Enteritis . . .	436	2	2	4	—	6	5	1	3	5	9	3	18	10	29	3
Peritonitis . . .	126	1	1	1	—	1	4	—	—	5	10	1	9	4	8	—
Ascites . . .	35	—	—	—	—	—	—	—	3	—	2	—	—	1	1	—
Ulceration of Intestines	85	—	—	2	—	—	—	—	1	1	4	1	2	3	4	—
Hernia . . .	46	—	—	1	—	—	3	—	1	3	5	1	2	3	1	—
Ileus . . .	148	2	—	1	1	4	4	—	3	—	16	2	6	9	9	1
Intussusception . . .	31	—	3	1	1	1	—	—	—	1	2	1	2	1	1	—
Stricture of Intestines	10	—	—	—	—	—	1	—	—	—	1	1	2	1	—	—
Stomach Disease . . .	268	2	4	1	1	5	8	1	6	5	20	1	18	9	16	—
Pancreas Disease . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	65	1	1	3	—	—	1	—	—	—	4	—	6	3	2	1
Jaundice . . .	79	1	1	2	—	2	1	1	1	2	7	1	4	3	4	—
Liver Disease . . .	274	2	3	3	2	4	5	1	2	2	14	3	13	9	8	2
Spleen Disease . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis . . .	21	1	—	1	—	—	—	—	—	—	1	—	—	2	2	—
Nephria . . .	79	—	—	1	—	—	—	—	—	—	4	—	3	4	1	—
Ischuria . . .	34	—	1	—	2	1	—	—	—	1	10	—	1	2	—	—
Diabetes . . .	36	—	1	—	1	—	—	—	2	—	5	1	1	2	1	—
Stone . . .	61	2	3	4	1	1	3	2	1	2	15	—	3	4	1	—
Cystitis . . .	28	—	2	1	—	2	—	—	—	—	1	—	3	1	—	—
Stricture of Urethra . . .	8	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Kidney Disease . . .	218	1	2	5	5	4	5	—	4	10	32	2	16	18	8	—
IX. Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . .	15	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—
Rheumatism . . .	54	—	2	1	—	3	4	—	1	2	3	—	—	4	—	—
Joint and Bone Disease	85	—	—	1	—	3	3	—	—	1	8	2	3	9	2	—
XI. Carbuncle . . .	10	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Phlegmon . . .	3	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Skin Disease . . .	22	—	1	—	—	—	—	—	—	—	2	1	1	—	2	—
XII. Cyanosis . . .	15	—	—	—	—	—	1	—	—	—	—	—	4	—	2	—
Spina Bifida . . .	13	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Other Malformations . . .	61	1	—	—	1	1	—	—	—	—	2	—	5	—	1	—
XVII. Intemperance . . .	37	—	—	—	1	1	—	—	1	—	4	—	—	2	1	—
Privation . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	13	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—
Neglect . . .	4	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—
Cold . . .	20	4	—	1	—	—	1	—	1	—	2	—	1	—	—	—
Poison . . .	23	—	—	—	—	—	—	—	—	—	—	1	2	1	1	—
Burns and Scalds . . .	140	1	—	1	2	—	4	2	—	—	14	—	5	2	11	—
Hanging, etc. . .	34	—	—	—	—	—	—	—	1	—	3	1	3	—	5	1
Suffocation . . .	56	—	—	—	—	—	—	—	—	1	4	1	4	3	1	—
Drowning . . .	374	14	7	18	6	16	10	—	2	11	15	6	18	7	28	—
Fracture and Contusion . . .	513	2	—	3	—	6	3	—	4	4	16	4	27	25	21	—
Wounds . . .	65	1	—	—	—	—	4	—	1	1	5	1	9	1	3	—
Other Violent Causes . . .	130	1	3	1	—	3	3	—	2	4	16	1	4	4	6	—
Not Specified . . .	2846	48	39	74	39	144	179	8	58	70	150	16	271	101	105	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—MALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	3	3	5	2	—	12	16	73	2	23	5	1	—	1	1	6	6	2
Apoplexy	4	13	12	17	3	41	36	118	3	64	9	6	3	5	7	13	11	6
Paralysis	5	18	15	18	4	63	35	106	2	77	10	8	2	—	20	24	6	7
Delirium Tremens . .	—	—	1	—	—	5	4	16	—	10	—	—	1	—	2	—	—	—
Chorea	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—
Epilepsy	—	3	—	2	—	3	4	19	—	23	1	2	—	1	3	2	3	1
Tetanus	—	2	1	3	—	5	8	10	—	3	—	1	—	—	1	—	—	1
Insanity	—	—	1	2	—	2	—	7	—	7	—	1	—	—	—	—	—	—
Convulsions	1	12	8	11	2	12	26	116	4	42	4	4	—	3	16	2	3	4
Brain Disease . . .	2	18	9	3	—	20	15	94	4	66	8	3	—	—	8	10	2	—
Pericarditis	—	—	2	2	—	1	8	10	1	3	1	—	—	—	4	2	1	1
Aneurism	—	2	1	1	—	—	2	3	—	9	—	—	—	—	1	1	—	1
Heart Disease . . .	6	38	11	12	9	57	38	213	8	150	13	6	6	4	20	30	17	16
Laryngitis	—	1	1	—	—	4	5	22	—	5	1	2	1	—	1	2	—	—
Bronchitis	4	25	12	34	8	102	81	440	20	162	19	11	5	7	15	27	22	9
Pleurisy	2	11	2	3	—	9	19	41	4	40	3	5	1	1	5	11	2	6
Pneumonia	8	38	17	32	5	72	87	421	7	113	7	13	3	4	9	34	27	11
Asthma	2	15	4	7	2	27	32	138	5	25	1	4	1	—	5	2	—	5
Lung Disease	—	19	4	3	1	18	9	64	2	23	6	3	—	—	2	3	1	—
Teething	4	17	6	6	1	64	32	177	5	33	3	2	—	—	4	6	3	4
Quinsey	—	1	—	—	—	1	4	6	1	2	—	1	—	—	—	—	—	1
Gastritis	—	2	1	4	—	8	10	29	—	9	1	1	1	—	—	1	4	3
Enteritis	1	9	11	8	6	20	52	155	5	25	4	5	2	1	4	6	19	3
Peritonitis	—	2	1	2	—	3	10	36	—	16	5	—	1	—	1	2	2	—
Ascites	—	4	—	1	—	5	2	9	—	4	—	—	1	—	—	2	—	—
Ulceration of Intestines	1	4	1	1	—	8	5	18	1	18	—	2	2	—	2	2	2	—
Hernia	1	4	—	2	—	2	2	7	—	4	2	1	—	—	—	1	—	—
Ileus	—	2	1	5	1	5	13	23	—	12	3	5	2	—	4	5	3	6
Intussusception . . .	—	1	—	1	—	—	4	2	—	5	1	1	—	—	—	—	2	—
Stricture of Intestines	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—
Stomach Disease . .	1	13	3	13	2	13	15	51	4	30	1	7	1	1	6	6	1	3
Pancreas Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	1	1	5	—	2	4	19	—	3	1	2	—	—	1	1	—	2
Jaundice	—	2	—	4	—	6	3	14	—	10	1	2	—	—	2	—	—	5
Liver Disease	—	8	10	8	—	12	19	77	1	36	4	3	—	1	5	9	6	2
Spleen Disease . . .	—	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Nephritis	—	1	1	—	—	3	3	7	—	1	—	1	—	—	—	1	—	—
Nephria	—	—	2	2	1	4	3	19	1	26	—	—	1	—	1	—	2	—
Ischuria	—	—	1	—	—	1	1	6	—	3	1	—	—	—	—	3	—	—
Diabetes	—	1	1	—	—	1	2	7	—	6	—	1	—	1	1	—	—	1
Stone	—	—	—	8	—	1	3	5	—	2	—	—	—	—	—	—	—	—
Cystitis	—	1	2	2	—	—	2	6	1	2	—	—	1	—	—	—	1	—
Stricture of Urethra .	—	—	—	1	—	—	—	1	—	1	—	—	—	—	1	1	1	—
Kidney Disease . . .	2	7	5	4	6	12	14	12	2	25	4	2	1	1	3	2	2	2
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	4	—	3	—	3	—	—	—	—	—	1	—	1
Rheumatism	1	—	—	4	—	4	5	8	1	2	—	3	—	1	1	1	—	3
Joint Disease	—	2	6	1	—	4	7	9	—	14	1	—	—	—	1	6	2	—
Carbuncle	—	—	—	1	—	1	1	2	—	1	—	—	—	—	1	—	1	—
Phlegmon	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	1	—	1	—	2	3	5	—	1	1	1	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	1	4	1	—	—	—	—	—	—	1	—	1
Spina Bifida	—	2	1	—	—	2	—	3	—	3	—	—	—	—	—	—	—	—
Other Malformations .	—	3	—	—	—	5	6	16	3	14	—	—	—	—	1	2	—	—
Intemperance	—	—	2	—	—	2	4	8	3	6	—	1	—	—	1	—	—	—
Privation	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk .	—	—	—	—	—	—	—	5	2	1	—	1	—	—	—	—	—	—
Neglect	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cold	—	4	—	—	—	1	1	3	—	1	—	—	—	—	—	—	—	—
Poison	—	3	—	1	—	2	3	3	—	3	—	—	—	—	1	2	—	—
Burns and Scalds . .	2	6	4	3	—	12	14	34	—	8	3	1	—	1	—	5	2	3
Hanging, etc.	—	—	1	—	—	—	3	5	2	5	1	1	—	—	—	—	—	2
Suffocation	—	1	2	—	1	4	7	18	—	5	2	—	—	1	1	—	—	—
Drowning	6	14	11	24	1	29	25	70	1	14	3	2	—	2	1	9	3	2
Fracture and Contusion	5	19	10	12	3	24	62	151	5	58	10	3	1	3	5	12	4	10
Wounds	—	2	—	2	—	—	3	15	2	10	—	1	—	—	1	—	2	1
Other Violent Causes .	—	4	8	7	—	4	12	22	2	13	2	—	—	—	—	3	4	1
Not Specified	17	99	30	86	21	204	109	537	36	199	23	10	4	5	11	95	18	37

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	31378	257	243	325	222	737	757	65	338	461	1979	280	2235	1269	1386	85
SPECIFIED CAUSES	28492	187	189	240	166	581	606	56	266	376	1836	248	1904	1192	1288	81
I. Zymotic Class	7065	45	36	62	41	130	106	19	52	101	393	45	536	254	355	9
II. Diseases of Uncer. Seat	1535	10	15	13	11	38	35	2	12	18	113	21	123	78	86	3
III. Tubercular Class	4993	25	21	39	26	99	77	5	41	55	325	33	295	174	148	9
IV. Brain and Nervous Sys.	2122	6	17	15	13	29	31	4	23	41	149	19	137	96	112	7
V. Organs of Circulation	954	1	2	7	—	8	10	1	5	11	70	10	89	49	50	3
VI. Respiratory Organs	3441	20	24	34	20	72	85	3	33	38	211	29	214	146	129	12
VII. Organs of Digestion	2069	15	12	10	6	25	22	5	21	35	139	28	134	89	92	11
VIII. Urinary Organs	194	—	1	1	1	5	3	—	1	3	18	2	9	7	9	—
IX. Organs of Generation	493	4	6	5	2	13	21	1	7	12	29	5	31	14	27	3
X. Organs of Locomotion	136	—	3	1	1	8	6	—	4	1	16	1	9	6	4	1
XI. Skin, etc.	36	—	—	—	—	2	1	—	—	1	3	—	2	1	1	—
XII. Malformation	63	—	—	—	—	1	—	—	2	—	3	1	3	2	2	—
XIII. Premature Debility	932	—	1	1	4	6	18	—	2	8	60	2	76	32	40	5
XIV. Atrophy	293	1	—	1	—	2	9	—	1	—	20	2	10	9	15	—
XV. Age	3549	55	46	48	38	131	173	16	54	38	247	45	196	203	193	15
XVI. Sudden Deaths	114	—	—	1	—	3	3	—	—	2	10	2	5	9	8	—
XVII. Violent Deaths	503	5	5	2	3	9	6	—	8	12	30	3	35	23	17	3
I. Small Pox	628	—	—	—	—	1	1	1	—	1	11	4	116	32	12	—
Measles	596	28	—	13	—	11	16	—	—	—	4	3	5	7	1	—
Scarlatina	1065	3	—	2	1	17	1	—	2	3	59	2	44	40	93	—
Hooping Cough	1091	—	6	18	23	27	14	9	13	30	44	3	97	34	90	1
Croup	400	—	1	3	2	10	6	2	4	2	20	4	42	27	32	1
Thrush	17	1	—	—	—	—	1	—	—	—	—	—	2	—	1	—
Diarrhœa	649	—	2	4	2	4	8	2	6	5	37	4	35	—	25	2
Dysentery	324	2	—	—	1	2	7	1	3	5	17	1	23	17	10	—
Cholera	124	—	1	—	—	1	1	—	1	—	—	—	9	7	—	—
Influenza	420	1	21	7	9	29	17	3	16	36	49	5	18	27	15	—
Purpura	30	—	—	—	—	—	—	—	—	1	2	1	4	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	17	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Infantile Fever	50	—	—	1	—	1	1	—	—	1	6	—	1	7	5	—
Typhus	1243	5	4	12	3	18	27	1	4	13	113	14	110	43	48	5
Metria	169	—	—	1	—	3	—	—	—	1	8	2	6	5	10	—
Rheumatic Fever	28	1	1	—	—	4	—	—	—	1	3	—	1	—	1	—
Erysipelas	161	3	—	1	—	2	6	—	3	2	20	2	18	5	11	—
Syphilis	45	1	—	—	—	—	—	—	—	—	—	—	3	1	1	—
Noma	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
II. Hæmorrhage	74	1	—	—	1	1	1	—	—	1	2	—	4	5	10	—
Dropsy	703	5	9	4	8	24	18	2	6	7	47	6	64	35	36	2
Abscess	41	—	—	2	—	—	—	—	1	—	6	2	2	1	2	—
Ulcer	18	—	—	—	—	—	1	—	—	—	4	1	—	—	1	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	83	—	—	2	—	2	2	—	—	2	13	1	6	5	5	—
Cancer	610	4	6	5	2	11	12	—	5	8	41	10	46	32	31	1
Gout	5	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—
III. Scrofula	169	—	—	—	—	1	2	—	—	5	8	3	16	4	5	—
Tabes Mesenterica	256	1	—	—	—	1	5	—	2	3	17	—	11	4	5	—
Phthisis	3696	21	20	32	26	95	64	4	36	39	233	28	218	143	102	8
Hydrocephalus	872	3	1	7	—	2	6	1	3	8	67	2	50	23	36	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—FEMALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	141	871	496	762	194	2202	2130	7761	288	3125	338	238	78	87	451	820	406	351
SPECIFIED CAUSES . . .	130	757	458	683	180	2018	2014	7279	267	2926	315	230	74	81	433	725	381	325
Zymotic Class . . .	15	195	96	135	32	578	546	1939	90	693	74	41	16	19	58	212	93	49
Uncertain Seat . . .	3	39	21	35	10	100	115	277	14	171	25	19	1	4	24	40	28	31
Tubercular Class . . .	27	107	108	102	33	392	451	1515	37	501	38	23	9	18	67	89	48	56
Brain, etc.	14	46	31	52	11	138	132	457	11	286	38	31	11	10	58	63	22	12
Heart, etc.	3	27	15	19	10	59	53	211	9	133	23	10	3	5	16	24	9	9
Respiratory Organs . . .	21	99	49	70	22	204	184	1010	32	413	37	25	7	13	40	62	46	37
Digestive Organs . . .	10	78	38	37	7	178	129	571	22	173	20	21	6	3	41	43	28	20
Urinary Organs . . .	2	6	—	9	—	5	9	31	5	42	1	—	1	—	7	6	4	6
Generative Organs . . .	—	8	10	13	5	27	26	128	3	50	2	6	2	—	9	9	4	11
Locomotive Organs . . .	1	3	1	1	1	8	7	26	—	12	2	2	2	1	1	4	2	1
Skin	—	1	—	—	—	2	2	9	—	5	—	2	—	—	1	2	—	1
Malformation	—	2	1	1	—	3	11	12	2	11	3	—	—	—	2	1	—	—
Premature Debility . . .	5	25	11	13	3	64	60	317	7	84	11	4	4	4	23	19	12	11
Atrophy	2	3	7	6	1	36	21	95	1	25	2	1	—	—	15	4	2	2
Age	22	97	53	179	39	191	233	526	24	256	36	35	12	4	58	138	75	73
Sudden Deaths	1	1	3	2	—	7	8	21	3	16	—	2	—	—	1	—	3	3
Violent Deaths	4	20	14	9	6	26	27	134	7	55	3	8	—	—	12	9	5	3
Small Pox	—	9	10	8	10	64	25	199	36	20	—	3	—	5	9	34	5	12
Measles	—	13	3	2	1	75	45	327	1	11	—	—	—	3	2	14	7	4
Scarlatina	1	43	12	11	2	107	118	173	8	179	1	8	—	—	3	76	55	1
Hooping Cough	1	32	15	19	6	51	40	271	19	173	24	1	5	1	7	9	5	3
Croup	1	13	7	8	—	53	22	107	2	31	5	5	—	1	2	2	4	1
Thrush	—	—	2	—	—	1	3	3	—	1	—	—	—	1	—	1	—	—
Diarrhœa	3	18	8	11	1	59	63	222	3	61	10	2	1	—	5	22	6	1
Dysentery	2	9	4	3	3	41	21	127	2	22	1	2	—	—	—	5	—	3
Cholera	—	3	1	1	—	2	54	20	—	23	2	—	2	—	1	1	1	—
Influenza	1	7	6	42	1	11	18	31	5	13	4	4	2	1	4	11	2	4
Purpura	—	—	1	—	—	1	3	12	—	1	—	—	—	—	—	2	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	2	—	2	—	3	1	6	—	—	—	—	—	—	—	—	—	1
Infantile Fever	—	2	—	—	1	3	5	6	3	2	4	—	—	—	—	1	—	—
Typhus	4	30	19	24	3	96	97	319	10	110	18	13	5	7	21	27	5	15
Metria	1	9	4	—	1	16	15	56	—	19	2	1	—	—	2	6	1	—
Rheumatic Fever	1	1	—	1	—	4	2	4	—	2	—	—	—	—	1	—	—	—
Erysipelas	—	4	3	2	2	8	12	30	1	16	3	2	1	—	1	1	1	1
Syphilis	—	—	1	1	1	3	2	19	—	9	—	—	—	—	—	—	1	2
Noma	—	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	3	1	2	—	3	5	21	1	3	1	1	—	—	1	4	—	1
Dropsy	2	16	12	14	3	59	51	143	2	53	13	11	—	1	10	12	12	16
Abscess	—	1	—	—	—	4	1	12	1	4	—	—	—	—	—	1	—	1
Ulcer	—	1	—	—	—	3	—	4	1	2	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Mortification	—	2	1	5	—	2	7	12	—	9	—	—	—	—	2	1	3	1
Cancer	—	16	7	14	7	29	51	85	9	99	11	7	1	3	11	22	13	11
Gout	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Scrofula	—	3	3	5	5	12	19	46	2	12	1	1	1	1	2	7	2	3
Tabes Mesenterica . . .	—	4	5	1	—	18	30	89	2	39	5	—	2	—	5	3	2	2
Phthisis	22	76	79	88	21	288	334	1072	23	360	24	15	3	14	53	68	37	50
Hydrocephalus	5	24	21	8	7	74	68	308	10	90	8	7	3	3	7	11	7	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—FEMALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	158	1	2	-	3	1	5	1	1	2	11	-	4	5	8	2
Apoplexy	460	-	3	2	1	4	5	1	4	6	30	1	36	26	30	1
Paralysis	725	3	7	4	3	16	11	1	9	15	34	9	54	40	47	1
Delirium Tremens	15	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-
Chorea	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Epilepsy	98	-	1	-	2	2	3	-	-	2	16	1	6	6	4	1
Tetanus	19	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1
Insanity	28	-	-	2	-	-	-	-	-	-	-	-	4	1	1	1
Convulsions	296	1	1	3	2	1	4	-	6	5	37	3	18	7	10	-
Brain Disease	318	1	3	4	1	5	3	1	3	11	20	5	11	9	10	-
V. Pericarditis	35	-	-	2	-	-	1	-	-	1	-	1	2	-	1	-
Aneurism	11	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
Heart Disease	908	1	2	5	-	8	9	1	4	10	68	9	87	49	49	3
VI. Laryngitis	36	-	-	-	-	-	1	-	-	-	3	-	1	2	6	1
Bronchitis	1609	9	10	12	9	19	36	2	15	13	115	19	101	71	60	5
Pleurisy	195	-	1	-	-	3	13	-	1	1	11	3	13	15	13	1
Pneumonia	889	7	1	7	-	10	9	-	9	9	45	3	42	37	29	2
Asthma	503	2	6	12	11	38	19	1	3	6	20	4	48	17	8	1
Lung Disease	209	2	6	3	-	2	7	-	5	9	17	-	9	4	13	2
VII. Teething	495	1	-	-	-	2	1	-	5	6	22	2	58	11	9	1
Quinsey	26	2	-	1	-	2	-	-	-	-	1	-	-	-	3	-
Gastritis	64	1	2	-	-	3	1	-	1	-	3	1	2	3	3	1
Enteritis	421	1	1	4	1	3	2	1	6	4	20	5	19	10	23	2
Peritonitis	137	2	1	-	2	2	1	-	1	3	12	4	6	10	8	4
Ascites	57	-	2	-	-	-	2	-	-	-	1	-	5	3	3	1
Ulceration of Intestines	65	-	-	-	-	-	-	-	1	1	8	2	1	4	6	-
Hernia	40	-	-	-	1	-	-	-	1	2	-	2	2	3	3	-
Ileus	136	1	-	1	-	2	3	-	4	6	22	2	7	11	6	1
Intussusception	11	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Stricture of Intestines	8	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-
Stomach Disease	220	3	4	1	-	6	7	4	2	6	27	5	12	9	5	-
Pancreas Disease	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	58	3	-	1	-	2	-	-	-	2	2	-	3	3	3	-
Jaundice	92	-	-	1	-	2	2	-	-	4	10	4	4	7	8	-
Liver Disease	233	1	2	1	2	1	3	-	-	1	8	1	10	15	12	1
Spleen Disease	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
VIII. Nephritis	12	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Nephria	59	-	1	1	-	-	-	-	-	-	1	1	1	2	4	-
Ischuria	7	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
Diabetes	24	-	-	-	-	-	-	-	-	-	4	-	3	-	-	-
Stone	8	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Cystitis	8	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	76	-	-	-	1	4	1	-	1	1	9	1	4	3	5	-
IX. Paramenia	13	-	-	-	-	1	-	-	-	1	1	1	-	-	2	-
Ovarian Dropsy	48	1	1	-	1	1	1	-	1	2	2	-	3	1	3	1
Childbirth	341	3	5	1	1	10	17	1	5	7	21	1	19	8	17	2
Uterine Disease	91	-	-	4	-	1	3	-	1	2	5	3	9	5	5	-
X. Arthritis	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Rheumatism	70	-	-	-	1	5	3	-	3	1	6	-	1	6	3	1
Joint and Bone Disease	60	-	3	1	-	3	2	-	1	-	10	1	8	-	1	-
XI. Carbuncle	10	-	-	-	-	-	1	-	-	1	-	-	2	1	1	-
Phlegmon	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Skin Disease	23	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
XII. Cyanosis	12	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
Spina Bifida	14	-	-	-	-	-	-	-	1	-	2	-	-	2	1	-
Other Malformations	37	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-
XVII. Intemperance	20	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
Privation	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Want of Breast Milk	16	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-
Neglect	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	10	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
Poison	22	-	-	-	-	2	-	-	-	-	2	-	1	-	1	1
Burns and Scalds	171	3	2	2	-	2	5	-	5	7	11	1	12	5	7	1
Hanging, etc.	8	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Suffocation	28	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-
Drowning	66	-	-	-	2	-	-	-	1	1	3	-	4	9	1	-
Fracture and Contusion	104	-	2	-	1	3	-	-	-	2	3	1	5	5	6	1
Wounds	13	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
Other Violent Causes	37	2	1	-	-	2	1	-	1	1	6	-	3	-	-	-
Not Specified	2886	70	54	85	56	156	151	9	72	85	143	32	331	77	98	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1855.—FEMALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis . . .	1	1	1	1	2	7	7	52	—	25	2	2	—	1	2	7	1	—
Apoplexy . . .	3	12	4	10	2	36	32	91	2	62	11	4	3	4	17	8	6	3
Paralysis . . .	1	10	14	24	6	53	42	128	3	81	16	21	4	3	23	26	10	6
Delirium Tremens . . .	—	1	1	—	—	1	2	—	—	3	—	—	—	—	—	—	—	1
Chorea . . .	—	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—
Epilepsy . . .	2	—	2	1	—	1	2	20	1	12	2	—	2	1	2	5	—	1
Tetanus . . .	—	—	—	4	—	3	2	4	—	1	—	1	—	—	—	—	—	—
Insanity . . .	—	2	1	2	—	2	1	3	—	5	—	—	—	—	—	3	—	—
Convulsions . . .	—	6	—	6	1	15	24	83	5	35	3	1	1	1	9	5	2	1
Brain Disease . . .	7	14	8	4	—	19	19	75	—	61	4	2	1	—	5	9	3	—
Pericarditis . . .	—	—	2	1	1	2	—	11	1	4	2	—	—	—	—	1	1	1
Aneurism . . .	—	—	—	1	—	1	—	1	—	4	—	—	—	—	—	1	—	—
Heart Disease . . .	3	27	18	17	9	56	53	199	8	125	21	10	3	5	16	22	8	8
Laryngitis . . .	—	5	1	1	—	2	1	9	—	3	—	—	—	—	—	—	—	—
Bronchitis . . .	16	29	18	28	13	97	88	467	22	207	20	11	3	8	11	29	26	20
Pleurisy . . .	—	9	5	2	—	6	14	27	—	33	4	2	1	1	7	5	—	4
Pneumonia . . .	3	33	16	13	4	54	50	309	6	110	10	6	3	4	17	19	13	9
Asthma . . .	2	15	6	23	3	36	19	141	4	36	2	3	—	—	3	5	5	4
Lung Disease . . .	—	8	3	3	2	9	12	57	—	24	1	3	—	—	2	4	2	—
Teething . . .	1	12	9	5	2	69	31	196	6	34	1	—	—	—	5	5	—	5
Quinsey . . .	—	—	—	—	1	4	1	6	—	4	—	1	—	—	—	—	—	—
Gastritis . . .	1	3	1	1	—	5	5	14	—	5	—	—	—	—	1	4	1	2
Enteritis . . .	—	13	8	5	1	41	36	142	2	30	4	3	1	—	4	13	13	3
Peritonitis . . .	1	2	—	2	—	8	5	28	—	15	3	1	1	2	6	4	3	—
Ascites . . .	—	4	2	4	—	—	5	14	1	5	1	1	—	—	2	1	—	—
Ulceration of Intestines . . .	—	5	—	2	—	3	2	13	—	11	1	4	—	—	—	—	—	1
Hernia . . .	1	2	—	2	—	3	2	13	—	1	—	—	—	—	—	4	—	—
Ileus . . .	1	3	2	2	—	4	5	20	2	13	1	5	1	—	4	3	1	1
Intussusception . . .	—	—	1	—	—	1	3	1	—	3	—	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
Stomach Disease . . .	2	14	2	7	—	12	11	37	2	18	2	4	2	—	7	2	3	4
Pancreas Disease . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	—	—	4	1	—	6	3	14	1	4	—	1	1	—	1	1	1	1
Jaundice . . .	—	6	4	2	1	3	3	17	1	8	—	—	—	—	2	1	1	1
Liver Disease . . .	3	14	5	4	2	18	14	56	6	24	7	1	—	1	9	5	4	2
Spleen Disease . . .	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—
Nephritis . . .	—	—	—	—	—	2	—	3	—	3	—	—	—	—	—	1	1	—
Nephria . . .	1	—	—	3	—	1	—	14	2	23	—	—	1	—	—	1	—	2
Ischuria . . .	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Diabetes . . .	—	2	—	1	—	1	1	4	—	—	—	—	—	—	3	1	1	3
Stone . . .	—	—	—	—	—	—	1	—	—	1	—	—	—	—	2	1	—	1
Cystitis . . .	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	1	3	—	5	—	1	6	7	3	14	1	—	—	—	1	2	2	—
Paramania . . .	—	—	—	—	—	—	2	5	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	1	—	2	6	3	7	—	6	—	1	—	—	1	1	1	1
Childbirth . . .	—	8	9	10	2	19	17	96	2	28	1	4	2	—	8	8	2	7
Uterine Disease . . .	—	—	—	3	1	2	4	20	1	16	1	1	—	—	—	—	1	3
Arthritis . . .	—	—	—	—	—	—	1	3	—	1	—	—	—	—	—	—	—	—
Rheumatism . . .	—	2	—	1	—	6	3	15	—	4	—	1	2	1	1	2	1	—
Joint Disease . . .	1	1	1	—	1	2	3	8	—	7	2	1	—	—	—	2	1	1
Carbuncle . . .	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Skin Disease . . .	—	1	—	—	—	1	2	7	—	3	—	1	—	—	1	2	—	1
Cyanosis . . .	—	—	—	—	—	—	3	—	—	2	3	—	—	—	1	—	—	—
Spina Bifida . . .	—	1	—	—	—	1	1	3	—	1	—	—	—	—	1	—	—	—
Other Malformations . . .	—	1	1	1	—	2	7	9	1	9	—	—	—	—	—	1	—	—
Intemperance . . .	—	—	2	—	—	—	3	6	3	1	1	—	—	—	1	—	—	—
Privation . . .	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
Want of Breast Milk . . .	—	—	1	—	—	—	2	6	—	2	—	1	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	1	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—
Poison . . .	1	2	2	—	—	3	2	4	—	—	—	1	—	—	—	—	—	—
Burns and Scalds . . .	1	5	3	5	2	5	5	53	4	13	2	3	—	—	2	4	—	1
Hanging, etc. . .	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	—	—
Suffocation . . .	—	—	1	1	—	2	3	9	—	3	—	—	—	—	3	—	1	—
Drowning . . .	—	4	4	1	1	5	3	19	—	2	—	—	—	—	2	2	2	—
Fracture and Contusion . . .	1	4	—	1	—	10	6	23	—	22	—	1	—	—	4	1	1	1
Wounds . . .	1	—	—	1	1	—	1	—	—	3	—	—	—	—	—	—	1	1
Other Violent Causes . . .	—	5	—	—	2	1	—	6	—	5	—	1	—	—	—	—	—	—
Not Specified . . .	11	114	38	79	14	184	116	482	21	199	23	8	4	6	18	95	25	26

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	10655	671	442	4254	2151	1664	1320	1355	663	628
SPECIFIED CAUSES	9936	607	428	4017	1702	1623	1220	1211	559	571
I. Zymotic Class	2601	142	119	952	463	347	294	391	121	124
II. Diseases of Uncertain Seat	273	20	17	167	99	81	56	52	22	20
III. Tubercular Class	2055	147	96	722	281	393	273	222	101	112
IV. Brain and Nervous System	674	51	41	419	119	163	92	95	59	65
V. Organs of Circulation	310	16	15	217	72	63	29	27	27	24
VI. Respiratory Organs	1624	60	47	575	216	179	136	118	81	64
VII. Organs of Digestion	799	43	31	266	135	94	113	108	30	43
VIII. Urinary Organs	70	2	1	79	9	26	10	3	12	5
IX. Organs of Generation	78	4	2	33	12	4	6	9	6	5
X. Organs of Locomotion	23	3	1	20	3	7	7	3	4	4
XI. Skin, etc.	12	—	1	4	2	3	1	2	3	—
XII. Malformation	19	—	1	16	5	—	4	3	4	—
XIII. Premature Debility	463	21	18	125	108	63	33	52	24	26
XIV. Atrophy	109	12	8	40	9	22	29	22	6	—
XV. Age	512	64	13	250	118	128	120	65	26	50
XVI. Sudden Deaths	36	1	2	31	3	6	5	6	3	5
XVII. Violent Deaths	278	21	15	101	48	44	12	33	30	24
I. Small Pox	203	15	17	28	116	10	1	116	10	25
Measles	522	29	14	23	7	1	68	56	1	—
Scarlatina	205	8	14	300	8	88	45	73	20	4
Hooping Cough	376	7	5	224	127	24	29	22	44	13
Croup	145	3	7	60	57	10	22	15	8	24
Thrush	4	—	—	5	1	—	—	—	—	—
Diarrhœa	339	14	15	68	37	34	39	29	9	23
Dysentery	155	15	14	26	14	6	13	25	6	5
Cholera	21	2	—	7	10	—	6	2	1	—
Influenza	20	—	3	8	6	16	4	3	3	7
Purpura	8	—	2	3	—	—	—	1	—	1
Ague	—	—	—	—	—	—	—	—	—	—
Worms	10	1	1	1	2	—	6	—	—	—
Infantile Fever	12	2	—	2	3	2	5	2	3	3
Typhus	460	34	20	136	58	128	45	35	12	17
Metria	36	3	4	10	5	5	5	4	3	—
Rheumatic Fever	5	2	—	3	1	2	1	—	—	—
Erysipelas	46	1	3	36	10	18	5	4	—	2
Syphilis	21	6	—	12	1	3	—	4	1	—
Noma	13	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	21	1	2	3	4	2	4	2	2	—
Dropsy	159	10	7	53	62	42	30	36	3	7
Abscess	12	1	—	5	1	5	4	1	2	2
Ulcer	3	1	—	4	4	2	4	1	—	—
Fistula	1	—	—	—	1	—	—	—	—	—
Mortification	13	1	—	11	6	7	1	1	1	4
Cancer	64	6	8	90	20	22	13	10	14	7
Gout	—	—	—	1	1	1	—	1	—	—
III. Scrofula	66	13	4	26	7	19	8	10	4	10
Tabes Mesenterica	126	21	12	35	8	16	9	4	6	7
Phthisis	1417	89	52	524	210	242	209	167	61	73
Hydrocephalus	446	24	28	137	56	116	47	41	30	22

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	303	331	221	477	277	195	331	576	559	267	323	378	377
SPECIFIED CAUSES . . .	286	310	217	466	263	175	226	540	554	230	310	343	300
Zymotic Class . . .	54	73	48	189	76	38	57	143	121	33	99	98	118
Uncertain Seat . . .	12	21	6	17	10	10	12	30	28	13	16	10	10
Tubercular Class . . .	38	48	43	49	37	21	28	94	152	59	49	64	33
Brain, etc.	21	27	16	44	31	9	19	36	40	26	28	13	15
Heart, etc.	9	17	13	21	10	7	17	18	11	14	1	5	12
Respiratory Organs . . .	38	47	29	40	32	19	18	74	53	26	33	37	30
Digestive Organs . . .	14	22	16	25	14	21	20	36	43	18	32	26	10
Urinary Organs	6	4	4	7	2	2	1	1	4	3	3	—	3
Generative Organs . . .	10	2	2	2	2	2	2	3	2	2	3	2	1
Locomotive Organs . . .	3	2	—	2	—	1	1	1	4	1	1	4	2
Skin	—	—	—	—	—	—	—	1	—	—	—	—	—
Malformation	—	1	1	1	2	—	1	—	3	—	—	3	—
Premature Debility . . .	13	11	5	10	11	13	4	19	13	6	15	30	13
Atrophy	4	6	—	6	2	3	1	12	2	—	4	6	3
Age	45	16	28	40	25	25	34	48	55	20	15	12	41
Sudden Deaths	4	—	—	4	2	3	1	—	2	—	—	3	3
Violent Deaths	10	13	6	9	7	1	10	24	21	9	11	30	6
Small Pox	—	1	4	71	—	1	—	27	4	2	25	31	28
Measles	7	—	—	—	—	—	2	36	4	3	2	1	10
Scarlatina	—	11	5	48	12	15	18	6	27	1	3	16	56
Whooping Cough	7	2	7	1	39	—	5	9	16	3	17	16	—
Croup	4	3	7	8	1	1	2	12	2	4	6	3	1
Thrush	1	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhœa	5	7	7	11	7	5	9	20	18	8	22	13	11
Dysentery	3	2	1	6	1	2	3	8	10	—	2	4	2
Cholera	1	2	1	—	—	—	1	1	—	—	2	—	—
Influenza	4	9	—	—	2	—	2	2	3	1	—	1	1
Purpura	—	—	—	—	—	—	1	1	1	—	—	1	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	1	—	2	—	1	—	—
Infantile Fever	1	—	—	—	—	1	—	—	3	1	—	1	—
Typhus	13	32	11	42	11	9	12	17	24	8	16	7	7
Metria	—	1	—	—	—	3	—	1	3	2	3	—	1
Rheumatic Fever	1	—	—	—	—	—	1	—	—	—	—	—	—
Erysipelas	6	2	3	1	3	1	—	2	4	—	—	2	—
Syphilis	—	1	2	1	—	—	—	—	—	—	—	1	—
Noma	1	—	—	—	—	—	—	—	—	—	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	2	2	5	1	—	2	1	2	2	—	—
Dropsy	5	12	—	5	2	6	8	16	11	5	12	5	7
Abscess	—	1	—	—	—	—	1	—	—	1	—	2	—
Ulcer	—	1	—	—	—	—	—	—	—	—	2	—	1
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	2	—	1	—	—	—	3	1	—	—	—	—
Cancer	4	4	4	8	3	3	3	8	15	5	—	3	2
Gout	—	—	—	1	—	—	—	1	—	—	—	—	—
Scrofula	—	5	2	4	1	—	—	3	6	1	5	3	1
Tabes Mesenterica	—	2	2	—	4	1	1	4	4	4	4	4	5
Phthisis	31	34	30	32	22	18	23	70	111	39	32	36	23
Hydrocephalus	7	7	9	13	10	2	4	17	31	15	8	21	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—BOTH SEXES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	77	5	6	29	5	10	5	3	10	2
Apoplexy	143	7	9	93	30	33	24	18	7	23
Paralysis	137	19	10	106	36	32	38	38	10	24
Delirium Tremens	13	—	—	9	1	3	—	4	1	1
Chorea	2	—	—	—	1	—	1	—	1	—
Epilepsy	22	2	1	19	2	8	2	1	7	2
Tetanus	8	—	—	2	—	—	3	2	—	—
Insanity	3	4	1	10	1	1	—	4	—	2
Convulsions	147	6	5	53	33	52	5	13	9	5
Brain Disease	122	8	9	98	10	24	14	12	14	6
V. Pericarditis	14	—	1	4	—	—	—	2	—	3
Aneurism	4	—	—	10	—	4	1	—	2	—
Heart Disease	292	16	14	203	72	59	28	25	25	21
VI. Laryngitis	21	2	1	6	2	2	2	1	—	1
Bronchitis	694	26	19	272	74	90	64	54	39	38
Pleurisy	40	3	3	54	5	12	3	6	6	5
Pneumonia	565	24	17	167	57	48	29	45	29	13
Asthma	217	4	5	42	62	13	29	9	1	6
Lung Disease	87	1	2	34	16	14	9	3	6	1
VII. Teething	294	12	8	50	69	28	48	48	4	15
Quinsey	5	—	1	6	2	3	1	—	—	1
Gastritis	28	1	1	8	5	—	6	3	1	—
Enteritis	196	11	3	40	11	10	24	19	6	3
Peritonitis	37	2	6	27	8	7	3	5	1	2
Ascites	15	1	1	7	3	1	3	1	—	—
Ulceration of Intestines	20	—	1	17	—	4	2	1	2	—
Hernia	15	1	1	4	2	—	—	1	—	1
Ileus	25	—	—	15	7	11	3	2	3	8
Intussusception	3	—	—	3	—	—	—	—	2	—
Stricture of Intestines	2	—	—	1	1	2	—	—	—	—
Stomach Disease	44	3	5	31	11	13	5	13	5	4
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	21	2	—	1	1	1	5	2	1	2
Jaundice	20	2	—	13	5	6	2	5	1	1
Liver Disease	72	8	4	42	10	8	11	7	4	6
Spleen Disease	2	—	—	1	—	—	—	1	—	—
VIII. Nephritis	6	2	1	3	—	—	2	1	—	2
Nephria	27	—	—	38	1	1	3	—	6	—
Ischuria	6	—	—	1	—	1	1	—	1	—
Diabetes	9	—	—	3	1	2	—	—	—	—
Stone	3	—	—	2	1	3	1	—	—	—
Cystitis	6	—	—	1	2	1	—	—	1	—
Stricture of Urethra	1	—	—	—	—	—	—	—	1	—
Kidney Disease	12	—	—	31	4	18	3	2	3	3
IX. Paramenia	2	2	—	—	—	1	—	—	—	—
Ovarian Dropsy	4	1	—	5	—	—	3	—	—	—
Childbirth	56	1	2	16	8	2	3	8	5	4
Uterine Disease	16	—	—	12	4	1	—	1	1	1
X. Arthritis	5	—	—	3	—	—	—	1	—	—
Rheumatism	9	2	1	2	1	2	3	2	—	3
Joint and Bone Disease	9	1	—	15	2	5	4	—	4	1
XI. Carbuncle	4	—	—	1	2	—	1	—	1	—
Phlegmon	—	—	—	1	—	1	—	—	—	—
Skin Disease	8	—	1	2	—	2	—	2	2	—
XII. Cyanosis	1	—	—	2	1	—	—	—	—	—
Spina Bifida	3	—	1	1	—	—	1	—	—	—
Other Malformations	15	—	—	13	4	—	3	3	4	—
XVII. Intemperance	11	—	—	4	1	—	—	1	2	2
Privation	1	—	—	1	—	—	—	—	—	—
Want of Breast Milk	9	—	—	1	1	1	—	—	1	—
Neglect	3	—	—	1	1	—	—	—	—	—
Cold	5	—	—	—	1	—	—	—	1	—
Poison	5	—	1	2	—	1	2	1	—	—
Burns and Scalds	53	5	2	7	9	6	1	7	4	2
Hanging, etc.	3	—	—	4	—	4	—	—	—	—
Suffocation	14	3	—	4	5	3	—	3	2	1
Drowning	64	5	6	5	7	8	6	10	8	5
Fracture and Contusion	83	5	3	49	15	4	3	8	11	12
Wounds	12	—	1	8	4	1	—	—	1	1
Other Violent Causes	15	3	2	15	4	16	—	3	—	1
Not Specified	719	64	14	237	449	41	100	144	104	57

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—BOTH SEXES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	2	—	4	4	—	—	2	8	2	3	1	1
Apoplexy	6	7	9	13	5	3	2	10	8	6	3	3	3
Paralysis	5	5	3	10	14	2	8	10	10	12	2	4	2
Delirium Tremens	—	—	2	3	2	—	—	1	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	1	—	—	—	—	1
Epilepsy	3	—	2	1	—	1	—	1	—	—	4	2	—
Tetanus	—	2	—	—	2	—	—	—	1	—	3	—	—
Insanity	—	—	—	4	1	—	1	—	—	—	—	—	1
Convulsions	4	10	—	1	2	3	2	10	10	5	10	1	1
Brain Disease	1	1	—	8	1	—	6	1	3	1	3	2	6
Pericarditis	1	—	1	1	—	—	—	2	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	1	1	—	—	—	1
Heart Disease	8	17	12	20	10	7	17	15	10	14	1	5	11
Laryngitis	1	—	—	—	—	1	2	—	2	—	—	—	—
Bronchitis	19	27	12	20	19	10	9	24	23	7	4	15	10
Pleurisy	4	4	—	5	—	—	2	1	2	3	—	2	4
Pneumonia	6	7	9	9	11	4	4	32	22	9	18	10	15
Asthma	7	7	7	3	1	2	1	9	3	3	4	8	—
Lung Disease	1	2	1	3	1	2	—	8	1	4	7	2	1
Teething	5	10	3	7	1	3	4	14	9	3	12	7	1
Quinsey	—	—	—	—	1	—	—	—	1	—	1	—	—
Gastritis	1	—	1	—	—	—	—	1	2	—	2	3	2
Enteritis	—	3	2	3	6	9	—	4	18	2	7	3	1
Peritonitis	1	1	—	4	1	4	1	1	3	—	—	—	2
Ascites	2	1	—	—	—	—	3	—	—	—	—	—	1
Ulceration of Intestines	—	—	2	—	2	1	—	1	—	1	—	1	—
Hernia	1	—	—	1	—	1	—	—	1	—	—	—	—
Ileus	2	—	1	2	1	1	1	4	2	3	—	—	1
Intussusception	—	1	1	1	—	—	—	—	1	—	—	—	—
Stricture of Intestines	1	—	1	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	4	2	4	—	—	8	4	2	6	5	5	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	2	—	1	1	—	—	—	—	—	—	2	1
Jaundice	1	—	—	—	1	—	—	—	—	—	1	—	—
Liver Disease	1	—	3	2	—	2	3	7	3	3	4	5	1
Spleen Disease	—	—	—	—	—	—	—	—	1	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	1	—	—	—
Nephria	—	1	—	2	1	—	—	—	—	—	—	—	2
Ischuria	—	—	—	1	—	—	—	—	—	—	1	—	—
Diabetes	—	1	1	—	—	—	—	—	—	—	—	—	—
Stone	4	—	1	—	—	1	—	—	1	1	—	—	—
Cystitis	—	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease	2	2	2	3	1	1	1	1	3	1	2	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	1	—	—	—	—	—	—	1	—	—	—
Childbirth	7	2	1	—	2	2	2	3	2	1	3	2	1
Uterine Disease	3	—	—	2	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	1	—	1	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	1	—	2	—
Joint Disease	2	2	—	2	—	1	1	1	3	—	—	2	2
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	1	—	—	—	—	—
Cyanosis	—	—	1	1	1	—	—	—	2	—	—	—	—
Spina Bifida	—	—	—	—	1	—	1	—	—	—	—	—	—
Other Malformations	—	1	—	—	—	—	—	—	1	—	—	3	—
Intemperance	—	—	—	1	—	—	—	2	—	—	1	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	1
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	1	—	—	—	—
Cold	—	1	—	—	—	—	1	—	—	—	—	1	—
Poison	—	—	1	—	—	—	—	—	2	1	—	—	1
Burns and Scalds	3	2	—	—	—	—	—	—	2	—	2	5	1
Hanging, etc.	—	1	—	—	1	—	—	—	2	—	—	—	—
Suffocation	—	1	—	—	—	—	—	2	2	—	1	1	—
Drowning	3	3	2	1	—	—	2	9	4	1	—	5	1
Fracture and Contusion	—	5	2	3	2	1	6	9	8	7	3	18	1
Wounds	1	—	1	4	1	—	—	—	—	—	1	—	—
Other Violent Causes	3	—	—	—	3	—	1	2	—	—	3	—	1
Not Specified	17	21	4	11	14	20	105	36	5	37	13	35	77

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5246	348	232	2041	1054	812	671	704	327	324
SPECIFIED CAUSES	4876	313	223	1926	853	784	616	623	276	294
I. Zymotic Class	1283	62	60	451	222	160	160	200	50	65
II. Diseases of Uncertain Seat	100	8	3	45	35	31	23	23	10	6
III. Tubercular Class	977	82	47	359	142	212	143	120	43	66
IV. Brain and Nervous System	365	29	23	216	66	88	48	53	38	36
V. Organs of Circulation	162	9	7	119	33	27	17	15	18	9
VI. Respiratory Organs	831	32	28	269	123	81	78	61	39	34
VII. Organs of Digestion	401	25	21	146	70	37	50	52	12	19
VIII. Urinary Organs	44	2	1	48	5	20	8	3	5	4
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	9	2	—	11	—	4	4	2	4	2
XI. Skin, etc.	5	—	—	—	—	2	1	1	2	—
XII. Malformation	12	—	1	10	3	—	2	2	3	—
XIII. Premature Debility	240	15	10	75	69	36	19	28	10	9
XIV. Atrophy	44	4	6	17	6	8	15	10	6	—
XV. Age	188	25	5	71	40	41	39	21	13	23
XVI. Sudden Deaths	22	—	1	20	3	4	3	2	2	5
XVII. Violent Deaths	193	18	10	69	36	33	6	30	21	16
I. Small Pox	101	7	9	17	64	7	1	67	2	9
Measles	250	9	8	13	2	1	43	33	—	—
Scarlatina	107	4	4	158	4	39	19	36	8	3
Hooping Cough	166	5	2	95	58	9	18	8	20	4
Croup	79	3	6	41	32	7	8	9	2	12
Thrush	1	—	—	4	—	—	—	—	—	—
Diarrhœa	179	7	10	30	20	15	22	13	2	15
Dysentery	73	6	5	7	4	—	5	13	4	3
Cholera	8	1	—	1	4	—	6	—	1	—
Influenza	7	—	1	1	2	6	3	1	—	5
Purpura	3	—	1	2	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—
Worms	7	1	1	1	—	—	3	—	—	—
Infantile Fever	8	1	—	1	3	2	4	1	2	1
Typhus	252	14	11	51	24	64	25	14	9	11
Metria	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	4	1	—	2	1	—	—	—	—	—
Erysipelas	23	1	2	21	4	7	3	3	—	2
Syphilis	9	2	—	6	—	3	—	2	—	—
Noma	6	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	9	—	—	1	2	2	2	1	1	—
Dropsy	66	5	1	16	19	16	13	15	1	1
Abscess	4	—	—	2	1	3	2	1	2	1
Ulcer	2	1	—	2	4	—	3	—	—	—
Fistula	1	—	—	—	1	—	—	—	—	—
Mortification	4	—	—	4	3	1	—	1	1	2
Cancer	14	2	2	20	5	8	3	4	5	2
Gout	—	—	—	—	—	1	—	1	—	—
III. Scrofula	36	7	1	18	2	17	5	7	3	9
Tabes Mesenterica	75	15	4	12	5	6	3	1	1	4
Phthisis	640	46	26	250	104	123	109	88	21	41
Hydrocephalus	226	14	16	79	31	66	26	24	18	12

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	152	146	106	236	132	90	167	289	268	130	157	209	192
SPECIFIED CAUSES . . .	142	141	102	230	122	84	118	274	265	111	153	187	154
Zymotic Class . . .	30	43	23	97	35	18	24	76	54	18	45	41	59
Uncertain Seat . . .	4	7	2	8	5	5	8	13	7	2	4	6	4
Tubercular Class . . .	16	20	16	26	19	8	16	50	71	24	24	37	20
Brain, etc.	14	16	8	21	17	5	10	18	23	17	17	7	8
Heart, etc.	6	6	3	14	3	5	10	9	4	6	1	4	4
Respiratory Organs . . .	16	20	13	19	15	11	11	35	29	13	21	17	16
Digestive Organs . . .	14	9	10	9	6	7	10	19	26	8	17	14	2
Urinary Organs . . .	5	4	3	5	—	2	1	1	3	3	1	—	2
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	2	1	—	—	—	1	—	1	2	—	—	2	2
Skin	—	—	—	—	—	—	—	1	—	—	—	—	—
Malformation	—	—	1	1	1	—	1	—	—	—	—	2	—
Premature Debility . . .	5	4	4	4	4	7	3	8	8	4	9	22	8
Atrophy	—	2	—	4	—	2	—	3	1	—	2	2	1
Age	20	3	14	14	9	11	18	19	19	10	5	6	20
Sudden Deaths	2	—	—	3	1	1	—	—	1	—	—	2	3
Violent Deaths	3	6	5	5	7	1	6	21	17	6	7	25	5
Small Pox	—	1	4	34	—	1	—	14	4	—	16	12	15
Measles	4	—	—	—	—	—	2	17	—	3	—	—	6
Scarlatina	—	6	1	29	6	11	9	5	8	—	1	7	30
Hooping Cough	3	2	2	1	18	—	1	2	6	2	3	8	—
Croup	3	1	3	7	1	—	—	6	1	2	4	—	1
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	2	5	5	7	3	1	2	13	8	6	11	6	4
Dysentery	3	1	—	1	1	1	2	5	5	—	—	1	1
Cholera	1	1	—	—	—	—	—	—	—	—	—	—	—
Influenza	3	6	—	—	1	—	1	1	2	1	—	—	—
Purpura	—	—	—	—	—	—	1	1	1	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	2	—	1	—	—
Infantile Fever	—	—	—	—	—	—	—	—	2	—	—	1	—
Typhus	6	19	7	18	5	4	6	12	14	4	9	4	2
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	—	—	—	—	—	—	—	1	—	—	1	—
Syphilis	—	1	1	—	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	—	—	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	2	—	1	1	—	1	1	1	1	—	—
Dropsy	1	4	—	4	1	3	6	8	2	1	3	3	3
Abscess	—	—	—	—	—	—	1	—	—	—	—	1	—
Ulcer	—	1	—	—	—	—	—	—	—	—	—	—	1
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	1	—	1	—	—	—	3	1	—	—	—	—
Cancer	2	—	—	2	3	1	1	—	3	—	—	2	—
Gout	—	—	—	1	—	—	—	1	—	—	—	—	—
Scrofula	—	2	1	3	—	—	—	1	4	1	4	3	—
Tabes Mesenterica	—	1	1	—	3	—	—	1	2	1	2	2	3
Phthisis	13	13	11	17	9	8	13	34	51	15	15	19	15
Hydrocephalus	3	4	3	6	7	—	3	14	14	7	3	13	2

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—MALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	42	2	4	10	3	5	3	3	8	2
Apoplexy	81	5	4	45	20	16	12	12	5	12
Paralysis	59	11	5	55	15	19	20	23	7	12
Delirium Tremens	13	—	—	6	1	2	—	3	1	—
Chorea	2	—	—	—	—	—	—	—	—	—
Epilepsy	10	1	1	12	—	4	2	—	5	1
Tetanus	6	—	—	2	—	—	2	2	—	—
Insanity	2	3	1	7	1	1	—	2	—	2
Convulsions	78	4	4	30	20	27	1	5	4	2
Brain Disease	72	3	4	49	6	14	8	5	8	5
V. Pericarditis	8	—	1	1	—	—	—	1	—	3
Aneurism	3	—	—	7	—	4	—	—	1	—
Heart Disease	151	9	6	111	33	23	17	14	17	6
VI. Laryngitis	16	1	1	4	1	1	1	—	—	1
Bronchitis	331	12	11	113	32	34	37	24	21	17
Pleurisy	24	2	1	30	2	8	2	4	1	2
Pneumonia	315	15	11	88	42	27	19	27	12	7
Asthma	100	2	4	17	33	3	13	3	—	6
Lung Disease	45	—	—	17	13	8	6	3	5	1
VII. Teething	134	8	7	28	34	16	21	26	1	10
Quinsey	4	—	1	2	2	2	—	—	—	1
Gastritis	17	—	1	5	3	—	5	1	—	—
Enteritis	94	8	1	17	3	3	6	9	4	1
Peritonitis	20	—	3	12	6	1	—	3	1	—
Ascites	4	—	1	4	—	—	3	1	—	—
Ulceration of Intestines	12	—	1	12	—	1	1	—	—	—
Hernia	4	—	1	3	1	—	—	1	—	—
Ileus	13	1	—	9	4	3	2	—	—	3
Intussusception	2	—	—	1	—	—	—	—	1	—
Stricture of Intestines	2	—	—	—	1	—	—	—	—	—
Stomach Disease	28	1	3	20	8	4	4	6	3	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	13	1	—	1	—	1	2	—	—	2
Jaundice	8	2	—	7	4	3	2	3	—	—
Liver Disease	44	4	2	25	4	3	4	2	2	1
Spleen Disease	2	—	—	—	—	—	—	—	—	—
VIII. Nephritis	3	2	1	—	—	—	1	1	—	2
Nephria	15	—	—	22	—	1	2	—	1	—
Ischuria	4	—	—	1	—	1	1	—	1	—
Diabetes	5	—	—	3	—	—	—	—	—	—
Stone	3	—	—	1	1	3	1	—	—	—
Cystitis	5	—	—	1	2	—	—	—	1	—
Stricture of Urethra	1	—	—	—	—	—	—	—	1	—
Kidney Disease	8	—	—	20	2	15	3	2	1	2
IX. Paramenia	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—
X. Arthritis	3	—	—	3	—	—	—	1	—	—
Rheumatism	1	1	—	—	—	1	1	1	—	1
Joint and Bone Disease	5	1	—	8	—	3	3	—	4	1
XI. Carbuncle	2	—	—	—	—	—	1	—	1	—
Phlegmon	—	—	—	—	—	1	—	—	—	—
Skin Disease	3	—	—	—	—	1	—	1	1	—
XII. Cyanosis	1	—	—	—	—	—	—	—	—	—
Spina Bifida	2	—	1	1	—	—	—	—	—	—
Other Malformations	9	—	—	9	3	—	2	2	3	—
XVII. Intemperance	6	—	—	3	—	—	—	1	2	1
Privation	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	4	—	—	—	1	—	—	—	—	—
Neglect	—	—	—	1	1	—	—	—	—	—
Cold	3	—	—	—	1	—	—	—	1	—
Poison	2	—	1	2	—	—	—	1	—	—
Burns and Scalds	21	3	1	4	3	3	1	6	1	—
Hanging, etc.	2	—	—	1	—	3	—	—	—	—
Suffocation	10	3	—	2	4	3	—	2	2	1
Drowning	53	4	2	3	6	8	4	10	8	2
Fracture and Contusion	68	5	3	37	14	3	1	7	6	10
Wounds	12	—	1	5	3	1	—	—	1	1
Other Violent Causes	11	3	2	11	3	12	—	3	—	1
Not Specified	370	35	9	115	201	28	55	81	51	30

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—MALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	2	—	3	2	—	—	—	5	2	3	1	—
Apoplexy	6	3	6	7	2	2	2	4	6	3	1	3	3
Paralysis	3	1	—	2	7	2	2	5	5	7	—	1	1
Delirium Tremens	—	—	1	3	1	—	—	1	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	1	—	—	—	—	—	—	—	2	—	—
Tetanus	—	2	—	—	2	—	—	—	1	—	3	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	1	7	—	1	2	1	2	7	5	4	6	1	—
Brain Disease	—	1	—	5	1	—	4	1	1	1	2	1	3
Pericarditis	1	—	1	—	—	—	—	2	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	1	1	—	—	—	—
Heart Disease	5	6	2	14	3	5	10	6	3	6	1	4	4
Laryngitis	—	—	—	—	—	1	1	—	2	—	—	—	—
Bronchitis	8	10	7	9	9	6	5	10	13	2	4	6	3
Pleurisy	3	2	—	1	—	—	2	1	—	2	—	1	4
Pneumonia	4	5	2	7	6	2	2	19	14	6	9	7	8
Asthma	1	2	3	1	—	2	1	3	—	1	4	3	—
Lung Disease	—	1	1	1	—	—	—	2	—	2	4	—	1
Teething	4	3	2	2	1	1	4	7	6	1	4	3	—
Quinsey	—	—	—	—	—	—	—	—	1	—	—	—	—
Gastritis	1	—	1	—	—	—	—	—	—	—	2	2	—
Enteritis	—	1	2	1	4	2	—	3	11	2	4	2	—
Peritonitis	1	1	—	—	—	3	1	1	2	—	—	—	—
Ascites	—	—	—	—	—	—	1	—	—	—	—	—	1
Ulceration of Intestines	—	—	1	—	—	—	—	—	—	1	—	1	—
Hernia	1	—	—	1	—	—	—	—	1	—	—	—	—
Ileus	1	—	—	—	1	—	—	1	1	1	—	—	1
Intussusception	—	1	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	1	2	3	—	—	2	2	1	1	3	3	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	2	—	1	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	1	—	—
Liver Disease	1	—	2	1	—	1	2	5	2	2	3	3	—
Spleen Disease	—	—	—	—	—	—	—	—	1	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	1	—	2	—	—	—	—	—	1	—	—	1
Ischuria	—	—	—	1	—	—	—	—	—	—	1	—	—
Diabetes	—	1	—	—	—	—	—	—	—	—	—	—	—
Stone	3	—	1	—	—	1	—	—	1	1	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease	2	2	2	2	—	1	1	1	2	1	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	1	—
Joint Disease	1	1	—	—	—	1	—	1	2	—	—	1	2
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	1	—	—	—	—	—
Cyanosis	—	—	1	1	1	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	1	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	2	—
Intemperance	—	—	—	—	—	—	—	1	—	—	1	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	1	—	—	—	—	—	—
Poison	—	—	1	—	—	—	—	—	—	—	—	—	1
Burns and Scalds	2	—	—	—	—	—	—	—	2	—	—	2	1
Hanging, etc.	—	1	—	—	1	—	—	—	2	—	—	—	—
Suffocation	—	—	—	—	—	—	—	1	1	—	—	1	—
Drowning	3	1	2	1	—	—	1	8	4	1	—	4	1
Fracture and Contusion	—	4	1	2	2	1	4	9	8	5	3	18	1
Wounds	1	—	1	2	1	—	—	—	—	—	1	—	—
Other Violent Causes	2	—	—	—	3	—	—	2	—	—	2	—	1
Not Specified	10	5	4	6	10	6	49	15	3	19	4	22	38

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5409	323	210	2213	1097	852	649	651	336	304
SPECIFIED CAUSES	5060	294	205	2091	849	839	604	588	283	277
I. Zymotic Class	1318	80	59	501	241	187	134	191	71	59
II. Diseases of Uncertain Seat	173	12	14	122	64	50	33	29	12	14
III. Tubercular Class	1078	65	49	363	139	181	130	102	58	46
IV. Brain and Nervous System	309	22	18	203	53	75	44	42	21	29
V. Organs of Circulation	148	7	8	98	39	36	12	12	9	15
VI. Respiratory Organs	793	28	19	306	93	98	58	57	42	30
VII. Organs of Digestion	398	18	10	120	65	57	63	56	18	24
VIII. Urinary Organs	26	—	—	31	4	6	2	—	7	1
IX. Organs of Generation	78	4	2	33	12	4	6	9	6	5
X. Organs of Locomotion	14	1	1	9	3	3	3	1	—	2
XI. Skin, etc.	7	—	1	4	2	1	—	1	1	—
XII. Malformation	7	—	—	6	2	—	2	1	1	—
XIII. Premature Debility	223	6	8	50	39	27	14	24	14	17
XIV. Atrophy	65	8	2	23	3	14	14	12	—	—
XV. Age	324	39	8	179	78	87	81	44	13	27
XVI. Sudden Deaths	14	1	1	11	—	2	2	4	1	—
XVII. Violent Deaths	85	3	5	32	12	11	6	3	9	8
I. Small Pox	102	8	8	11	52	3	—	49	8	16
Measles	272	20	6	10	5	—	25	23	1	—
Scarlatina	98	4	10	142	4	49	26	37	12	1
Hooping Cough	210	2	3	129	69	15	11	14	24	9
Croup	66	—	1	19	25	3	14	6	6	12
Thrush	3	—	—	1	1	—	—	—	—	—
Diarrhœa	160	7	5	38	17	19	17	16	7	8
Dysentery	82	9	9	19	10	6	8	12	2	2
Cholera	13	1	—	6	6	—	—	2	—	—
Influenza	13	—	2	7	4	10	1	2	3	2
Purpura	5	—	1	1	—	—	—	1	—	1
Ague	—	—	—	—	—	—	—	—	—	—
Worms	3	—	—	—	2	—	3	—	—	—
Infantile Fever	4	1	—	1	—	—	1	1	1	2
Typhus	208	20	9	85	34	64	20	21	3	6
Metria	36	3	4	10	5	5	5	4	3	—
Rheumatic Fever	1	1	—	1	—	2	1	—	—	—
Erysipelas	23	—	1	15	6	11	2	1	—	—
Syphilis	12	4	—	6	1	—	—	2	1	—
Noma	7	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	12	1	2	2	2	—	2	1	1	—
Dropsy	93	5	6	37	43	26	17	21	2	6
Abscess	8	1	—	3	—	2	2	—	—	1
Ulcer	1	—	—	2	—	2	1	1	—	—
Fistula	—	—	—	—	—	—	—	—	—	—
Mortification	9	1	—	7	3	6	1	—	—	2
Cancer	50	4	6	70	15	14	10	6	9	5
Gout	—	—	—	1	1	—	—	—	—	—
III. Scrofula	30	6	3	8	5	2	3	3	1	1
Tabes Mesenterica	51	6	8	23	3	10	6	3	5	3
Phthisis	777	43	26	274	106	119	100	79	40	32
Hydrocephalus	220	10	12	58	25	50	21	17	12	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkeally.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	151	185	115	241	145	105	164	287	291	137	166	169	185
SPECIFIED CAUSES . . .	144	169	115	236	141	91	108	266	289	119	157	156	146
Zymotic Class . . .	24	30	25	92	41	20	33	67	67	15	54	57	59
Uncertain Seat . . .	8	14	4	9	5	5	4	17	21	11	12	4	6
Tubercular Class . . .	22	28	27	23	18	13	12	44	81	35	25	27	13
Brain, etc.	7	11	8	23	14	4	9	18	17	9	11	6	7
Heart, etc.	3	11	10	7	7	2	7	9	7	8	—	1	8
Respiratory Organs . . .	22	27	16	21	17	8	7	39	24	13	12	20	14
Digestive Organs . . .	5	13	6	16	8	14	10	17	17	10	15	12	8
Urinary Organs . . .	1	—	1	2	2	—	—	—	1	—	2	—	1
Generative Organs . . .	10	2	2	2	2	2	2	3	2	2	3	2	1
Locomotive Organs . . .	1	1	—	2	—	—	1	—	2	1	1	2	—
Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	1	—	—	1	—	—	—	3	—	—	1	—
Premature Debility . . .	8	7	1	6	7	6	1	11	5	2	6	8	5
Atrophy	4	4	—	2	2	1	1	9	1	—	2	4	2
Age	25	13	14	26	16	14	16	29	36	10	10	6	21
Sudden Deaths	2	—	—	1	1	2	1	—	1	—	—	1	—
Violent Deaths	2	7	1	4	—	—	4	3	4	3	4	5	1
Small Pox	—	—	—	37	—	—	—	13	—	2	9	19	13
Measles	3	—	—	—	—	—	—	19	4	—	2	1	4
Scarlatina	—	5	4	19	6	4	9	1	19	1	2	9	26
Hooping Cough	4	—	5	—	21	—	4	7	10	1	14	8	—
Croup	1	2	4	1	—	1	2	6	1	2	2	3	—
Thrush	1	—	—	—	—	—	—	1	—	—	—	—	—
Diarrhoea	3	2	2	4	4	4	7	7	10	2	11	7	7
Dysentery	—	1	1	5	—	1	1	3	5	—	2	3	1
Cholera	—	1	1	—	—	—	1	1	—	—	2	—	—
Influenza	1	3	—	—	1	—	1	1	1	—	—	1	1
Purpura	—	—	—	—	—	—	—	—	—	—	—	1	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	1	—	—	—	—	—	—
Infantile Fever	1	—	—	—	—	1	—	—	1	1	—	—	—
Typhus	7	13	4	24	6	5	6	5	10	4	7	3	5
Metria	—	1	—	—	—	3	—	1	3	2	3	—	1
Rheumatic Fever	—	—	—	—	—	—	1	—	—	—	—	—	—
Erysipelas	3	2	3	1	3	1	—	2	3	—	—	1	—
Syphilis	—	—	1	1	—	—	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	2	4	—	—	1	—	1	1	—	—
Dropsy	4	8	—	1	1	3	2	8	9	4	9	2	4
Abscess	—	1	—	—	—	—	—	—	—	1	—	1	—
Ulcer	—	—	—	—	—	—	—	—	—	—	2	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	2	4	4	6	—	2	2	8	12	5	—	1	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	3	1	1	1	—	—	2	2	—	1	—	1
Tabes Mesenterica	—	1	1	—	1	1	1	3	2	3	2	2	2
Phthisis	18	21	19	15	13	10	10	36	60	24	17	17	8
Hydrocephalus	4	3	6	7	3	2	1	3	17	8	5	8	2

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—FEMALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	35	3	2	19	2	5	2	—	2	—
Apoplexy	62	2	5	48	10	17	12	8	2	11
Paralysis	78	8	5	51	21	13	18	15	3	12
Delirium Tremens	—	—	—	3	—	1	—	1	—	1
Chorea	—	—	—	—	1	—	1	—	1	—
Epilepsy	12	1	—	7	2	4	—	1	2	1
Tetanus	2	—	—	—	—	—	1	—	—	—
Insanity	1	1	—	3	—	—	—	2	—	—
Convulsions	69	2	1	23	13	25	4	8	5	3
Brain Disease	50	5	5	49	4	10	6	7	6	1
V. Pericarditis	6	—	—	3	—	—	—	1	—	—
Aneurism	1	—	—	3	—	—	1	—	1	—
Heart Disease	141	7	8	92	39	36	11	11	8	15
VI. Laryngitis	5	1	—	2	1	1	1	1	—	—
Bronchitis	365	14	8	159	42	56	27	30	18	21
Pleurisy	16	1	2	24	3	4	1	2	5	3
Pneumonia	250	9	6	79	15	21	10	18	17	6
Asthma	117	2	1	25	29	10	16	6	1	—
Lung Disease	42	1	2	17	3	6	3	—	1	—
VII. Teething	160	4	1	22	35	12	27	22	3	5
Quinsey	1	—	—	4	—	1	1	—	—	—
Gastritis	11	1	—	3	2	—	1	2	1	—
Enteritis	102	3	2	23	8	7	18	10	2	2
Peritonitis	17	2	3	15	2	6	3	2	—	2
Ascites	11	1	—	3	3	1	—	—	—	—
Ulceration of Intestines	8	—	—	5	—	3	1	1	2	—
Hernia	11	—	—	1	1	—	—	—	—	1
Ileus	12	—	—	6	3	8	1	2	3	5
Intussusception	1	—	—	2	—	—	—	—	1	—
Stricture of Intestines	—	—	—	1	—	2	—	—	—	—
Stomach Disease	16	2	2	11	3	9	1	7	2	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—
Hepatitis	8	1	—	—	1	—	3	2	1	—
Jaundice	12	—	—	6	1	3	—	2	1	1
Liver Disease	28	4	2	17	6	5	7	5	2	5
Spleen Disease	—	—	—	1	—	—	—	1	—	—
VIII. Nephritis	3	—	—	3	—	—	1	—	—	—
Nephria	12	—	—	16	1	—	1	—	5	—
Ischuria	2	—	—	—	—	—	—	—	—	—
Diabetes	4	—	—	—	1	2	—	—	—	—
Stone	—	—	—	1	—	—	—	—	—	—
Cystitis	1	—	—	—	—	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	11	2	3	—	—	2	1
IX. Paramenia	2	2	—	—	—	1	—	—	—	—
Ovarian Dropsy	4	1	—	5	—	—	3	8	—	—
Childbirth	56	1	2	16	8	2	3	1	5	4
Uterine Disease	16	—	—	12	4	1	—	—	1	1
X. Arthritis	2	—	—	—	—	—	—	—	—	—
Rheumatism	8	1	1	2	1	1	2	1	—	2
Joint and Bone Disease	4	—	—	7	2	2	1	—	—	—
XI. Carbuncle	2	—	—	1	2	—	—	—	—	—
Phlegmon	—	—	—	1	—	—	—	—	—	—
Skin Disease	5	—	1	2	—	1	—	1	1	—
XII. Cyanosis	—	—	—	2	1	—	—	—	—	—
Spina Bifida	1	—	—	—	—	—	1	—	—	—
Other Malformations	6	—	—	4	1	—	1	1	1	—
XVII. Intemperance	5	—	—	1	1	—	—	—	—	1
Privation	—	—	—	1	—	—	—	—	—	—
Want of Breast Milk	5	—	—	1	—	1	—	—	1	—
Neglect	3	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	1	2	—	—	—
Burns and Scalds	32	2	1	3	6	3	—	1	3	2
Hanging, etc.	1	—	—	3	—	1	—	—	—	—
Suffocation	4	—	—	2	1	—	—	1	—	—
Drowning	11	1	4	2	1	—	2	—	—	3
Fracture and Contusion	15	—	—	12	1	1	2	1	5	2
Wounds	—	—	—	3	1	—	—	—	—	—
Other Violent Causes	4	—	—	4	1	4	—	—	—	—
Not Specified	349	29	5	122	248	13	45	63	53	27

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1855.—FEMALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	—	—	—	1	2	—	—	2	3	—	—	—	1
Apoplexy	—	4	3	6	3	1	—	6	2	3	2	—	—
Paralysis	2	4	3	8	7	—	6	5	5	5	2	3	1
Delirium Tremens	—	—	1	—	1	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	1	—	—	—	—	—
Epilepsy	1	—	1	1	—	1	—	1	—	—	2	2	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	4	1	—	1	—	—	—	—	—	1
Convulsions	3	3	—	—	—	2	—	3	5	1	4	—	1
Brain Disease	1	—	—	3	—	—	2	—	2	—	1	1	3
Pericarditis	—	—	—	1	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	3	11	10	6	7	2	7	9	7	8	—	1	7
Laryngitis	1	—	—	—	—	—	1	—	—	—	—	—	—
Bronchitis	11	17	5	11	10	4	3	14	10	5	—	9	7
Pleurisy	1	2	—	4	—	—	—	—	2	1	—	1	—
Pneumonia	2	2	7	2	5	2	3	13	8	3	9	3	7
Asthma	6	5	4	2	1	—	—	6	3	2	—	5	—
Lung Disease	1	1	—	2	1	2	—	6	1	2	3	2	—
Teething	1	7	1	5	—	2	—	7	3	2	8	4	1
Quinsey	—	—	—	—	1	—	—	—	—	—	1	—	—
Gastritis	—	—	—	—	—	—	—	1	2	—	—	1	2
Enteritis	—	2	—	2	2	7	—	1	7	—	3	1	1
Peritonitis	—	—	—	4	1	1	—	—	1	—	—	—	2
Ascites	2	1	—	—	—	—	2	—	—	—	—	—	—
Ulceration of Intestines	—	—	1	—	2	1	—	1	—	—	—	—	—
Hernia	—	—	—	1	—	1	—	—	—	—	—	—	—
Ileus	1	—	1	1	—	1	1	3	1	2	—	—	—
Intussusception	—	—	1	1	—	—	—	—	1	—	—	—	—
Stricture of Intestines	—	—	1	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	3	—	1	—	—	6	2	1	5	2	2	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	1	—	—	—	—	—	—	2	1
Jaundice	1	—	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	—	—	1	1	—	1	1	2	1	1	1	2	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	1	—	—	—	—	—	—	—	1
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	1	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	1	1	—	—	—	1	—	2	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	1	—	—	—	—	—	—	1	—	—	—
Childbirth	7	2	1	—	2	2	2	3	2	1	3	2	1
Uterine Disease	3	—	—	2	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	1	—	1	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	1	—	1	—
Joint Disease	1	1	—	2	—	—	1	—	1	—	—	1	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	2	—	—	—	—
Spina Bifida	—	—	—	—	1	—	—	—	1	—	—	—	—
Other Malformations	—	1	—	—	—	—	—	—	1	—	—	1	—
Intemperance	—	—	—	1	—	—	—	1	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	1
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	1	—	—	—	—
Cold	—	1	—	—	—	—	—	—	—	—	—	1	—
Poison	—	—	—	—	—	—	—	—	2	1	—	—	—
Burns and Scalds	1	2	—	—	—	—	—	—	—	—	2	3	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	1	—	—	—	—	—	1	1	—	1	—	—
Drowning	—	2	—	—	—	—	1	1	—	—	—	1	—
Fracture and Contusion	—	1	1	1	—	—	2	—	—	2	—	—	—
Wounds	—	—	—	2	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	1	—	—	—	1	—	—
Not Specified	7	16	—	5	4	14	56	21	2	18	9	13	39

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER.											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	62004	5813	1837	4041	5395	2679	1727	1179	2838	1548	2037	2262	2024
SPECIFIED CAUSES	56272	4282	1437	3590	4917	2492	1614	1103	2660	1445	2018	2159	1915
I. Zymotic Class	13582	659	510	1418	2300	1400	995	653	1268	398	398	373	302
II. Diseases of Uncertain Seat	2535	46	10	28	37	32	20	20	62	48	54	48	61
III. Tubercular Class	10007	155	244	669	906	407	273	199	634	515	846	1003	811
IV. Brain and Nervous System	4607	329	92	172	187	93	68	44	169	101	108	114	115
V. Organs of Circulation	2006	22	3	4	2	7	6	7	36	70	62	72	98
VI. Respiratory Organs	7075	360	283	660	654	314	144	87	222	77	124	174	163
VII. Organs of Digestion	4326	346	181	531	673	105	29	28	88	71	100	119	131
VIII. Urinary Organs	679	3	2	2	7	5	8	2	18	10	19	29	28
IX. Organs of Generation	493	-	-	-	-	1	-	-	-	-	24	57	78
X. Organs of Locomotion	290	1	1	1	5	5	4	4	15	26	19	20	11
XI. Skin, etc.	71	20	8	6	4	3	1	-	1	-	1	4	-
XII. Malformation	152	130	8	6	2	1	-	-	3	-	-	1	1
XIII. Premature Debility	2068	2019	31	16	2	-	-	-	-	-	-	-	-
XIV. Atrophy	535	63	45	51	76	36	18	13	15	6	8	8	12
XV. Age	5685	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	248	24	8	4	4	3	-	3	3	4	3	3	4
XVII. Violent Deaths	1913	105	11	21	58	80	48	43	126	119	152	134	101
I. Small Pox	1309	101	88	242	237	158	92	65	104	35	33	52	35
Measles	1180	23	22	192	453	219	106	49	68	16	12	5	3
Scarlatina	2138	10	27	149	341	325	310	245	500	121	51	17	9
Hooping Cough	1903	136	127	389	576	297	176	101	92	2	3	1	1
Croup	873	44	40	81	216	172	129	63	121	5	1	1	-
Thrush	34	22	-	4	6	1	-	-	-	-	-	-	1
Diarrhœa	1320	170	105	185	229	63	30	17	28	8	12	8	11
Dysentery	602	11	19	39	49	11	17	11	15	5	11	16	17
Cholera	238	4	6	22	15	13	10	7	27	8	4	9	8
Influenza	701	25	17	15	16	8	5	2	8	6	8	3	5
Purpura	51	3	2	5	3	1	-	-	5	2	3	3	3
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	47	1	-	-	4	6	12	4	15	4	-	-	-
Infantile Fever	112	8	6	20	31	16	12	7	11	1	-	-	-
Typhus	2419	10	16	47	103	98	83	74	259	169	229	192	147
Metria	169	-	-	-	-	-	-	-	-	-	9	43	47
Rheumatic Fever	57	-	-	-	-	2	-	-	2	7	9	5	3
Erysipelas	326	57	20	19	13	6	7	4	10	9	13	14	9
Syphilis	79	33	14	7	4	1	2	-	-	-	-	4	2
Noma	23	1	1	2	4	3	4	4	3	-	-	-	-
Hydrophobia	1	-	-	-	-	-	-	-	-	-	-	-	1
II. Hæmorrhage	146	11	2	3	2	1	2	1	5	3	9	7	8
Dropsy	1220	10	2	7	24	26	15	11	44	33	35	20	29
Abscess	88	7	5	8	4	1	1	1	6	5	4	8	6
Ulcer	39	3	-	-	2	-	-	-	1	-	1	3	1
Fistula	4	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	153	15	1	8	4	3	1	3	2	6	2	2	4
Cancer	871	-	-	2	1	1	1	4	3	1	2	8	12
Gout	14	-	-	-	-	-	-	-	1	-	1	-	1
III. Scrofula	441	7	11	14	23	17	9	18	35	69	59	46	31
Tabes Mesenterica	535	33	29	55	140	58	45	29	60	22	13	11	9
Phthisis	7129	42	65	135	288	152	85	69	266	353	758	943	768
Hydrocephalus	1902	73	139	465	455	180	134	83	273	71	16	3	3

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1855.—BOTH SEXES. (Contd.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	389	3	11	29	45	21	21	16	55	24	31	26	21
Apoplexy	1041	7	6	11	13	7	7	4	20	10	6	20	19
Paralysis	1385	—	—	2	1	2	1	1	5	5	9	6	10
Delirium Tremens	71	—	—	—	—	—	—	—	—	—	—	—	5
Chorea	9	—	—	—	—	—	1	—	1	2	2	2	1
Epilepsy	196	5	2	2	10	2	2	—	4	7	6	14	14
Tetanus	62	19	1	2	4	1	1	—	4	4	2	1	2
Insanity	58	—	—	—	—	—	—	—	—	—	1	3	3
Convulsions	689	278	60	92	86	50	16	16	21	7	10	6	7
Brain Disease	707	17	12	34	28	10	19	7	59	42	41	36	33
V. Pericarditis	84	2	—	1	—	2	1	1	11	8	9	4	6
Aneurism	45	—	—	—	—	—	—	—	—	1	—	—	1
Heart Disease	1877	20	3	3	2	5	5	6	25	61	53	68	91
VI. Laryngitis	101	1	3	13	14	6	8	6	17	2	1	1	4
Bronchitis	3036	189	152	363	295	137	55	35	66	28	31	39	42
Pleurisy	451	15	7	10	14	7	6	6	15	7	13	18	17
Pneumonia	2094	140	112	248	307	151	62	36	104	28	56	73	59
Asthma	935	1	2	2	4	1	1	1	1	—	6	11	12
Lung Disease	458	14	7	24	20	12	12	3	19	12	17	32	29
VII. Teething	1014	8	59	375	518	50	2	—	2	—	—	—	—
Quinsey	57	2	3	10	9	4	1	4	4	2	3	—	—
Gastritis	162	13	4	10	5	2	2	1	8	3	7	8	3
Enteritis	857	196	72	95	89	28	17	11	35	23	19	21	25
Peritonitis	263	9	3	4	3	2	1	1	8	10	21	33	35
Ascites	92	—	—	1	—	3	1	—	1	5	4	1	4
Ulceration of Intestines	150	—	6	6	7	2	2	1	8	4	3	12	6
Hernia	86	3	4	2	1	—	—	—	—	—	—	2	2
Ileus	284	24	7	3	6	3	—	1	5	4	14	7	11
Intussusception	42	3	4	6	—	—	—	—	1	3	3	2	1
Stricture of Intestines	18	—	—	1	—	—	—	—	—	—	1	—	1
Stomach Disease	488	40	12	15	21	4	3	4	3	5	8	11	9
Pancreas Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	123	—	2	1	1	2	—	1	—	2	5	5	9
Jaundice	171	38	2	—	4	2	—	1	4	—	2	1	4
Liver Disease	507	10	3	2	8	3	—	3	9	10	9	15	21
Spleen Disease	10	—	—	—	1	—	—	—	—	—	1	1	—
VIII. Nephritis	33	1	—	1	2	2	1	—	3	—	1	1	1
Nephria	138	—	1	—	2	—	3	1	6	4	6	13	7
Ischuria	41	1	—	—	—	—	—	—	1	—	—	1	—
Diabetes	60	—	—	1	2	1	—	—	1	2	6	5	1
Stone	69	—	1	—	—	1	—	—	1	—	—	1	—
Cystitis	36	—	—	—	—	—	1	—	—	—	—	1	3
Stricture of Urethra	8	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	294	1	—	—	1	1	3	1	6	4	6	7	16
IX. Paramenia	13	—	—	—	—	—	—	—	—	—	6	2	1
Ovarian Dropsy	48	—	—	—	—	—	—	—	—	—	—	2	—
Childbirth	341	—	—	—	—	—	—	—	—	—	16	49	66
Uterine Disease	91	—	—	—	—	1	—	—	—	—	2	4	11
X. Arthritis	21	—	1	—	—	1	2	1	3	2	1	1	—
Rheumatism	124	—	—	—	—	—	—	—	4	2	5	1	2
Joint and Bone Disease	145	1	—	1	5	4	2	3	8	22	13	18	9
XI. Carbuncle	20	—	1	1	—	1	—	—	1	—	—	1	—
Phlegmon	6	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	45	20	7	5	4	2	1	—	—	—	1	3	—
XII. Cyanosis	27	23	—	1	—	—	—	—	1	—	—	1	1
Spina Bifida	27	22	3	—	1	—	—	—	1	—	—	—	—
Other Malformations	98	85	5	5	1	1	—	—	1	—	—	—	—
XVII. Intemperance	57	—	—	—	—	—	—	—	—	—	—	—	3
Privation	5	1	—	—	—	—	—	—	—	—	—	1	—
Want of Breast Milk	29	26	1	2	—	—	—	—	—	—	—	—	—
Neglect	8	7	—	—	—	1	—	—	—	—	—	—	—
Cold	30	4	1	—	—	1	2	—	1	1	2	—	3
Poison	45	8	—	—	2	—	—	2	3	1	1	3	1
Burns and Scalds	311	—	1	10	35	51	32	24	47	14	11	3	4
Hanging, etc.	42	—	—	—	—	—	—	—	—	—	2	3	3
Suffocation	84	38	5	4	2	—	2	—	3	2	2	1	4
Drowning	440	1	1	1	7	16	6	4	33	40	56	44	34
Fracture and Contusion	617	—	2	2	9	11	4	11	29	48	51	59	35
Wounds	78	—	—	—	1	—	1	1	2	5	5	10	8
Other Violent Causes	167	20	—	2	2	—	1	1	8	8	22	10	6
Not Specified	5732	1531	400	451	478	187	113	76	178	103	119	103	109

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1855.—BOTH SEXES. (Contd.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	17	13	10	16	8	6	7	1	2	3	2	1	—	—	—	—	
Apoplexy	31	38	39	62	74	100	133	125	127	101	56	16	7	1	—	1	
Paralysis	22	24	35	60	74	106	157	192	232	217	151	61	8	4	—	—	
Delirium Tremens	13	16	10	15	4	3	2	1	—	1	1	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	20	16	17	16	15	10	10	5	11	4	3	1	—	—	—	—	
Tetanus	1	2	6	1	3	1	4	1	1	1	—	—	—	—	—	—	
Insanity	4	7	9	7	9	6	1	4	2	2	—	—	—	—	—	—	
Convulsions	10	3	1	6	3	7	2	4	2	1	—	—	—	—	—	1	
Brain Disease	37	43	34	33	42	38	36	34	41	16	9	4	1	—	—	1	
Pericarditis	3	2	2	4	6	5	2	5	2	3	4	—	—	—	—	1	
Aneurism	4	5	6	12	3	6	3	2	1	1	—	—	—	—	—	—	
Heart Disease	83	94	124	119	156	164	229	166	203	124	49	15	4	1	—	4	
Laryngitis	1	8	3	3	3	1	3	1	1	—	1	—	—	—	—	—	
Bronchitis	36	45	82	82	115	143	221	224	255	227	105	48	15	2	—	4	
Pleurisy	19	13	29	25	20	24	35	47	41	30	23	8	—	1	—	1	
Pneumonia	53	71	73	75	82	72	74	66	61	54	24	9	2	—	—	2	
Asthma	26	25	48	56	93	110	127	128	121	85	51	17	3	—	—	3	
Lung Disease	17	16	22	23	22	33	39	33	29	15	7	1	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	1	—	—	1	2	3	3	—	1	3	1	—	—	—	—	—	
Gastritis	11	9	3	12	12	8	6	9	11	10	4	1	—	—	—	—	
Enteritis	25	22	23	17	23	20	28	16	24	17	9	1	1	—	—	—	
Peritonitis	19	22	13	10	8	14	10	13	13	5	3	3	—	—	—	—	
Ascites	4	2	6	7	7	14	9	13	6	3	—	—	1	—	—	—	
Ulceration of Intestines	12	9	10	7	7	11	15	9	6	3	2	1	—	—	—	1	
Hernia	1	6	5	7	8	6	10	9	6	1	10	3	—	—	—	—	
Ileus	8	11	11	17	21	22	19	25	24	24	12	4	1	—	—	—	
Intussusception	2	1	2	1	2	1	5	2	2	1	—	—	—	—	—	—	
Stricture of Intestines	2	—	2	2	—	1	2	4	1	—	1	—	—	—	—	—	
Stomach Disease	12	25	30	24	36	41	56	47	41	21	13	5	—	—	—	2	
Pancreas Disease	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	
Hepatitis	7	7	7	14	12	11	13	6	6	8	3	—	—	—	—	1	
Jaundice	5	4	4	10	8	3	22	14	15	11	10	7	—	—	—	—	
Liver Disease	30	27	34	41	41	52	64	64	36	15	7	2	—	—	—	1	
Spleen Disease	—	2	—	—	3	1	—	—	—	1	—	—	—	—	—	—	
Nephritis	3	1	1	2	2	1	1	1	3	1	2	2	—	—	—	—	
Nephria	15	12	13	13	7	9	9	6	6	4	1	—	—	—	—	—	
Ischuria	2	1	4	2	—	4	6	2	3	3	5	4	2	—	—	—	
Diabetes	6	5	5	7	2	8	—	3	1	3	1	—	—	—	—	—	
Stone	1	3	1	3	1	3	5	9	18	5	8	6	1	1	—	—	
Cystitis	—	2	—	—	1	5	1	3	5	6	5	2	1	—	—	—	
Stricture of Urethra	—	1	—	1	1	—	1	1	—	—	2	1	—	—	—	—	
Kidney Disease	9	14	15	8	15	16	26	31	46	37	21	9	1	—	—	—	
Paramenia	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	5	8	4	4	9	7	6	1	1	—	1	—	—	—	—	—	
Childbirth	74	91	41	4	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	10	9	7	11	11	11	5	2	4	2	1	—	—	—	—	—	
Arthritis	—	3	1	—	—	1	2	1	—	1	—	—	—	—	—	—	
Rheumatism	3	2	5	9	7	17	15	14	18	10	7	—	2	1	—	—	
Joint Disease	5	6	7	7	4	5	4	4	9	3	3	1	—	1	—	—	
Carbuncle	—	—	2	2	—	3	1	2	2	—	2	1	—	—	—	—	
Phlegmon	—	—	1	3	—	1	—	—	1	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	4	8	11	9	10	6	1	2	1	1	—	—	—	—	—	1	
Privation	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	2	3	2	1	1	2	1	—	—	2	—	1	—	—	—	—	
Poison	—	5	5	5	6	1	1	1	—	—	—	—	—	—	—	—	
Burns and Scalds	7	7	5	4	5	2	8	5	13	6	8	7	1	1	—	—	
Hanging, etc.	5	4	3	5	4	5	3	—	3	—	—	—	—	—	—	2	
Suffocation	1	5	2	3	3	—	—	2	—	3	1	—	—	—	—	1	
Drowning	33	37	23	34	10	11	13	12	3	3	2	—	—	—	—	16	
Fracture and Contusion	51	46	46	36	31	33	25	24	19	23	11	6	—	1	—	4	
Wounds	7	4	7	7	5	4	3	1	2	3	1	—	1	—	—	—	
Other Violent Causes	5	12	17	11	12	3	5	4	3	4	5	—	1	—	—	5	
Not Specified	90	109	118	131	150	201	214	169	172	173	142	99	45	11	2	58	

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1855.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	30626	3276	1027	2188	2728	1282	858	589	1467	816	1096	1227	988
SPECIFIED CAUSES	27780	2419	795	1948	2498	1192	794	554	1369	766	1033	1176	937
I. Zymotic Class	6517	353	284	730	1135	632	473	320	634	184	194	182	128
II. Diseases of Uncertain Seat	1000	22	5	12	22	13	12	7	33	26	28	23	25
III. Tubercular Class	5014	98	141	367	457	208	139	110	325	252	421	556	416
IV. Brain and Nervous System	2485	197	51	101	109	54	38	23	100	64	62	54	57
V. Organs of Circulation	1052	14	2	1	2	3	2	3	15	35	34	40	46
VI. Respiratory Organs	3634	209	155	393	355	158	70	35	112	37	68	99	86
VII. Organs of Digestion	2257	218	96	291	337	53	17	17	43	40	61	61	59
VIII. Urinary Organs	485	2	2	1	6	4	3	2	11	3	12	15	15
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	154	—	1	—	3	5	2	3	3	15	14	12	9
XI. Skin, etc.	35	12	2	4	2	—	1	—	1	—	—	2	—
XII. Malformation	89	78	5	2	1	—	—	—	1	—	—	1	1
XIII. Premature Debility	1136	1111	16	8	1	—	—	—	—	—	—	—	—
XIV. Atrophy	242	30	24	25	37	18	9	3	10	2	5	6	5
XV. Age	2136	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	134	14	7	2	1	2	—	1	1	3	1	2	2
XVII. Violent Deaths	1410	61	4	11	30	42	28	30	80	105	133	123	88
I. Small Pox	681	59	48	129	117	75	44	26	50	15	17	38	22
Measles	584	11	11	91	212	126	56	24	32	5	5	4	2
Scarlatina	1073	2	15	81	169	159	146	132	265	54	30	4	2
Hooping Cough	812	62	67	184	260	97	66	34	40	1	—	—	—
Croup	473	31	27	51	119	75	69	37	61	3	—	—	—
Thrush	17	10	—	3	4	—	—	—	—	—	—	—	—
Diarrhœa	671	104	63	103	126	23	14	15	15	3	4	5	6
Dysentery	278	6	10	19	23	4	9	4	11	3	5	10	8
Cholera	114	4	1	9	5	4	6	4	15	3	3	4	4
Influenza	281	9	9	7	8	4	2	1	6	5	1	3	2
Purpura	21	2	—	2	1	1	—	—	4	—	2	1	2
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	30	1	—	—	2	3	7	3	10	4	—	—	—
Infantile Fever	62	3	5	11	21	9	7	2	4	—	—	—	—
Typhus	1176	6	7	25	56	48	40	35	111	81	116	101	70
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	29	—	—	—	—	—	—	—	2	3	4	3	2
Erysipelas	165	28	11	10	6	3	5	1	5	4	7	7	7
Syphilis	34	14	9	3	3	—	—	—	—	—	—	2	1
Noma	16	1	1	2	3	1	2	2	3	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	72	3	2	2	2	1	2	—	3	2	4	4	5
Dropsy	517	5	2	3	14	9	9	5	22	19	17	7	10
Abscess	47	4	1	3	2	1	—	—	5	3	4	4	3
Ulcer	21	2	—	—	1	—	—	—	—	—	—	3	1
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	70	8	—	2	2	2	1	—	—	2	2	—	1
Cancer	261	—	—	1	1	—	—	2	2	—	—	5	5
Gout	9	—	—	—	—	—	—	—	1	—	1	—	1
III. Scrofula	272	5	8	8	14	7	4	10	20	46	36	35	23
Tabes Mesenterica	279	22	15	28	78	22	29	16	29	12	7	7	4
Phthisis	3433	27	33	78	135	80	45	36	121	153	368	514	388
Hydrocephalus	1030	44	85	253	230	99	61	48	155	41	10	—	1

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1855.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	902	903	937	972	950	1079	1277	1268	1406	1426	1065	563	191	53	9	83	
SPECIFIED CAUSES . . .	861	853	891	914	884	995	1180	1203	1343	1359	1009	518	173	50	9	57	
Zymotic Class . . .	99	109	97	116	106	108	122	130	133	117	73	37	11	3	—	7	
Uncertain Seat . . .	35	35	46	54	52	101	110	97	88	83	49	16	3	—	1	2	
Tubercular Class . . .	334	249	229	173	143	136	95	74	46	23	10	1	1	—	—	10	
Brain, etc.	80	94	89	127	119	152	199	186	193	184	104	34	8	3	—	3	
Heart, etc.	48	50	64	72	80	89	121	98	117	72	32	9	2	—	—	1	
Respiratory Organs . . .	77	97	140	144	169	172	235	240	242	196	97	36	6	—	—	6	
Digestive Organs . . .	56	70	80	93	99	110	129	125	86	60	39	13	1	—	—	3	
Urinary Organs . . .	21	25	24	22	21	29	39	45	66	53	37	22	4	1	—	—	
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs . . .	6	6	4	9	6	11	10	7	13	7	6	1	1	—	—	—	
Skin	—	—	1	3	—	4	—	1	—	—	2	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	3	4	11	7	12	20	3	3	3	2	—	—	—	—	—	—	
Age	—	—	—	—	—	3	64	144	320	528	549	341	134	42	8	3	
Sudden Deaths	5	10	8	6	7	4	16	13	11	9	5	3	1	—	—	—	
Violent Deaths	97	104	98	88	70	56	37	40	25	25	6	5	1	1	—	22	
Small Pox	7	10	6	8	5	3	—	2	—	—	—	—	—	—	—	—	
Measles	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	2	2	2	3	—	1	1	1	1	—	—	—	—	—	—	1	
Hooping Cough	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	5	10	9	14	12	12	17	36	33	20	10	8	3	1	—	—	
Dysentery	9	9	10	13	11	14	23	16	27	20	6	6	—	—	—	2	
Cholera	5	8	3	3	10	9	—	4	5	2	1	—	1	—	—	1	
Influenza	5	4	5	11	10	10	20	22	32	42	40	16	4	2	—	1	
Purpura	—	2	—	—	—	2	—	1	1	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	57	46	56	57	52	52	53	39	22	27	9	6	3	—	—	1	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	2	4	2	2	—	—	—	1	2	1	—	—	—	—	—	—	
Erysipelas	4	10	3	4	6	5	8	8	10	5	7	1	—	—	—	—	
Syphilis	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	3	5	4	7	3	5	4	1	4	2	3	—	—	—	—	1	
Dropsy	20	17	17	26	21	45	58	55	51	51	24	9	—	—	—	1	
Abscess	5	—	2	—	3	1	3	1	—	—	—	—	—	—	—	—	
Ulcer	1	1	1	1	1	4	—	1	2	1	1	—	—	—	—	—	
Fistula	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	
Mortification	3	2	1	1	1	5	3	4	9	7	8	4	1	—	1	—	
Cancer	2	10	19	18	22	41	42	34	21	18	13	3	2	—	—	—	
Gout	1	—	1	—	1	—	—	1	1	1	—	—	—	—	—	—	
Serofula	14	10	5	6	9	5	—	2	3	1	1	—	—	—	—	—	
Tabes Mesenterica	1	2	—	1	1	3	—	1	1	—	—	—	—	—	—	—	
Phthisis	319	237	224	166	133	128	95	71	42	22	9	1	1	—	—	7	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	231	3	7	14	28	14	12	9	34	16	19	11	9
Apoplexy	581	4	4	6	8	5	7	1	12	4	4	12	10
Paralysis	660	—	—	1	—	2	—	—	3	2	5	3	7
Delirium Tremens	56	—	—	—	—	—	—	—	—	—	—	—	4
Chorea	4	—	—	—	—	—	1	—	—	2	1	—	—
Epilepsy	98	2	2	—	6	—	1	—	2	6	3	6	3
Tetanus	43	16	—	—	3	1	1	—	4	4	2	1	—
Insanity	30	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	393	163	33	62	44	27	8	8	11	3	6	3	5
Brain Disease	389	9	5	18	20	5	8	5	34	27	22	17	18
V. Pericarditis	49	2	—	1	—	1	—	—	3	6	4	4	5
Aneurism	34	—	—	—	—	—	—	—	—	1	—	—	1
Heart Disease	969	12	2	—	2	2	2	3	12	28	30	36	40
VI. Laryngitis	65	1	2	9	9	3	4	3	10	2	1	—	1
Bronchitis	1427	112	75	211	147	68	31	12	30	12	16	20	16
Pleurisy	256	7	5	4	7	3	6	6	9	3	8	11	13
Pneumonia	1205	83	67	153	180	76	23	11	52	15	31	40	30
Asthma	432	—	2	2	2	—	1	1	1	—	4	6	8
Lung Disease	249	6	4	14	10	8	5	2	10	5	8	22	18
VII. Teething	519	2	29	198	265	24	1	—	—	—	—	—	—
Quinsey	31	2	2	5	4	1	—	2	2	1	—	—	—
Gastritis	98	10	2	7	4	2	2	—	3	—	6	4	1
Enteritis	436	119	39	54	39	14	8	7	16	12	10	7	10
Peritonitis	126	6	1	3	2	2	1	—	4	10	13	12	13
Ascites	35	—	—	—	—	2	1	—	—	1	3	1	1
Ulceration of Intestines	85	—	4	3	3	1	2	1	5	2	1	8	3
Hernia	46	3	3	2	1	—	—	—	—	—	—	1	1
Ileus	148	19	3	2	1	1	—	1	2	2	8	7	7
Intussusception	31	2	3	3	—	—	—	—	1	3	2	2	1
Stricture of Intestines	10	—	—	1	—	—	—	—	—	—	1	—	1
Stomach Disease	268	24	5	10	9	3	2	2	1	2	4	6	5
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	65	—	2	1	1	—	—	—	—	—	2	4	7
Jaundice	79	23	1	—	2	2	—	1	2	—	2	1	—
Liver Disease	274	8	2	2	6	1	—	3	7	7	6	7	9
Spleen Disease	5	—	—	—	—	—	—	—	—	—	1	1	—
VIII. Nephritis	21	1	—	—	2	1	1	—	2	—	1	—	—
Nephria	79	—	1	—	1	—	1	1	3	1	4	7	5
Ischuria	34	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	36	—	—	1	2	1	—	—	1	1	3	2	—
Stone	61	—	1	—	—	1	—	—	1	—	—	1	—
Cystitis	28	—	—	—	—	—	1	—	—	—	—	—	3
Stricture of Urethra	8	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	218	1	—	—	1	1	—	1	4	1	4	4	7
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	15	—	1	—	—	1	1	1	1	1	1	1	—
Rheumatism	54	—	—	—	—	—	—	—	1	1	3	—	1
Joint and Bone Disease	85	—	—	—	3	4	1	2	1	13	10	11	8
XI. Carbuncle	10	—	1	1	—	—	—	—	1	—	—	—	—
Phlegmon	3	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	22	12	1	3	2	—	1	—	—	—	—	2	—
XII. Cyanosis	15	12	—	—	—	—	—	—	1	—	—	1	1
Spina Bifida	13	12	1	—	—	—	—	—	—	—	—	—	—
Other Malformations	61	54	4	2	1	—	—	—	—	—	—	—	—
XVII. Intemperance	37	—	—	—	—	—	—	—	—	—	—	—	3
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	13	12	1	—	—	—	—	—	—	—	—	—	—
Neglect	4	4	—	—	—	—	—	—	—	—	—	—	—
Cold	20	2	1	—	—	1	—	—	1	1	1	—	3
Poison	23	5	—	—	2	—	—	1	2	1	—	—	1
Burns and Scalds	140	—	1	6	18	27	17	14	18	7	6	2	2
Hanging, etc.	34	—	—	—	—	—	—	—	—	—	2	2	2
Suffocation	56	25	1	1	1	—	2	—	3	1	2	1	3
Drowning	374	1	—	—	5	10	5	3	28	38	51	43	30
Fracture and Contusion	513	—	—	2	3	4	2	10	21	45	45	58	32
Wounds	65	—	—	—	1	—	1	1	1	5	5	9	7
Other Violent Causes	130	12	—	2	—	—	1	1	6	7	21	8	5
Not Specified	2846	857	232	240	230	90	64	35	98	50	63	51	51

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	9	9	11	5	3	4	1	1	3	2	—	—	—	—	—
Apoplexy	14	21	25	35	38	56	73	73	68	62	27	6	4	1	—	1
Paralysis	17	12	15	31	32	54	87	92	96	104	66	25	4	2	—	—
Delirium Tremens	11	14	6	12	4	2	2	1	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	9	7	8	11	9	5	6	1	4	3	3	1	—	—	—	—
Tetanus	—	2	2	1	1	1	3	—	1	—	—	—	—	—	—	—
Insanity	1	6	7	2	3	4	1	2	1	1	—	—	—	—	—	—
Convulsions	3	—	—	4	1	6	2	1	1	1	—	—	—	—	—	1
Brain Disease	18	23	17	20	26	21	21	15	21	10	6	2	—	—	—	1
Pericarditis	2	2	2	1	1	3	2	5	1	1	3	—	—	—	—	—
Aneurism	4	4	5	7	3	4	1	2	1	1	—	—	—	—	—	—
Heart Disease	42	44	57	64	76	82	118	91	115	70	29	9	2	—	—	1
Laryngitis	—	6	3	2	2	1	3	1	1	—	1	—	—	—	—	—
Bronchitis	17	19	33	38	53	59	91	103	97	98	48	16	4	—	—	1
Pleurisy	8	6	17	13	10	14	17	29	24	15	14	6	—	—	—	1
Pneumonia	29	49	51	54	51	42	42	37	38	28	14	7	1	—	—	1
Asthma	11	7	26	25	40	39	62	56	66	46	16	7	1	—	—	3
Lung Disease	12	10	10	12	13	17	20	14	16	9	4	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	2	3	1	—	—	2	1	—	—	—	—	—
Gastritis	3	5	3	11	7	4	2	7	4	8	3	—	—	—	—	—
Enteritis	8	7	11	14	12	10	17	8	9	4	1	—	—	—	—	—
Peritonitis	3	8	5	8	8	5	4	8	5	3	2	—	—	—	—	—
Ascites	2	1	3	4	1	4	2	7	1	1	—	—	—	—	—	—
Ulceration of Intestines	6	6	6	5	5	7	7	6	1	2	1	—	—	—	—	—
Hernia	1	1	3	2	3	2	5	2	4	—	9	3	—	—	—	—
Ileus	4	8	6	7	11	11	9	9	10	9	7	3	1	—	—	—
Intussusception	1	1	1	1	2	1	3	1	2	1	—	—	—	—	—	—
Stricture of Intestines	1	—	2	—	—	1	—	3	—	—	—	—	—	—	—	—
Stomach Disease	6	14	14	11	16	26	31	30	29	12	3	2	—	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hepatitis	2	1	4	6	6	8	5	4	2	6	3	—	—	—	—	1
Jaundice	2	2	1	2	2	1	9	7	5	4	6	4	—	—	—	—
Liver Disease	17	16	21	21	22	26	34	33	13	8	3	1	—	—	—	1
Spleen Disease	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Nephritis	2	—	1	1	1	1	1	—	2	1	1	2	—	—	—	—
Nephria	7	7	8	9	5	2	5	3	5	3	1	—	—	—	—	—
Ischuria	2	—	4	1	—	3	5	2	2	3	5	4	2	—	—	—
Diabetes	3	3	2	4	2	5	—	3	—	3	—	—	—	—	—	—
Stone	1	1	—	2	1	3	5	9	16	4	7	6	1	1	—	—
Cystitis	—	2	—	—	—	2	1	2	5	6	4	1	1	—	—	—
Stricture of Urethra	—	1	—	1	1	—	1	1	—	—	2	1	—	—	—	—
Kidney Disease	6	11	9	4	11	13	21	25	36	33	17	8	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	2	—	—	—	1	2	1	—	1	—	—	—	—	—	—
Rheumatism	2	—	—	6	4	7	6	5	8	5	4	—	1	—	—	—
Joint Disease	4	4	4	3	2	3	2	1	5	1	2	1	—	—	—	—
Carbuncle	—	—	1	1	—	2	—	1	—	—	2	—	—	—	—	—
Phlegmon	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	2	5	6	4	7	5	—	2	1	1	—	—	—	—	—	1
Privation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	3	2	—	1	—	—	—	—	1	—	1	—	—	—	—
Poison	—	2	2	2	3	—	1	1	—	—	—	—	—	—	—	—
Burns and Scalds	3	4	—	3	3	—	—	1	4	2	—	2	—	—	—	—
Hanging, etc.	4	4	3	3	3	5	1	—	3	—	—	—	—	—	—	2
Suffocation	1	4	2	3	1	—	—	2	—	1	1	—	—	—	—	1
Drowning	28	28	20	28	8	10	8	11	2	2	1	—	—	—	—	14
Fracture and Contusion	46	42	44	33	29	29	20	18	10	12	2	2	—	1	—	3
Wounds	7	2	4	4	5	4	3	1	2	2	—	—	1	—	—	—
Other Violent Causes	4	9	15	8	10	3	4	4	3	4	2	—	—	—	—	1
Not Specified	41	50 ^W	46	58	66	84	97	65	63	67	56	45	18	3	—	26

CAUSES of DEATH in SCOTLAND at different Periods of Life in 1855.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	31378	2537	810	1853	2667	1397	869	590	1371	732	941	1035	1036
SPECIFIED CAUSES	28492	1863	642	1642	2419	1300	820	549	1291	679	885	983	978
I. Zymotic Class	7065	306	226	688	1165	768	522	333	634	214	204	191	174
II. Diseases of Uncertain Seat	1535	24	5	17	15	19	8	13	29	22	26	25	35
III. Tubercular Class	4993	57	103	302	449	199	134	89	309	263	425	447	395
IV. Brain and Nervous System	2122	132	41	71	78	39	30	21	69	37	46	60	58
V. Organs of Circulation	954	8	1	3	—	4	4	4	21	35	28	32	52
VI. Respiratory Organs	3441	151	128	267	299	156	74	52	110	40	56	75	77
VII. Organs of Digestion	2069	128	85	240	336	52	12	11	45	31	39	58	72
VIII. Urinary Organs	194	1	—	1	1	1	5	—	7	7	7	14	13
IX. Organs of Generation	493	—	—	—	—	1	—	—	—	—	24	57	78
X. Organs of Locomotion	136	1	—	1	2	—	2	1	12	11	5	8	2
XI. Skin, etc.	36	8	6	2	2	3	—	—	—	—	1	2	—
XII. Malformation	63	52	3	4	1	1	—	—	2	—	—	—	—
XIII. Premature Debility	932	908	15	8	1	—	—	—	—	—	—	—	—
XIV. Atrophy	293	33	21	26	39	18	9	10	5	4	3	2	7
XV. Age	3549	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	114	10	1	2	3	1	—	2	2	1	2	1	2
XVII. Violent Deaths	503	44	7	10	28	38	20	13	46	14	19	11	13
I. Small Pox	628	42	40	113	120	83	48	39	54	20	16	14	13
Measles	596	12	11	101	241	93	50	25	36	11	7	1	1
Scarlatina	1065	8	12	68	172	166	164	113	235	67	21	13	7
Whooping Cough	1091	74	60	205	316	200	110	67	52	1	3	1	1
Croup	400	13	13	30	97	97	60	26	60	2	1	1	—
Thrush	17	12	—	1	2	1	—	—	—	—	—	—	1
Diarrhoea	649	66	42	82	103	40	16	2	13	5	8	3	5
Dysentery	324	5	9	20	26	7	8	7	4	2	6	6	9
Cholera	124	—	5	13	10	9	4	3	12	5	1	5	4
Influenza	420	16	8	8	8	4	3	1	2	1	7	—	3
Purpura	30	1	2	3	2	—	—	—	1	2	1	2	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	17	—	—	—	2	3	5	1	5	—	—	—	—
Infantile Fever	50	5	1	9	10	7	5	5	7	1	—	—	—
Typhus	1243	4	9	22	47	50	43	39	148	88	113	91	77
Metria	169	—	—	—	—	—	—	—	—	—	9	43	47
Rheumatic Fever	28	—	—	—	—	2	—	—	—	4	5	2	1
Erysipelas	161	29	9	9	7	3	2	3	5	5	6	7	2
Syphilis	45	19	5	4	1	1	2	—	—	—	—	2	1
Noma	7	—	—	—	1	2	2	2	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	1
II. Hæmorrhage	74	8	—	1	—	—	—	1	2	1	5	3	3
Dropsy	703	5	—	4	10	17	6	6	22	14	18	13	19
Abscess	41	3	4	5	2	—	1	1	1	2	—	4	3
Ulcer	18	1	—	—	1	—	—	—	1	—	1	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	83	7	1	6	2	1	—	3	2	4	—	2	3
Cancer	610	—	—	1	—	1	1	2	1	1	2	3	7
Gout	5	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	169	2	3	6	9	10	5	8	15	23	23	11	8
Tabes Mesenterica	256	11	14	27	62	36	16	13	31	10	6	4	5
Phthisis	3696	15	32	57	153	72	40	33	145	200	390	429	380
Hydrocephalus	872	29	54	212	225	81	73	35	118	30	6	3	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	158	—	4	15	17	7	9	7	21	8	12	15	12
Apoplexy	460	3	2	5	5	2	—	3	8	6	2	8	9
Paralysis	725	—	—	1	1	—	1	1	2	3	4	3	3
Delirium Tremens	15	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	5	—	—	—	—	—	—	—	1	—	1	2	1
Epilepsy	98	3	—	2	4	2	1	—	2	1	3	8	11
Tetanus	19	3	1	2	1	—	—	—	—	—	—	—	2
Insanity	28	—	—	—	—	—	—	—	—	—	1	2	2
Convulsions	296	115	27	30	42	23	8	8	10	4	4	3	2
Brain Disease	318	8	7	16	8	5	11	2	25	15	19	19	15
V. Pericarditis	35	—	—	—	—	1	1	1	8	2	5	—	1
Aneurism	11	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	908	8	1	3	—	3	3	3	13	33	23	32	51
VI. Laryngitis	36	—	1	4	5	3	4	3	7	—	—	1	3
Bronchitis	1609	77	77	152	148	69	24	23	36	16	15	19	26
Pleurisy	195	8	2	6	7	4	—	—	6	4	5	7	4
Pneumonia	889	57	45	95	127	75	39	25	52	13	25	33	29
Asthma	503	1	—	—	2	1	—	—	—	—	2	5	4
Lung Disease	209	8	3	10	10	4	7	1	9	7	9	10	11
VII. Teething	495	6	30	177	253	26	1	—	2	—	—	—	—
Quinsey	26	—	1	5	5	3	1	2	2	1	1	—	—
Gastritis	64	3	2	3	1	—	—	1	5	3	1	4	2
Enteritis	421	77	33	41	50	14	9	4	19	11	9	14	15
Peritonitis	137	3	2	1	1	—	—	1	4	—	8	21	22
Ascites	57	—	—	1	—	1	—	—	1	4	1	—	3
Ulceration of Intestines	65	—	2	3	4	1	—	—	3	2	2	4	3
Hernia	40	—	1	—	—	—	—	—	—	—	—	1	1
Ileus	136	5	4	1	5	2	—	—	3	2	6	—	4
Intussusception	11	1	1	3	—	—	—	—	—	—	1	—	—
Stricture of Intestines	8	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	220	16	7	5	12	1	1	2	2	3	4	5	4
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	58	—	—	—	—	2	—	1	—	2	3	1	2
Jaundice	92	15	1	—	2	—	—	—	2	—	—	—	4
Liver Disease	233	2	1	—	2	2	—	—	2	3	3	8	12
Spleen Disease	5	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	12	—	—	1	—	1	—	—	1	—	—	1	1
Nephria	59	—	—	—	1	—	2	—	3	3	2	6	2
Ischuria	7	1	—	—	—	—	—	—	1	—	—	—	—
Diabetes	24	—	—	—	—	—	—	—	—	1	3	3	1
Stone	8	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	8	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	76	—	—	—	—	—	3	—	2	3	2	3	9
IX. Paramenia	13	—	—	—	—	—	—	—	—	—	6	2	1
Ovarian Dropsy	48	—	—	—	—	—	—	—	—	—	—	2	—
Childbirth	341	—	—	—	—	—	—	—	—	—	16	49	66
Uterine Disease	91	—	—	—	—	1	—	—	—	—	2	4	11
X. Arthritis	6	—	—	—	—	—	1	—	2	1	—	—	—
Rheumatism	70	—	—	—	—	—	—	—	3	1	2	1	1
Joint and Bone Disease	60	1	—	1	2	—	1	1	7	9	3	7	1
XI. Carbuncle	10	—	—	—	—	1	—	—	—	—	—	1	—
Phlegmon	3	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	23	8	6	2	2	2	—	—	—	—	1	1	—
XII. Cyanosis	12	11	—	1	—	—	—	—	—	—	—	—	—
Spina Bifida	14	10	2	—	1	—	—	—	1	—	—	—	—
Other Malformations	37	31	1	3	—	1	—	—	1	—	—	—	—
XVII. Intemperance	20	—	—	—	—	—	—	—	—	—	—	—	—
Privation	4	1	—	—	—	—	—	—	—	—	—	1	—
Want of Breast Milk	16	14	—	2	—	—	—	—	—	—	—	—	—
Neglect	4	3	—	—	—	1	—	—	—	—	—	—	—
Cold	10	2	—	—	—	—	2	—	—	—	1	—	—
Poison	22	3	—	—	—	—	—	1	1	—	1	3	—
Burns and Scalds	171	—	—	4	17	24	15	10	29	7	5	1	2
Hanging, etc.	8	—	—	—	—	—	—	—	—	—	—	1	1
Suffocation	28	13	4	3	1	—	—	—	—	1	—	—	1
Drowning	66	—	1	1	2	6	1	1	5	2	5	1	4
Fracture and Contusion	104	—	2	—	6	7	2	1	8	3	6	1	3
Wounds	13	—	—	—	—	—	—	—	1	—	—	1	1
Other Violent Causes	37	8	—	—	2	—	—	—	2	1	1	2	1
Not Specified	2886	674	168	211	248	97	49	41	80	53	56	52	58

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	10	4	1	5	3	3	3	—	1	—	—	1	—	—	—	—
Apoplexy	17	17	14	27	36	44	60	52	59	39	29	10	3	—	—	—
Paralysis	5	12	20	29	42	52	70	100	136	113	85	36	4	2	—	—
Delirium Tremens	2	2	4	3	—	1	—	—	—	1	1	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	11	9	9	5	6	5	4	4	7	1	—	—	—	—	—	—
Tetanus	1	—	4	—	2	—	1	1	—	1	—	—	—	—	—	—
Insanity	3	1	2	5	6	2	—	2	1	1	—	—	—	—	—	—
Convulsions	7	3	1	2	2	1	—	3	1	—	—	—	—	—	—	—
Brain Disease	19	20	17	13	16	17	15	19	20	6	3	2	1	—	—	—
Pericarditis	1	—	—	3	5	2	—	—	1	2	1	—	—	—	—	1
Aneurism	—	1	1	5	—	2	2	—	—	—	—	—	—	—	—	—
Heart Disease	41	50	67	55	80	82	111	75	88	54	20	6	2	1	—	3
Laryngitis	1	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	19	26	49	44	62	84	130	121	158	129	57	32	11	2	—	3
Pleurisy	11	7	12	12	10	10	18	18	17	15	9	2	—	1	—	—
Pneumonia	24	22	22	21	31	30	32	29	23	26	10	2	1	—	—	1
Asthma	15	18	22	31	53	71	65	72	55	39	35	10	2	—	—	—
Lung Disease	5	6	12	11	9	16	19	19	13	6	3	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
Gastritis	8	4	—	1	5	4	4	2	7	2	1	1	—	—	—	—
Enteritis	17	15	12	3	11	10	11	8	15	13	8	1	1	—	—	—
Peritonitis	16	14	8	2	—	9	6	5	8	2	1	3	—	—	—	—
Ascites	2	1	3	3	6	10	7	6	5	2	—	—	1	—	—	—
Ulceration of Intestines	6	3	4	2	2	4	8	3	5	1	1	1	—	—	—	1
Hernia	—	5	2	5	5	4	5	7	2	1	1	—	—	—	—	—
Ileus	4	3	5	10	10	11	10	16	14	15	5	1	—	—	—	—
Intussusception	1	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	2	—	—	2	1	1	—	1	—	—	—	—	—
Stomach Disease	6	11	16	13	20	15	25	17	12	9	10	3	—	—	—	1
Pancreas Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	5	6	3	8	6	3	8	2	4	2	—	—	—	—	—	—
Jaundice	3	2	3	8	6	2	13	7	10	7	4	3	—	—	—	—
Liver Disease	13	11	13	20	19	26	30	31	23	7	4	1	—	—	—	—
Spleen Disease	—	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Nephritis	1	1	—	1	1	—	—	1	1	—	1	—	—	—	—	—
Nephria	8	5	5	4	2	7	4	3	1	1	—	—	—	—	—	—
Ischuria	—	1	—	1	—	1	1	—	1	—	—	—	—	—	—	—
Diabetes	3	2	3	3	—	3	—	—	1	—	1	—	—	—	—	—
Stone	—	2	1	1	—	—	—	—	2	1	1	—	—	—	—	—
Cystitis	—	—	—	—	1	3	—	1	—	—	1	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	3	6	4	4	3	5	6	10	4	4	1	1	—	—	—
Paramenia	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	5	8	4	4	9	7	6	1	1	—	1	—	—	—	—	—
Childbirth	74	91	41	4	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	10	9	7	11	11	11	5	2	4	2	1	—	—	—	—	—
Arthritis	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	2	5	3	3	10	9	9	10	5	3	—	1	1	—	—
Joint Disease	1	2	3	4	2	2	2	3	4	2	1	—	—	1	—	—
Carbuncle	—	—	1	1	—	1	1	1	2	—	—	1	—	—	—	—
Phlegmon	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	2	3	5	5	3	1	1	—	—	—	—	—	—	—	—	—
Privation	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	1	—	2	1	—	—	1	—	—	—	—	—	—
Poison	—	3	3	3	3	1	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	4	3	5	1	2	2	8	4	9	4	8	5	1	1	—	—
Hanging, etc.	1	—	—	2	1	—	2	—	—	—	—	—	—	—	—	—
Suffocation	—	1	—	—	2	—	—	—	—	2	—	—	—	—	—	—
Drowning	5	9	3	6	2	1	5	1	1	1	1	—	—	—	—	2
Fracture and Contusion	5	4	2	3	2	4	5	6	9	11	9	4	—	—	—	1
Wounds	—	2	3	3	—	—	—	—	—	1	1	—	—	—	—	—
Other Violent Causes	1	3	2	3	2	—	1	—	—	—	3	—	1	—	—	4
Not Specified	49	59	72	73	84	117	117	104	109	106	86	54	27	8	2	3

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2693	216	59	87	132	56	38	29	56	66	86	94	79
SPECIFIED CAUSES	2069	99	38	58	101	49	32	18	45	55	72	80	65
I. Zymotic Class	434	27	14	24	61	33	12	10	23	17	21	14	11
II. Diseases of Uncertain Seat	122	—	—	—	1	—	—	—	—	3	4	3	1
III. Tubercular Class	304	1	6	7	13	4	10	2	12	20	25	39	29
IV. Brain and Nervous System	126	6	1	3	4	2	1	3	1	3	4	3	5
V. Organs of Circulation	38	—	—	—	1	—	—	—	1	1	2	2	2
VI. Respiratory Organs	243	18	12	16	10	3	4	1	2	3	4	5	3
VII. Organs of Digestion	131	8	2	5	5	2	—	—	—	2	6	2	7
VIII. Urinary Organs	31	—	1	—	—	—	—	—	—	—	1	—	1
IX. Organs of Generation	28	—	—	—	—	—	—	—	—	—	—	2	4
X. Organs of Locomotion	16	—	—	1	1	—	—	—	—	—	1	1	1
XI. Skin, etc.	3	1	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	35	35	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	9	2	—	2	—	—	1	—	—	—	—	1	—
XV. Age	463	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	—	—	—	—	—	1	—	—	—	—
XVII. Violent Deaths	82	—	1	—	5	5	4	2	5	6	4	8	1
I. Small Pox	22	2	1	1	4	4	1	1	1	1	—	2	2
Measles	89	8	3	9	23	10	2	1	9	4	8	3	1
Scarlatina	14	—	2	1	1	1	2	2	3	1	—	—	—
Hooping Cough	28	1	2	5	10	3	4	1	1	—	1	—	—
Croup	35	5	—	3	11	8	1	4	3	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	23	2	1	1	1	—	—	—	1	—	1	—	—
Dysentery	19	—	1	—	1	—	—	—	—	—	—	—	—
Cholera	2	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	98	5	3	1	4	3	1	1	—	—	—	—	1
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Typhus	77	1	1	1	4	3	—	—	5	10	10	7	5
Metria	1	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	7	—	—	—	—	—	—	—	—	1	1	1	1
Erysipelas	15	2	—	1	1	1	1	—	—	—	—	1	—
Syphilis	2	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	7	—	—	—	—	—	—	—	—	1	—	1	—
Dropsy	69	—	—	—	1	—	—	—	—	2	3	2	1
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	39	—	—	—	—	—	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	1	—	—
III. Scrofula	16	—	1	1	—	—	1	—	1	3	1	2	2
Tabes Mesenterica	8	—	—	—	3	1	—	—	—	—	—	1	1
Phthisis	247	—	1	3	4	1	2	1	6	15	23	35	26
Hydrocephalus	33	1	4	3	6	2	7	1	5	2	1	1	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life,
in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	72	65	75	64	100	99	148	130	214	226	241	126	76	30	8	21
SPECIFIED CAUSES . . .	63	53	61	51	78	74	104	93	176	184	203	104	65	25	7	13
Zymotic Class . . .	11	7	7	9	16	13	13	15	31	18	18	3	2	2	—	2
Uncertain Seat . . .	4	2	7	7	11	12	11	9	18	16	7	4	2	—	—	—
Tubercular Class . . .	22	18	13	7	13	13	11	10	15	5	4	—	1	—	—	4
Brain, etc.	2	6	3	5	8	3	9	9	12	11	12	7	2	—	—	1
Heart, etc.	2	—	1	2	4	2	7	4	4	2	1	—	—	—	—	—
Respiratory Organs . . .	5	6	4	6	13	17	15	21	23	26	19	5	—	—	—	2
Digestive Organs . . .	2	3	12	4	9	5	21	8	8	11	9	—	—	—	—	—
Urinary Organs . . .	1	2	2	—	1	3	2	2	5	7	1	2	—	—	—	—
Generative Organs . . .	9	4	6	—	1	1	1	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	—	1	2	1	1	1	1	1	1	1	—	—	1	—	—
Skin	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—
Age	—	—	—	—	—	—	10	14	58	84	129	81	57	22	* 7	1
Sudden Deaths	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Violent Deaths	5	5	4	9	1	2	3	2	1	3	1	1	1	—	—	3
Small Pox	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	3	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	2	1	1	—	2	1	—	4	1	1	2	1	—	—	—	—
Dysentery	1	—	—	—	2	1	1	2	4	4	2	—	—	—	—	—
Cholera	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	2	3	2	6	9	7	20	12	12	2	2	2	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	2	4	2	5	6	3	1	2	2	1	1	—	—	—	—	1
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Erysipelas	—	—	1	—	—	1	2	—	3	—	1	—	—	—	—	—
Syphilis	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—
Dropsy	3	—	4	3	7	5	7	7	5	11	5	2	1	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	2	1	—	2	—	—	—	—
Cancer	—	1	3	3	2	6	4	2	11	4	2	—	1	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . . .	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Phthisis	19	17	13	7	12	13	11	10	14	5	4	—	1	—	—	4
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* This number includes a female aged 110 years.

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	15	—	—	—	2	1	1	2	—	1	3	—	1
Apoplexy	21	—	—	—	—	—	—	1	—	—	—	—	—
Paralysis	59	—	—	—	—	—	—	—	1	—	—	—	2
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	14	6	—	2	2	1	—	—	—	1	—	—	1
Brain Disease	11	—	1	1	—	—	—	—	—	1	1	3	1
V. Pericarditis	2	—	—	—	—	—	—	—	1	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	35	—	—	—	1	—	—	—	—	1	2	2	2
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	93	3	8	11	6	1	3	1	2	3	1	1	1
Pleurisy	27	8	3	1	3	1	1	—	—	—	—	1	—
Pneumonia	45	7	—	1	1	1	—	—	—	—	2	1	1
Asthma	51	—	—	1	—	—	—	—	—	—	—	—	1
Lung Disease	27	—	1	2	—	—	—	—	—	—	1	2	—
VII. Teething	8	1	—	3	4	—	—	—	—	—	—	—	—
Quinsey	3	—	—	—	—	—	—	—	—	1	—	—	—
Gastritis	8	—	—	1	—	—	—	—	—	—	1	—	—
Enteritis	22	6	2	—	1	—	—	—	—	—	3	—	1
Peritonitis	10	1	—	—	—	—	—	—	—	—	—	1	2
Ascites	6	—	—	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	3	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	10	—	—	—	—	—	—	—	—	—	—	—	1
Intussusception	3	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	27	—	—	1	—	1	—	—	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	7	—	—	—	—	1	—	—	—	—	—	—	—
Jaundice	6	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	16	—	—	—	—	—	—	—	—	—	2	—	2
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	3	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	1	—	—
Stone	6	—	1	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	14	—	—	—	—	—	—	—	—	—	—	—	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	5	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	22	—	—	—	—	—	—	—	—	—	—	2	4
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	9	—	—	—	—	—	—	—	—	—	—	—	1
Joint and Bone Disease	7	—	—	1	1	—	—	—	—	—	1	1	—
XI. Carbuncle	1	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	1	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	4	—	1	—	—	—	—	—	1	1	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	15	—	—	—	3	3	3	1	3	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	—	—	1	—	—	—	—	—	—
Drowning	34	—	—	—	1	2	—	—	1	1	2	7	1
Fracture and Contusion	14	—	—	—	1	—	—	—	—	4	—	1	—
Wounds	3	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	10	—	—	—	—	—	—	1	—	—	2	—	—
Not Specified	624	117	21	29	31	7	6	11	11	11	14	14	14

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life,
in 1855.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	1	—	1	1	—	3	3	2	2	5	1	1	—	—	—	
Paralysis	1	1	1	4	4	3	5	6	9	8	7	6	1	—	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	
Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
Brain Disease	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Pericarditis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Heart Disease	2	—	1	2	3	2	7	3	4	2	1	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	1	2	1	2	3	4	4	7	9	9	6	3	—	—	—	1	
Pleurisy	2	1	—	—	1	3	—	—	—	1	—	—	—	—	—	1	
Pneumonia	—	1	1	3	5	3	5	3	1	5	4	—	—	—	—	—	
Asthma	1	1	1	—	4	5	2	8	9	9	8	1	—	—	—	—	
Lung Disease	1	1	1	1	—	2	4	3	4	2	1	1	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
Gastritis	—	—	—	—	3	—	—	—	1	1	1	—	—	—	—	—	
Enteritis	—	1	1	—	—	—	3	1	2	1	—	—	—	—	—	—	
Peritonitis	—	—	2	—	1	—	—	2	—	—	1	—	—	—	—	—	
Ascites	—	—	—	1	—	1	3	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	
Ileus	1	1	—	2	—	—	1	1	—	1	2	—	—	—	—	—	
Intussusception	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	1	5	—	2	—	6	2	2	3	3	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	2	—	1	—	1	—	1	1	—	—	—	—	—	—	
Jaundice	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—	
Liver Disease	1	—	2	1	1	3	2	2	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	1	1	—	1	2	—	—	—	—	
Cystitis	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	
Stricture of Urethra	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	1	—	1	—	1	—	1	1	2	6	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	2	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
Childbirth	7	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	1	1	—	1	—	1	1	1	1	—	—	1	—	—	
Joint Disease	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	3	3	3	6	—	1	—	2	—	—	—	—	—	—	—	1	
Fracture and Contusion	—	1	—	1	—	1	2	—	—	2	—	—	—	—	—	1	
Wounds	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Other Violent Causes	1	—	—	2	—	—	—	—	—	1	1	—	1	—	—	1	
Not Specified	9	12	14	13	22	25	44	34	38	42	38	22	11	5	1	8	

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1293	134	38	47	77	27	19	18	30	32	49	61	45
SPECIFIED CAUSES	993	63	21	32	61	23	16	9	20	27	42	54	36
I. Zymotic Class	200	16	4	10	39	14	6	4	11	7	11	6	7
II. Diseases of Uncertain Seat	53	—	—	—	—	—	—	—	—	2	4	3	—
III. Tubercular Class	160	1	5	6	8	2	4	1	6	9	12	28	17
IV. Brain and Nervous System	72	5	—	2	2	1	1	3	—	1	2	2	4
V. Organs of Circulation	19	—	—	—	1	—	—	—	—	1	2	1	—
VI. Respiratory Organs	115	8	7	10	6	3	2	—	—	1	1	4	2
VII. Organs of Digestion	74	5	2	3	2	1	—	—	—	—	5	1	5
VIII. Urinary Organs	27	—	1	—	—	—	—	—	—	—	1	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	6	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	2	1	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	25	25	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	5	1	—	1	—	—	1	—	—	—	—	1	—
XV. Age	170	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	—	—	—	—	—	1	—	—	—	—
XVII. Violent Deaths	61	—	1	—	3	2	2	1	2	6	4	8	1
I. Small Pox	11	1	—	—	1	1	1	—	1	1	—	2	1
Measles	42	5	—	2	14	7	2	—	2	—	5	2	1
Scarlatina	9	—	1	1	1	1	1	1	2	—	—	—	—
Hooping Cough	11	—	—	3	5	—	1	1	1	—	—	—	—
Croup	19	4	—	1	10	2	—	1	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	12	2	1	1	—	—	—	—	1	—	—	—	—
Dysentery	11	—	1	—	1	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	37	2	—	—	3	2	—	1	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	37	1	1	1	3	1	—	—	3	5	6	2	4
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	—	—	—	1	—	—	1
Erysipelas	7	1	—	1	1	—	1	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	—	—	—	—	—	—	—	—	—	—	1	—
Dropsy	33	—	—	—	—	—	—	—	—	2	3	2	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	11	—	—	—	—	—	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	1	—	—
III. Scrofula	9	—	1	1	—	—	—	—	1	—	1	1	1
Tabes Mesenterica	3	—	—	—	3	—	—	—	—	—	—	—	—
Phthisis	129	—	1	2	2	1	1	1	3	7	10	27	16
Hydrocephalus	19	1	3	3	3	1	3	—	2	2	1	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.										
		AGE UNDER										30
		MONTHS.			2	3	4	5	10	15	20	
		3	6	12								
IV. Cephalitis	9	—	—	—	1	—	1	2	—	1	2	—
Apoplexy	14	—	—	—	—	—	—	1	—	—	—	—
Paralysis	32	—	—	—	—	—	—	—	—	—	—	2
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—
Convulsions	9	5	—	1	1	1	—	—	—	—	—	—
Brain Disease	5	—	—	1	—	—	—	—	—	—	2	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	17	—	—	—	1	—	—	—	—	1	2	1
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	36	—	4	5	3	1	1	—	—	1	—	1
Pleurisy	15	3	3	1	2	1	1	—	—	—	—	—
Pneumonia	27	5	—	1	1	1	—	—	—	—	1	—
Asthma	23	—	—	1	—	—	—	—	—	—	—	1
Lung Disease	14	—	—	2	—	—	—	—	—	—	—	—
VII. Teething	4	—	—	2	2	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	4	—	—	1	—	—	—	—	—	—	1	—
Enteritis	16	4	2	—	—	—	—	—	—	—	2	—
Peritonitis	6	1	—	—	—	—	—	—	—	—	—	1
Ascites	1	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	3	—	—	—	—	—	—	—	—	—	—	—
Ileus	8	—	—	—	—	—	—	—	—	—	—	1
Intussusception	3	—	—	—	—	—	—	—	—	—	—	1
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	11	—	—	—	—	1	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	—	—	—	—	—
Jaundice	5	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	9	—	—	—	—	—	—	—	—	—	2	—
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	1	—
Stone	6	—	1	—	—	—	—	—	—	—	—	—
Cystitis	3	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	13	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	5	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	1	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—
Cold	4	—	1	—	—	—	—	—	1	1	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	—	1	1	1	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	—	—	1	—	—	—	—	—
Drowning	33	—	—	—	1	1	—	—	1	1	2	7
Fracture and Contusion	12	—	—	—	1	—	—	—	—	4	—	1
Wounds	2	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	5	—	—	—	—	—	—	1	—	—	2	—
Not Specified	300	71	17	15	16	4	3	9	10	5	7	9

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life,
in 1855.—MALES. (Continued.)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	—	—	1	1	—	1	3	1	2	3	—	1	—	—	—	
Paralysis	—	—	—	—	2	—	2	4	5	8	4	4	1	—	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
Brain Disease	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Pericarditis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Heart Disease	1	—	1	—	2	2	3	—	1	1	1	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	1	2	1	2	1	2	1	3	3	2	—	1	—	—	—	1	
Pleurisy	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	
Pneumonia	—	1	1	1	3	3	3	—	1	2	2	—	—	—	—	—	
Asthma	—	—	1	—	2	1	—	4	5	5	3	—	—	—	—	—	
Lung Disease	—	1	1	1	—	1	3	1	2	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Enteritis	—	1	1	—	—	—	3	1	1	—	—	—	—	—	—	—	
Peritonitis	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	
Ascites	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	
Ileus	1	1	—	1	—	—	1	1	—	1	1	—	—	—	—	—	
Intussusception	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	1	2	—	—	—	2	2	1	2	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
Jaundice	—	—	—	—	—	—	2	—	2	1	—	—	—	—	—	—	
Liver Disease	1	—	1	1	—	2	—	1	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	1	1	—	1	2	—	—	—	—	
Cystitis	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	
Stricture of Urethra	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	1	—	1	—	1	—	1	1	2	6	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	1	—	—	—	1	1	1	1	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	3	3	3	6	—	1	—	2	—	—	—	—	—	—	—	1	
Fracture and Contusion	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	1	
Wounds	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
Not Specified	5	6	5	4	11	10	17	11	13	13	11	10	6	2	—	3	

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1400	82	21	40	55	29	19	11	26	34	37	33	34
SPECIFIED CAUSES	1076	36	17	26	40	26	16	9	25	28	30	26	29
I. Zymotic Class	234	11	10	14	22	19	6	6	12	10	10	8	4
II. Diseases of Uncertain Seat	69	—	—	—	1	—	—	—	—	1	—	—	1
III. Tubercular Class	144	—	1	1	5	2	6	1	6	11	13	11	12
IV. Brain and Nervous System	54	1	1	1	2	1	—	—	1	2	2	1	1
V. Organs of Circulation	19	—	—	—	—	—	—	—	1	—	—	1	2
VI. Respiratory Organs	128	10	5	6	4	—	2	1	2	2	3	1	1
VII. Organs of Digestion	57	3	—	2	3	1	—	—	—	2	1	1	2
VIII. Urinary Organs	4	—	—	—	—	—	—	—	—	—	—	—	1
IX. Organs of Generation	28	—	—	—	—	—	—	—	—	—	—	2	4
X. Organs of Locomotion	10	—	—	1	1	—	—	—	—	—	1	1	1
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	10	10	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	4	1	—	1	—	—	—	—	—	—	—	—	—
XV. Age	293	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	21	—	—	—	2	3	2	1	3	—	—	—	—
I. Small Pox	11	1	1	1	3	3	—	1	—	—	—	—	1
Measles	47	3	3	7	9	3	—	1	7	4	3	1	—
Scarlatina	5	—	1	—	—	—	1	1	1	1	—	—	—
Hooping Cough	17	1	2	2	5	3	3	—	—	—	1	—	—
Croup	16	1	—	2	1	6	1	3	2	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	11	—	—	—	1	—	—	—	—	—	1	—	—
Dysentery	8	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	61	3	3	1	1	1	1	—	—	—	—	—	1
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Typhus	40	—	—	—	1	2	—	—	2	5	4	5	1
Metria	1	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever	4	—	—	—	—	—	—	—	—	—	1	1	—
Erysipelas	8	1	—	—	—	1	—	—	—	—	—	1	—
Syphilis	2	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	—	1	—	—	—
Dropsy	36	—	—	—	1	—	—	—	—	—	—	—	1
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	28	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	—	—	—	1	—	—	3	—	1	1
Tabes Mesenterica	5	—	—	—	—	1	—	—	—	—	—	1	1
Phthisis	118	—	—	1	2	—	1	—	3	8	13	8	10
Hydrocephalus	14	—	1	—	3	1	4	1	3	—	—	1	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	44	34	40	32	56	55	90	72	128	121	149	79	47	19	6	7
SPECIFIED CAUSES . . .	40	28	31	23	45	40	63	49	103	92	122	67	42	16	5	2
Zymotic Class . . .	8	6	6	4	9	9	9	9	16	11	11	2	1	1	—	—
Uncertain Seat . . .	3	1	2	4	9	6	9	5	11	9	3	3	1	—	—	—
Tubercular Class . . .	12	11	6	3	8	7	8	7	9	2	2	—	—	—	—	—
Brain, etc.	2	5	2	4	4	3	5	2	6	—	5	3	—	—	—	—
Heart, etc.	1	—	—	2	1	—	4	3	3	1	—	—	—	—	—	—
Respiratory Organs . . .	4	1	—	2	7	9	8	13	12	17	14	4	—	—	—	—
Digestive Organs . . .	—	—	7	2	5	1	11	2	3	6	5	—	—	—	—	—
Urinary Organs . . .	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—
Generative Organs . . .	9	4	6	—	1	1	1	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	—	1	1	1	1	—	—	—	—	—	—	—	1	—	—
Skin	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Age	—	—	—	—	—	—	8	8	41	44	80	53	39	14	* 5	1
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	1	—	1	1	—	—	—	—	1	2	1	1	1	—	—	1
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	2	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	2	1	1	—	2	—	—	1	—	1	1	—	—	—	—	—
Dysentery	1	—	—	—	1	—	—	1	2	2	1	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	1	1	1	6	6	5	11	7	8	2	1	1	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	2	3	2	3	2	2	1	2	1	1	1	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	1	—	—	—	2	—	2	—	—	—	—	—	—	—
Syphilis	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Dropsy	3	—	2	2	5	1	5	3	2	6	2	2	1	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Cancer	—	1	—	2	2	5	4	2	9	2	1	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Phthisis	11	11	6	3	7	7	8	7	8	2	2	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* This number includes a female aged 110 years.

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—FEMALES. (*Continued.*)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	—	—	—	1	1	—	—	—	—	1	—	—
Apoplexy	7	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	27	—	—	—	—	—	—	—	1	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	1	—	1	1	—	—	—	—	1	—	—	1
Brain Disease	6	—	1	—	—	—	—	—	—	1	1	1	—
V. Pericarditis	1	—	—	—	—	—	—	—	1	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	18	—	—	—	—	—	—	—	—	—	—	1	2
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	57	3	4	6	3	—	2	1	2	2	1	1	—
Pleurisy	12	5	—	—	1	—	—	—	—	—	—	—	—
Pneumonia	18	2	—	—	—	—	—	—	—	—	1	—	1
Asthma	28	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	13	—	1	—	—	—	—	—	—	—	1	—	—
VII. Teething	4	1	—	1	2	—	—	—	—	—	—	—	—
Quinsey	3	—	—	—	—	—	—	—	—	1	—	—	—
Gastritis	4	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	6	2	—	—	1	—	—	—	—	—	1	—	—
Peritonitis	4	—	—	—	—	—	—	—	—	—	—	—	1
Ascites	5	—	—	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	2	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	16	—	—	1	—	—	—	—	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	1	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	7	—	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	2	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	—	—	—	—	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	5	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	22	—	—	—	—	—	—	—	—	—	—	2	4
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	4	—	—	—	—	—	—	—	—	—	—	—	1
Joint and Bone Disease	6	—	—	1	1	—	—	—	—	—	1	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	12	—	—	—	2	2	2	1	3	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	1	—	—	—	—	1	—	—	—	—	—	—	—
Fracture and Contusion	2	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	5	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	324	46	4	14	15	3	3	2	1	6	7	7	5

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	1	—	—	—	—	2	—	1	—	2	1	—	—	—	—	
Paralysis	1	1	1	4	2	3	3	2	4	—	3	2	—	—	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	
Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	1	—	—	2	1	—	4	3	3	1	—	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	—	—	—	—	2	2	3	4	6	7	6	2	—	—	—	—	
Pleurisy	2	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—	
Pneumonia	—	—	—	2	2	—	2	3	—	3	2	—	—	—	—	—	
Asthma	1	1	—	—	2	4	2	4	4	4	5	1	—	—	—	—	
Lung Disease	1	—	—	—	—	1	1	2	2	2	1	1	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
Gastritis	—	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	
Enteritis	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
Peritonitis	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	
Ascites	—	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	—	3	—	2	—	4	—	1	1	3	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	
Jaundice	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Liver Disease	—	—	1	—	1	1	2	1	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	2	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
Childbirth	7	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—	
Joint Disease	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
Wounds	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	1	—	—	1	—	—	—	—	—	—	1	—	1	—	—	1	
Not Specified	4	6	9	9	11	15	27	23	25	29	27	12	5	3	1	5	

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	30893	2751	835	1602	2064	1106	730	549	1439	845	1067	1124	973
SPECIFIED CAUSES	28109	1992	655	1412	1879	1021	687	521	1351	794	1000	1079	932
I. Zymotic Class	6447	331	228	587	904	579	452	315	676	251	222	191	138
II. Diseases of Uncertain Seat	1411	24	8	17	19	11	6	10	30	19	23	17	27
III. Tubercular Class	4586	59	110	252	323	159	95	90	277	263	405	520	415
IV. Brain and Nervous System	2378	144	47	68	81	34	23	22	89	57	65	62	67
V. Organs of Circulation	1013	8	2	2	—	4	4	3	24	35	31	30	32
VI. Respiratory Organs	3256	149	120	237	224	124	54	39	99	37	67	79	68
VII. Organs of Digestion	2231	180	94	214	258	35	13	9	53	33	49	59	64
VIII. Urinary Organs	391	2	—	—	4	2	2	1	8	6	9	13	12
IX. Organs of Generation	271	—	—	—	—	1	—	—	—	—	14	24	45
X. Organs of Locomotion	177	—	—	—	2	1	1	3	9	17	11	9	5
XI. Skin, etc.	39	14	3	4	1	1	1	—	—	—	1	1	—
XII. Malformation	87	74	4	2	2	1	—	—	3	—	—	1	—
XIII. Premature Debility	937	918	13	4	2	—	—	—	—	—	—	—	—
XIV. Atrophy	220	23	15	14	28	14	6	6	8	4	4	3	8
XV. Age	3472	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	125	14	4	2	1	3	—	1	—	—	2	1	3
XVII. Violent Deaths	1068	52	7	9	30	52	30	22	75	72	97	69	48
I. Small Pox	552	51	43	89	75	52	31	32	57	20	19	22	21
Measles	305	7	6	55	95	63	34	11	21	8	2	—	—
Scarlatina	1141	9	13	74	175	153	161	136	272	86	31	6	5
Hooping Cough	890	90	65	173	253	129	78	48	47	2	2	—	1
Croup	425	24	12	31	97	89	62	31	73	5	—	1	—
Thrush	21	13	—	3	4	1	—	—	—	—	—	—	—
Diarrhoea	547	59	37	67	85	27	10	7	10	2	8	2	4
Dysentery	260	3	7	16	17	2	7	4	5	1	4	9	4
Cholera	179	3	2	11	9	12	8	5	19	6	3	8	7
Influenza	508	18	13	11	9	3	3	—	8	4	8	2	2
Purpura	31	3	1	2	—	—	—	—	4	1	2	1	2
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	22	1	—	—	3	2	5	—	8	3	—	—	—
Infantile Fever	70	6	4	15	19	9	6	4	6	1	—	—	—
Typhus	1188	1	9	27	60	34	42	31	134	102	126	109	64
Metria	79	—	—	—	—	—	—	—	—	—	6	22	20
Rheumatic Fever	34	—	—	—	—	—	—	—	2	5	4	3	1
Erysipelas	162	31	13	10	1	2	3	4	8	5	7	5	6
Syphilis	24	11	2	2	2	1	1	—	—	—	—	1	—
Noma	8	1	1	1	—	—	1	2	2	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	1
II. Hæmorrhage	80	6	2	3	2	1	1	1	3	2	5	3	3
Dropsy	648	5	2	1	12	8	5	4	18	9	15	5	15
Abscess	50	4	3	3	1	1	—	1	4	4	2	4	5
Ulcer	16	1	—	—	1	—	—	—	1	—	—	—	1
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	92	8	1	8	2	1	—	1	1	3	1	1	—
Cancer	516	—	—	2	1	—	—	3	2	1	—	4	3
Gout	7	—	—	—	—	—	—	—	1	—	—	—	—
III. Scrofula	227	3	5	3	10	6	4	9	14	35	36	22	21
Tabes Mesenterica	248	15	14	18	58	25	23	16	30	9	6	9	7
Phthisis	3237	16	28	50	92	56	23	22	109	180	353	488	385
Hydrocephalus	774	25	63	181	163	72	45	43	124	39	10	1	2

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	193	1	6	12	19	8	2	7	26	17	19	17	14
Apoplexy	555	7	5	4	9	4	3	2	16	4	3	11	12
Paralysis	789	—	—	2	—	—	—	—	2	3	6	3	5
Delirium Tremens	31	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	2	—	—	—	—	—	—	—	—	—	1	—	1
Epilepsy	112	4	—	—	5	2	1	—	1	4	3	10	9
Tetanus	38	9	1	2	2	—	1	—	2	4	1	1	1
Insanity	24	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	288	114	30	33	38	16	8	7	9	3	4	2	6
Brain Disease	346	9	5	15	8	4	8	6	33	22	28	17	18
V. Pericarditis	53	2	—	1	—	—	1	—	7	4	7	3	4
Aneurism	20	—	—	—	—	—	—	—	—	1	—	—	1
Heart Disease	940	6	2	1	—	4	3	3	17	30	24	27	27
VI. Laryngitis	57	—	3	6	6	2	6	4	9	2	1	1	2
Bronchitis	1374	85	66	134	106	59	21	16	29	14	14	15	12
Pleurisy	260	5	3	3	6	2	—	2	10	3	7	6	9
Pneumonia	899	50	44	83	100	57	23	14	43	11	29	33	23
Asthma	441	1	2	—	1	1	—	—	1	—	3	6	7
Lung Disease	225	8	2	11	5	3	4	3	7	7	13	18	15
VII. Teething	351	3	22	131	180	14	1	—	—	—	—	—	—
Quinsey	32	—	2	7	6	3	—	—	3	—	2	—	—
Gastritis	89	8	2	3	4	—	—	—	6	2	4	6	—
Enteritis	454	96	44	50	40	12	8	5	17	12	7	9	10
Peritonitis	137	3	—	3	2	—	—	—	5	4	7	13	18
Ascites	47	—	—	—	—	2	—	—	1	1	2	—	1
Ulceration of Intestines	94	—	4	3	2	1	1	—	6	2	2	9	1
Hernia	54	3	3	1	—	—	—	—	—	—	—	2	1
Ileus	182	15	4	2	4	—	—	—	5	—	7	4	9
Intussusception	27	2	3	2	—	—	—	—	1	3	2	1	—
Stricture of Intestines	10	—	—	—	—	—	—	—	—	—	1	—	—
Stomach Disease	283	19	8	10	14	1	3	1	—	2	7	5	6
Pancreas Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	73	—	1	1	—	—	—	—	—	2	3	2	5
Jaundice	107	23	1	—	1	1	—	1	2	—	1	—	3
Liver Disease	285	8	—	1	5	1	—	2	7	5	4	8	10
Spleen Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	17	1	—	—	1	—	—	—	2	—	1	1	—
Nephria	50	—	—	—	1	—	1	1	1	3	2	4	2
Ischuria	28	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes	42	—	—	—	2	1	—	—	1	—	3	3	1
Stone	45	—	—	—	—	—	—	—	1	—	—	—	—
Cystitis	20	—	—	—	—	—	—	—	—	—	—	1	1
Stricture of Urethra	4	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	185	1	—	—	—	1	1	—	2	3	3	4	8
IX. Paramenia	8	—	—	—	—	—	—	—	—	—	4	1	1
Ovarian Dropsy	28	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	186	—	—	—	—	—	—	—	—	—	8	21	40
Uterine Disease	49	—	—	—	—	1	—	—	—	—	2	1	4
X. Arthritis	10	—	—	—	—	—	1	1	1	1	1	1	—
Rheumatism	86	—	—	—	—	—	—	—	3	2	3	—	1
Joint and Bone Disease	81	—	—	—	2	1	—	2	5	14	7	8	4
XI. Carbuncle	10	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	25	14	3	3	1	1	1	—	—	—	1	1	—
XII. Cyanosis	18	15	—	1	—	—	—	—	1	—	—	1	—
Spina Bifida	19	17	—	—	1	—	—	—	1	—	—	—	—
Other Malformations	50	42	4	1	1	1	—	—	1	—	—	—	—
XVII. Intemperance	32	—	—	—	—	—	—	—	—	—	—	—	1
Privation	2	1	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	16	14	1	1	—	—	—	—	—	—	—	—	—
Neglect	2	2	—	—	—	—	—	—	—	—	—	—	—
Cold	16	2	—	—	—	1	1	—	—	—	1	—	1
Poison	27	6	—	—	2	—	—	2	1	—	1	2	—
Burns and Scalds	185	—	1	4	16	31	21	15	30	9	6	2	2
Hanging, etc.	27	—	—	—	—	—	—	—	—	—	2	2	1
Suffocation	41	16	3	1	2	—	—	—	2	2	—	1	2
Drowning	251	1	1	1	4	13	5	1	21	26	33	20	17
Fracture and Contusion	345	—	1	1	4	7	1	3	17	28	37	33	16
Wounds	39	—	—	—	1	—	1	1	1	3	1	3	5
Other Violent Causes	85	10	—	1	1	—	1	—	3	4	16	6	3
Not Specified	2784	759	180	190	185	85	43	28	88	51	67	45	41

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	8	8	3	9	4	5	2	1	2	—	2	1	—	—	—	—
Apoplexy	16	11	14	24	30	51	72	67	80	63	34	10	3	—	—	—
Paralysis	7	8	16	30	36	50	83	97	145	142	103	45	5	1	—	—
Delirium Tremens	7	8	2	5	2	2	2	1	—	—	1	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	10	9	8	10	7	7	6	3	6	3	3	1	—	—	—	—
Tetanus	—	1	6	—	2	—	4	1	—	—	—	—	—	—	—	—
Insanity	—	1	5	6	5	2	—	3	—	1	—	—	—	—	—	—
Convulsions	4	3	1	2	1	1	2	2	1	1	—	—	—	—	—	—
Brain Disease	17	13	17	16	24	13	18	15	23	6	7	3	1	—	—	—
Pericarditis	2	1	—	1	4	2	1	4	2	3	4	—	—	—	—	—
Aneurism	—	3	1	4	1	5	3	—	1	—	—	—	—	—	—	—
Heart Disease	28	32	51	57	72	83	111	98	128	84	37	9	3	1	—	2
Laryngitis	—	4	2	2	2	1	1	1	1	—	1	—	—	—	—	—
Bronchitis	9	17	25	27	42	60	102	115	137	145	75	33	12	2	—	2
Pleurisy	11	6	14	16	12	15	17	33	31	21	20	8	—	—	—	—
Pneumonia	25	33	30	40	39	32	42	39	45	37	19	5	1	—	—	2
Asthma	9	11	17	16	40	42	59	56	60	58	35	12	2	—	—	2
Lung Disease	9	7	9	9	10	14	18	23	17	8	5	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	1	—	—	1	—	2	1	—	—	2	1	—	—	—	—	—
Gastritis	5	2	1	8	5	5	4	6	9	6	3	—	—	—	—	—
Enteritis	10	11	14	11	16	13	17	11	17	15	7	1	1	—	—	—
Peritonitis	11	9	7	6	5	10	7	7	12	4	2	2	—	—	—	—
Ascites	3	—	4	3	5	6	2	10	5	2	—	—	—	—	—	—
Ulceration of Intestines	6	6	7	6	2	8	13	4	5	2	2	1	—	—	—	1
Hernia	1	2	3	3	5	4	7	4	4	1	7	3	—	—	—	—
Ileus	2	5	10	9	12	16	11	19	20	17	7	3	1	—	—	—
Intussusception	2	1	—	1	2	—	5	1	1	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	2	—	—	—	4	1	—	—	—	—	—	—	—
Stomach Disease	7	14	16	8	17	24	30	37	29	14	6	3	—	—	—	2
Pancreas Disease	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Hepatitis	4	3	3	10	9	7	6	4	5	4	3	—	—	—	—	1
Jaundice	4	3	2	7	6	—	12	9	10	6	9	6	—	—	—	—
Liver Disease	13	9	16	18	19	30	39	40	27	14	7	2	—	—	—	—
Spleen Disease	—	1	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Nephritis	1	—	—	1	1	1	—	1	1	1	2	2	—	—	—	—
Nephria	3	6	2	4	1	4	4	3	4	3	1	—	—	—	—	—
Ischuria	2	—	3	1	—	2	2	2	2	2	5	4	2	—	—	—
Diabetes	5	4	5	5	—	5	—	3	1	2	1	—	—	—	—	—
Stone	—	3	1	3	—	2	4	5	13	3	5	3	1	1	—	—
Cystitis	—	1	—	—	1	1	1	2	3	3	3	2	1	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—
Kidney Disease	4	10	7	5	9	8	16	21	34	22	17	8	1	—	—	—
Paramenia	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	7	2	3	6	5	2	—	—	—	1	—	—	—	—	—
Childbirth	36	53	28	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	6	7	—	4	5	7	5	1	3	2	1	—	—	—	—	—
Arthritis	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—
Rheumatism	1	—	1	5	5	13	10	11	16	8	5	—	2	—	—	—
Joint Disease	4	3	6	3	3	3	1	2	7	1	3	1	—	1	—	—
Carbuncle	—	—	—	1	—	2	1	2	1	—	1	1	—	—	—	—
Phlegmon	—	—	1	2	—	—	—	—	1	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	3	3	6	4	7	4	1	2	—	1	—	—	—	—	—	—
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	1	2	—	1	1	1	—	—	2	—	1	—	—	—	—
Poison	—	2	2	3	4	—	1	1	—	—	—	—	—	—	—	—
Burns and Scalds	3	5	2	2	1	1	5	4	8	4	6	5	1	1	—	—
Hanging, etc.	4	1	3	1	3	3	3	—	2	—	—	—	—	—	—	2
Suffocation	—	1	1	3	2	—	—	1	—	2	1	—	—	—	—	1
Drowning	18	21	13	16	6	8	9	5	2	1	2	—	—	—	—	7
Fracture and Contusion	25	21	21	22	14	26	16	15	13	10	7	4	—	—	—	3
Wounds	2	4	6	4	2	2	—	1	—	2	—	—	—	—	—	—
Other Violent Causes	1	9	7	5	7	2	—	2	3	1	1	—	—	—	—	2
Not Specified	30	42	50	52	77	105	119	99	107	105	93	72	32	6	1	32

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15300	1560	470	884	1044	525	368	275	714	446	569	623	481
SPECIFIED CAUSES	13920	1128	366	781	955	482	346	266	671	220	532	602	466
I. Zymotic Class	3041	189	127	296	430	252	226	156	319	117	103	91	53
II. Diseases of Uncertain Seat	588	11	5	8	11	5	4	4	14	14	10	6	13
III. Tubercular Class	2316	40	62	132	163	80	44	52	139	124	207	295	221
IV. Brain and Nervous System	1270	86	24	44	53	21	12	12	55	34	33	32	35
V. Organs of Circulation	542	5	2	1	—	1	1	1	9	19	15	17	19
VI. Respiratory Organs	1707	84	66	147	124	66	26	15	52	17	35	49	38
VII. Organs of Digestion	1199	113	55	134	133	18	7	6	25	19	28	35	26
VIII. Urinary Organs	288	2	—	—	4	2	—	1	5	2	7	6	5
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	99	—	—	—	1	1	1	3	3	10	10	5	4
XI. Skin, etc.	21	9	—	3	1	—	1	—	—	—	—	1	—
XII. Malformation	49	42	3	1	1	—	—	—	1	—	—	1	—
XIII. Premature Debility	510	499	8	2	1	—	—	—	—	—	—	—	—
XIV. Atrophy	104	12	9	8	14	7	4	1	4	1	1	3	4
XV. Age	1332	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	56	6	3	—	—	2	—	—	—	—	—	—	2
XVII. Violent Deaths	798	30	2	5	19	27	20	15	45	63	83	61	46
I. Small Pox	285	33	21	50	31	20	15	15	26	9	11	17	11
Measles	151	3	2	29	43	34	19	5	11	3	—	—	—
Scarlatina	569	2	9	39	91	81	77	69	136	38	17	2	1
Hooping Cough	376	45	35	72	108	40	38	17	19	1	—	—	—
Croup	218	17	7	19	45	38	32	19	38	3	—	—	—
Thrush	12	7	—	2	3	—	—	—	—	—	—	—	—
Diarrhoea	273	41	24	36	48	9	4	6	4	—	3	1	2
Dysentery	126	1	5	10	5	1	5	—	2	—	2	5	3
Cholera	90	3	1	6	4	4	5	4	12	2	2	3	3
Influenza	203	6	8	5	4	1	1	—	6	3	1	2	1
Purpura	12	2	—	1	—	—	—	—	3	—	2	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	14	1	—	—	1	—	4	—	5	3	—	—	—
Infantile Fever	36	2	3	7	14	6	2	1	1	—	—	—	—
Typhus	554	1	2	13	30	16	20	17	48	52	60	55	27
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	17	—	—	—	—	—	—	—	2	2	1	2	—
Erysipelas	87	20	7	5	1	2	3	1	4	1	4	3	4
Syphilis	10	4	2	1	2	—	—	—	—	—	—	1	—
Noma	8	1	1	1	—	—	1	2	2	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	41	2	2	2	2	1	1	—	1	2	3	1	1
Dropsy	292	4	2	1	6	2	3	2	7	7	4	2	7
Abscess	29	2	1	1	1	1	—	—	4	3	2	1	2
Ulcer	7	—	—	—	—	—	—	—	—	—	—	—	1
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	43	3	—	3	1	1	—	—	—	2	1	—	—
Cancer	171	—	—	1	1	—	—	2	1	—	—	2	2
Gout	4	—	—	—	—	—	—	—	1	—	—	—	—
III. Scrofula	139	2	4	1	7	3	3	5	7	24	19	18	16
Tabes Mesenterica	134	11	6	9	35	11	15	10	14	3	4	6	3
Phthisis	1523	9	13	28	41	26	9	11	47	73	177	271	201
Hydrocephalus	420	18	39	94	80	40	17	26	71	24	7	—	1

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	120	1	3	7	14	6	2	5	18	10	11	7	6
Apoplexy	309	4	3	2	5	3	3	—	9	1	2	6	7
Paralysis	366	—	—	1	—	—	—	—	1	1	4	3	3
Delirium Tremens	24	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	55	2	—	—	3	—	—	—	—	4	—	4	2
Tetanus	23	6	—	—	2	—	1	—	2	4	1	1	—
Insanity	10	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	172	68	16	27	22	10	3	3	6	1	2	—	5
Brain Disease	190	5	2	7	7	2	3	4	19	13	12	11	11
V. Pericarditis	30	2	—	1	—	—	—	—	1	4	3	3	4
Aneurism	16	—	—	—	—	—	—	—	—	1	—	—	1
Heart Disease	496	3	2	—	—	1	1	1	8	14	12	14	14
VI. Laryngitis	35	—	2	2	4	2	3	1	5	2	1	—	—
Bronchitis	667	50	34	88	55	29	12	6	13	7	7	8	5
Pleurisy	149	3	1	1	2	1	—	2	6	—	4	5	7
Pneumonia	524	29	26	51	60	32	8	4	22	6	14	20	11
Asthma	207	—	2	—	—	—	—	—	1	—	2	2	4
Lung Disease	125	2	1	5	3	2	3	2	5	2	7	14	11
VII. Teething	192	1	12	78	94	7	—	—	—	—	—	—	—
Quinsey	18	—	1	4	3	1	—	—	2	—	1	—	—
Gastritis	56	6	2	2	3	—	—	—	1	—	3	3	—
Enteritis	242	62	26	33	19	6	4	2	7	7	5	2	4
Peritonitis	65	1	—	2	1	—	—	—	2	4	3	7	6
Ascites	19	—	—	—	—	1	—	—	—	—	2	—	—
Ulceration of Intestines	55	—	3	2	2	1	1	—	4	1	1	6	—
Hernia	30	3	2	1	—	—	—	—	—	—	—	1	—
Ileus	99	13	2	1	1	—	—	—	2	—	3	4	5
Intussusception	23	2	2	2	—	—	—	—	1	3	2	1	—
Stricture of Intestines	6	—	—	—	—	—	—	—	—	—	1	—	—
Stomach Disease	157	8	4	7	6	—	2	1	—	1	3	5	3
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	39	—	1	1	—	—	—	—	—	—	1	2	4
Jaundice	44	11	—	—	—	1	—	1	1	—	1	—	—
Liver Disease	152	6	—	1	4	1	—	2	5	3	2	4	4
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	12	1	—	—	1	—	—	—	1	—	1	—	—
Nephria	30	—	—	—	1	—	—	1	1	1	2	3	—
Ischuria	23	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	26	—	—	—	2	1	—	—	1	—	2	1	—
Stone	39	—	—	—	—	—	—	—	1	—	—	—	—
Cystitis	16	—	—	—	—	—	—	—	—	—	—	—	1
Stricture of Urethra	4	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	138	1	—	—	—	1	—	—	1	1	2	2	4
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	8	—	—	—	—	—	1	1	1	1	1	1	—
Rheumatism	41	—	—	—	—	—	—	—	1	1	2	—	1
Joint and Bone Disease	50	—	—	—	1	1	—	2	1	8	7	4	3
XI. Carbuncle	5	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	2	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	14	9	—	2	1	—	1	—	—	—	—	1	—
XII. Cyanosis	11	9	—	—	—	—	—	—	1	—	—	1	—
Spina Bifida	8	8	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	30	25	3	1	1	—	—	—	—	—	—	—	—
XVII. Intemperance	22	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	8	7	1	—	—	—	—	—	—	—	—	—	—
Neglect	2	2	—	—	—	—	—	—	—	—	—	—	—
Cold	10	1	—	—	—	1	—	—	—	—	—	—	1
Poison	14	4	—	—	2	—	—	1	1	—	—	—	—
Burns and Scalds	87	—	1	3	10	16	13	9	13	5	4	1	1
Hanging, etc.	24	—	—	—	—	—	—	—	—	—	2	1	1
Suffocation	25	9	—	—	1	—	—	—	2	1	—	1	2
Drowning	215	1	—	—	3	8	4	1	16	25	29	19	16
Fracture and Contusion	289	—	—	1	2	2	1	3	11	26	32	32	16
Wounds	33	—	—	—	1	—	1	1	1	3	1	2	5
Other Violent Causes	69	6	—	1	—	—	1	—	1	3	15	5	3
Not Specified	1380	432	104	103	89	43	22	9	43	26	37	21	15

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	6	3	6	3	2	2	1	1	—	2	—	—	—	—	—
Apoplexy	5	6	8	12	16	29	39	35	52	40	16	4	2	—	—	—
Paralysis	6	2	5	16	13	28	44	47	60	66	46	17	2	1	—	—
Delirium Tremens	6	6	1	4	2	1	2	1	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	6	3	4	7	4	3	3	1	2	3	3	1	—	—	—	—
Tetanus	—	1	2	—	—	—	3	—	—	—	—	—	—	—	—	—
Insanity	—	1	3	2	1	1	—	2	—	—	—	—	—	—	—	—
Convulsions	1	—	—	2	1	1	2	—	1	1	—	—	—	—	—	—
Brain Disease	7	8	8	11	14	7	11	5	13	4	4	2	—	—	—	—
Pericarditis	1	1	—	—	—	—	1	4	1	1	3	—	—	—	—	—
Aneurism	—	3	1	3	1	4	1	—	1	—	—	—	—	—	—	—
Heart Disease	14	13	23	30	32	39	68	53	75	49	23	5	2	—	—	—
Laryngitis	—	3	2	2	1	1	1	1	1	—	1	—	—	—	—	—
Bronchitis	5	5	13	14	19	22	40	53	58	72	36	13	3	—	—	—
Pleurisy	5	1	7	7	6	9	9	21	22	10	14	6	—	—	—	—
Pneumonia	13	23	22	31	26	16	27	20	28	17	12	4	1	—	—	1
Asthma	6	2	13	9	20	19	29	21	32	29	9	4	1	—	—	2
Lung Disease	6	4	3	6	5	7	9	9	10	6	3	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	—	2	—	—	—	2	1	—	—	—	—	—
Gastritis	2	1	1	7	4	3	1	5	3	6	3	—	—	—	—	—
Enteritis	4	4	6	9	10	7	10	4	7	4	—	—	—	—	—	—
Peritonitis	2	4	3	5	5	4	3	5	4	3	1	—	—	—	—	—
Ascites	2	—	2	3	—	2	1	5	1	—	—	—	—	—	—	—
Ulceration of Intestines	2	4	5	5	2	4	6	2	1	2	1	—	—	—	—	—
Hernia	1	—	3	1	2	2	3	—	2	—	6	3	—	—	—	—
Ileus	1	3	5	4	6	10	7	8	8	7	5	3	1	—	—	—
Intussusception	1	1	—	1	2	—	3	1	1	—	—	—	—	—	—	—
Stricture of Intestines	1	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—
Stomach Disease	3	7	7	3	7	17	16	22	22	8	3	1	—	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hepatitis	1	1	2	5	4	4	2	2	2	3	3	—	—	—	—	1
Jaundice	2	2	1	2	—	—	5	5	2	2	5	3	—	—	—	—
Liver Disease	9	6	8	11	10	11	23	22	9	7	3	1	—	—	—	—
Spleen Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Nephritis	1	—	—	1	1	1	—	—	—	1	1	2	—	—	—	—
Nephria	1	3	—	3	1	1	2	2	4	3	1	—	—	—	—	—
Ischuria	2	—	3	—	—	1	1	2	1	2	5	4	2	—	—	—
Diabetes	2	3	2	4	—	3	—	3	—	2	—	—	—	—	—	—
Stone	—	1	—	2	—	2	4	5	12	2	5	3	1	1	—	—
Cystitis	—	1	—	—	—	—	1	2	3	3	3	1	1	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—
Kidney Disease	1	8	4	3	6	6	14	18	26	20	13	7	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Rheumatism	1	—	—	4	3	6	4	3	7	4	3	—	1	—	—	—
Joint Disease	4	2	4	1	2	2	1	—	4	—	2	1	—	—	—	—
Carbuncle	—	—	—	1	—	1	—	1	—	—	1	—	—	—	—	—
Phlegmon	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	2	2	3	3	5	3	—	2	—	1	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	1	2	—	1	—	—	—	—	1	—	1	—	—	—	—
Poison	—	1	1	1	1	—	1	1	—	—	—	—	—	—	—	—
Burns and Scalds	1	3	—	2	1	—	—	—	1	1	—	2	—	—	—	—
Hanging, etc.	4	1	3	1	3	3	1	—	2	—	—	—	—	—	—	2
Suffocation	—	1	1	3	—	—	—	1	—	1	1	—	—	—	—	1
Drowning	17	16	12	14	5	7	6	5	2	1	1	—	—	—	—	7
Fracture and Contusion	23	19	20	20	13	22	13	11	9	7	2	2	—	—	—	2
Wounds	2	2	4	3	2	2	—	1	—	2	—	—	—	—	—	—
Other Violent Causes	1	7	6	5	6	2	—	2	3	1	—	—	—	—	—	1
Not Specified	13	21	22	22	31	47	58	39	36	45	39	34	12	1	—	16

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15593	1191	365	718	1020	581	362	274	725	399	498	501	492
SPECIFIED CAUSES	14189	864	289	631	924	539	341	255	680	374	468	477	466
I. Zymotic Class	3406	142	101	291	474	327	226	159	357	134	119	100	85
II. Diseases of Uncertain Seat	823	13	3	9	8	6	2	6	16	5	13	11	14
III. Tubercular Class	2270	19	43	120	160	79	51	38	138	139	198	225	194
IV. Brain and Nervous System	1108	58	23	24	28	13	11	10	34	23	32	30	32
V. Organs of Circulation	471	3	—	1	—	3	3	2	15	16	16	13	13
VI. Respiratory Organs	1549	65	54	90	100	58	28	24	47	20	32	30	30
VII. Organs of Digestion	1032	67	39	80	125	17	6	3	28	14	21	24	38
VIII. Urinary Organs	103	—	—	—	—	—	2	—	3	4	2	7	7
IX. Organs of Generation	271	—	—	—	—	1	—	—	—	—	14	24	45
X. Organs of Locomotion	78	—	—	—	1	—	—	—	6	7	1	4	1
XI. Skin, etc.	18	5	3	1	—	1	—	—	—	—	1	—	—
XII. Malformation	38	32	1	1	1	1	—	—	2	—	—	—	—
XIII. Premature Debility	427	419	5	2	1	—	—	—	—	—	—	—	—
XIV. Atrophy	116	11	6	6	14	7	2	5	4	3	3	—	4
XV. Age	2140	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	69	8	1	2	1	1	—	1	—	—	2	1	1
XVII. Violent Deaths	270	22	5	4	11	25	10	7	30	9	14	8	2
I. Small Pox	267	18	22	39	44	32	16	17	31	11	8	5	10
Measles	154	4	4	26	52	29	15	6	10	5	2	—	—
Scarlatina	572	7	4	35	84	72	84	67	136	48	14	4	4
Hooping Cough	514	45	30	101	145	89	40	31	28	1	2	—	1
Croup	207	7	5	12	52	51	30	12	35	2	—	1	—
Thrush	9	6	—	1	1	1	—	—	—	—	—	—	—
Diarrhœa	274	18	13	31	37	18	6	1	6	2	5	1	2
Dysentery	134	2	2	6	12	1	2	4	3	1	2	4	1
Cholera	89	—	1	5	5	8	3	1	7	4	1	5	4
Influenza	305	12	5	6	5	2	2	—	2	1	7	—	1
Purpura	19	1	1	1	—	—	—	—	1	1	—	1	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	8	—	—	—	2	2	1	—	3	—	—	—	—
Infantile Fever	34	4	1	8	5	3	4	3	5	1	—	—	—
Typhus	634	—	7	14	30	18	22	14	86	50	66	54	37
Metria	79	—	—	—	—	—	—	—	—	—	6	22	20
Rheumatic Fever	17	—	—	—	—	—	—	—	—	3	3	1	1
Erysipelas	75	11	6	5	—	—	—	3	4	4	3	2	2
Syphilis	14	7	—	1	—	1	1	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	1
II. Hæmorrhage	39	4	—	1	—	—	—	1	2	—	2	2	2
Dropsy	356	1	—	—	6	6	2	2	11	2	11	3	8
Abscess	21	2	2	2	—	—	—	1	—	1	—	3	3
Ulcer	9	1	—	—	1	—	—	—	1	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	49	5	1	5	1	—	—	1	1	1	—	1	—
Cancer	345	—	—	1	—	—	—	1	1	1	—	2	1
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	88	1	1	2	3	3	1	4	7	11	17	4	5
Tabes Mesenterica	114	4	8	9	23	14	8	6	16	6	2	3	4
Phthisis	1714	7	15	22	51	30	14	11	62	107	176	217	184
Hydrocephalus	354	7	24	87	83	32	28	17	53	15	3	1	1

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	73	—	3	5	5	2	—	2	8	7	8	10	8
Apoplexy	246	3	2	2	4	1	—	2	7	3	1	5	5
Paralysis	423	—	—	1	—	—	—	—	1	2	2	—	2
Delirium Tremens	7	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	—	—	1
Epilepsy	57	2	—	—	2	2	1	—	1	—	3	6	7
Tetanus	15	3	1	2	—	—	—	—	—	—	—	—	1
Insanity	14	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	116	46	14	6	16	6	5	4	3	2	2	2	1
Brain Disease	156	4	3	8	1	2	5	2	14	9	16	6	7
V. Pericarditis	23	—	—	—	—	—	1	—	6	—	4	—	—
Aneurism	4	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	444	3	—	1	—	3	2	2	9	16	12	13	13
VI. Laryngitis	22	—	1	4	2	—	3	3	4	—	—	1	2
Bronchitis	707	35	32	46	51	30	9	10	16	7	7	7	7
Pleurisy	111	2	2	2	4	1	—	—	4	3	3	1	2
Pneumonia	375	21	18	32	40	25	15	10	21	5	15	13	12
Asthma	234	1	—	—	1	1	—	—	—	—	1	4	3
Lung Disease	100	6	1	6	2	1	1	1	2	5	6	4	4
VII. Teething	159	2	10	53	86	7	1	—	—	—	—	—	—
Quinsey	14	—	1	3	3	2	—	—	1	—	1	—	—
Gastritis	33	2	—	1	1	—	—	—	5	2	1	3	—
Enteritis	212	34	18	17	21	6	4	3	10	5	2	7	6
Peritonitis	72	2	—	1	1	—	—	—	3	—	4	6	12
Ascites	28	—	—	—	—	1	—	—	1	1	—	—	1
Ulceration of Intestines	39	—	1	1	—	—	—	—	2	1	1	3	1
Hernia	24	—	1	—	—	—	—	—	—	—	—	1	1
Ileus	83	2	2	1	3	—	—	—	3	—	4	—	4
Intussusception	4	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	126	11	4	3	8	1	1	—	—	1	4	—	3
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	34	—	—	—	—	—	—	—	—	2	2	—	1
Jaundice	63	12	1	—	1	—	—	—	1	—	—	—	3
Liver Disease	133	2	—	—	1	—	—	—	2	2	2	4	6
Spleen Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	5	—	—	—	—	—	—	—	1	—	—	1	—
Nephria	20	—	—	—	—	—	1	—	—	2	—	1	2
Ischuria	5	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes	16	—	—	—	—	—	—	—	—	—	1	2	1
Stone	6	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	47	—	—	—	—	—	1	—	1	2	1	2	4
IX. Paramenia	8	—	—	—	—	—	—	—	—	—	4	1	1
Ovarian Dropsy	28	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	186	—	—	—	—	—	—	—	—	—	8	21	40
Uterine Disease	49	—	—	—	—	1	—	—	—	—	2	1	4
X. Arthritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	45	—	—	—	—	—	—	—	2	1	1	—	—
Joint and Bone Disease	31	—	—	—	1	—	—	—	4	6	—	4	1
XI. Carbuncle	5	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	2	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	11	5	3	1	—	1	—	—	—	—	1	—	—
XII. Cyanosis	7	6	—	1	—	—	—	—	—	—	—	—	—
Spina Bifida	11	9	—	—	1	—	—	—	1	—	—	—	—
Other Malformations	20	17	1	—	—	1	—	—	1	—	—	—	—
XVII. Intemperance	10	—	—	—	—	—	—	—	—	—	—	—	—
Privation	2	1	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	8	7	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	6	1	—	—	—	—	1	—	—	—	1	—	—
Poison	13	2	—	—	—	—	—	1	—	—	1	2	—
Burns and Scalds	98	—	—	1	6	15	8	6	17	4	2	1	1
Hanging, etc.	3	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	16	7	3	1	1	—	—	—	—	1	—	—	—
Drowning	36	—	1	1	1	5	1	—	5	1	4	1	1
Fracture and Contusion	56	—	1	—	2	5	—	—	6	2	5	1	—
Wounds	6	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	16	4	—	—	1	—	—	—	2	1	1	1	—
Not Specified	1404	327	76	87	96	42	21	19	45	25	30	24	26

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	4	2	—	3	1	3	—	—	1	—	—	1	—	—	—	—	
Apoplexy	11	5	6	12	14	22	33	32	28	23	18	6	1	—	—	—	
Paralysis	1	6	11	14	23	22	39	50	85	76	57	28	3	—	—	—	
Delirium Tremens	1	2	1	1	—	1	—	—	—	—	1	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	4	6	4	3	3	4	3	2	4	—	—	—	—	—	—	—	
Tetanus	—	—	4	—	2	—	1	1	—	—	—	—	—	—	—	—	
Insanity	—	—	2	4	4	1	—	1	—	1	—	—	—	—	—	—	
Convulsions	3	3	1	—	—	—	—	2	—	—	—	—	—	—	—	—	
Brain Disease	10	5	9	5	10	6	7	10	10	2	3	1	1	—	—	—	
Pericarditis	1	—	—	1	4	2	—	—	1	2	1	—	—	—	—	—	
Aneurism	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—	
Heart Disease	14	19	28	27	40	44	43	45	53	35	14	4	1	1	—	2	
Laryngitis	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	4	12	12	13	23	38	62	62	79	73	39	20	9	2	—	2	
Pleurisy	6	5	7	9	6	6	8	12	9	11	6	2	—	—	—	—	
Pneumonia	12	10	8	9	13	16	15	19	17	20	7	1	—	—	—	1	
Asthma	3	9	4	7	20	23	30	35	28	29	26	8	1	—	—	—	
Lung Disease	3	3	6	3	5	7	9	14	7	2	2	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
Gastritis	3	1	—	1	1	2	3	1	6	—	—	—	—	—	—	—	
Enteritis	6	7	8	2	6	6	7	7	10	11	7	1	1	—	—	—	
Peritonitis	9	5	4	1	—	6	4	2	8	1	1	2	—	—	—	—	
Ascites	1	—	2	—	5	4	1	5	4	2	—	—	—	—	—	—	
Ulceration of Intestines	4	2	2	1	—	4	7	2	4	—	1	1	—	—	—	1	
Hernia	—	2	—	2	3	2	4	4	2	1	1	—	—	—	—	—	
Ileus	1	2	5	5	6	6	4	11	12	10	2	—	—	—	—	—	
Intussusception	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	
Stomach Disease	4	7	9	5	10	7	14	15	7	6	3	2	—	—	—	1	
Pancreas	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	3	2	1	5	5	3	4	2	3	1	—	—	—	—	—	—	
Jaundice	2	1	1	5	6	—	7	4	8	4	4	3	—	—	—	—	
Liver Disease	4	3	8	7	9	19	16	18	18	7	4	1	—	—	—	—	
Spleen Disease	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	
Nephria	2	3	2	1	—	3	2	1	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	1	—	1	1	—	1	—	—	—	—	—	—	—	
Diabetes	3	1	3	1	—	2	—	—	1	—	1	—	—	—	—	—	
Stone	—	2	1	1	—	—	—	—	1	1	—	—	—	—	—	—	
Cystitis	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	3	2	3	2	3	2	2	3	8	2	4	1	1	—	—	—	
Paramenia	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	1	7	2	3	6	5	2	—	—	—	1	—	—	—	—	—	
Childbirth	36	53	28	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	6	7	—	4	5	7	5	1	3	2	1	—	—	—	—	—	
Arthritis	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	1	1	2	7	6	8	9	4	2	—	1	—	—	—	
Joint Disease	—	1	2	2	1	1	—	2	3	1	1	—	—	1	—	—	
Carbuncle	—	—	—	—	—	1	1	1	1	—	—	1	—	—	—	—	
Phlegmon	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	1	1	3	1	2	1	1	—	—	—	—	—	—	—	—	—	
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	
Poison	—	1	1	2	3	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	2	2	2	—	—	1	5	4	7	3	6	3	1	1	—	—	
Hanging, etc.	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	
Drowning	1	5	1	2	1	1	3	—	—	—	1	—	—	—	—	—	
Fracture and Contusion	2	2	1	2	1	4	3	4	4	3	5	2	—	—	—	1	
Wounds	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	2	1	—	1	—	—	—	—	—	1	—	—	—	—	1	
Not Specified	17	21	28	30	46	58	61	60	71	60	54	38	20	5	1	16	

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	28418	2846	943	2352	3199	1517	959	601	1343	637	884	1044	972
SPECIFIED CAUSES	26094	2191	744	2120	2937	1422	895	564	1264	596	846	1000	918
I. Zymotic Class	6701	301	268	807	1335	788	531	328	569	130	155	168	153
II. Diseases of Uncertain Seat	1002	22	2	12	17	21	14	10	32	26	27	28	32
III. Tubercular Class	5117	95	128	410	570	244	168	107	345	232	416	444	367
IV. Brain and Nervous System	2103	179	44	101	102	57	44	19	79	41	39	49	43
V. Organs of Circulation	955	14	1	2	1	3	2	4	11	34	29	40	64
VI. Respiratory Organs	3576	193	151	407	420	187	86	47	121	37	53	90	92
VII. Organs of Digestion	1964	158	85	312	410	68	16	19	35	36	45	58	60
VIII. Urinary Organs	257	1	1	2	3	3	6	1	10	4	9	16	15
IX. Organs of Generation	194	—	—	—	—	—	—	—	—	—	10	31	29
X. Organs of Locomotion	97	1	1	—	2	4	3	1	6	9	7	10	5
XI. Skin, etc.	29	5	4	2	3	2	—	—	1	—	—	3	—
XII. Malformation	64	55	4	4	—	—	—	—	—	—	—	—	1
XIII. Premature Debility	1096	1066	18	12	—	—	—	—	—	—	—	—	—
XIV. Atrophy	306	38	30	35	48	22	11	7	7	2	4	4	4
XV. Age	1750	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	120	10	4	2	3	—	—	2	2	4	1	2	1
XVII. Violent Deaths	763	53	3	12	23	23	14	19	46	41	51	57	52
I. Small Pox	735	48	44	152	158	102	60	32	46	14	14	28	12
Measles	786	8	13	128	335	146	70	37	38	4	2	2	2
Scarlatina	983	1	12	74	165	171	147	107	225	34	20	11	4
Whooping Cough	985	45	60	211	313	165	94	52	44	—	—	1	—
Croup	413	15	28	47	108	75	66	28	45	—	1	—	—
Thrush	12	8	—	1	2	—	—	—	—	—	—	—	1
Diarrhoea	750	109	67	117	143	36	20	10	17	6	3	6	7
Dysentery	323	8	11	23	31	9	10	7	10	4	7	7	13
Cholera	57	1	4	10	6	1	2	2	8	2	1	1	1
Influenza	95	2	1	3	3	2	1	1	—	2	—	1	2
Purpura	20	—	1	3	3	1	—	—	1	1	1	2	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	25	—	—	—	1	4	7	4	7	1	—	—	—
Infantile Fever	41	2	2	5	11	7	6	3	5	—	—	—	—
Typhus	1154	8	6	19	39	61	41	43	120	57	93	76	78
Metria	89	—	—	—	—	—	—	—	—	—	3	21	26
Rheumatic Fever	16	—	—	—	—	2	—	—	—	1	4	1	1
Erysipelas	149	24	7	8	11	3	3	—	2	4	6	8	3
Syphilis	53	22	12	5	2	—	1	—	—	—	—	3	2
Noma	15	—	—	1	4	3	3	2	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	59	5	—	—	—	—	1	—	2	—	4	3	5
Dropsy	503	5	—	6	11	18	10	7	26	22	17	13	13
Abscess	38	3	2	5	3	—	1	—	2	1	2	4	1
Ulcer	23	2	—	—	1	—	—	—	—	—	1	3	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	55	7	—	1	2	2	1	2	1	3	1	1	3
Cancer	316	—	—	—	—	1	1	1	1	—	2	4	9
Gout	6	—	—	—	—	—	—	—	—	—	—	—	1
III. Scrofula	198	4	5	10	13	11	4	9	20	31	22	22	8
Tabes Mesenterica	279	18	15	37	79	32	22	13	30	13	7	1	1
Phthisis	3545	26	36	82	192	95	60	46	151	158	382	420	357
Hydrocephalus	1095	47	72	281	286	106	82	39	144	30	5	1	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	1001	1012	1007	969	919	1015	1130	1003	1053	938	594	287	98	36	8	51	
SPECIFIED CAUSES . .	950	957	953	903	868	944	1079	967	1026	912	583	282	96	36	8	33	
Zymotic Class	135	125	109	117	99	115	117	124	105	60	38	16	5	1	—	2	
Uncertain Seat	36	58	83	70	76	113	98	63	58	50	35	11	5	—	1	2	
Tubercular Class . . .	361	307	270	212	145	118	95	46	22	5	4	1	—	—	—	5	
Brain, etc.	84	94	86	109	113	143	154	168	149	119	60	16	5	4	—	2	
Heart, etc.	58	65	79	71	84	83	112	67	71	39	11	6	1	—	—	3	
Respiratory Organs . .	84	94	156	148	177	202	245	211	194	116	37	20	5	1	—	2	
Digestive Organs . . .	67	78	54	73	77	77	87	67	38	24	13	6	1	—	—	1	
Urinary Organs	20	13	19	17	16	20	20	16	19	16	8	2	—	—	—	—	
Generative Organs . . .	37	37	17	12	9	5	3	2	2	—	—	—	—	—	—	—	
Locomotive Organs . .	3	7	4	6	2	6	8	5	3	3	1	—	—	—	—	—	
Skin	—	—	2	2	—	3	—	—	1	—	1	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	7	7	12	11	21	32	3	1	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	5	101	170	342	456	364	199	72	29	7	5	
Sudden Deaths	5	13	8	9	10	4	15	8	7	5	2	2	1	—	—	—	
Violent Deaths	53	59	54	46	39	18	21	19	15	19	10	3	1	1	—	11	
Small Pox	9	7	1	3	2	3	—	—	—	—	—	—	—	—	—	—	
Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	6	3	1	1	—	—	—	—	1	—	—	—	—	—	—	—	
Whooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	7	15	15	21	12	21	19	33	32	16	9	6	2	1	—	—	
Dysentery	13	13	9	16	15	19	22	28	20	13	9	5	1	—	—	—	
Cholera	—	2	2	2	4	2	2	1	2	—	1	—	—	—	—	—	
Influenza	2	1	3	4	7	2	8	11	16	10	10	3	—	—	—	—	
Purpura	1	1	—	—	—	1	—	1	1	1	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	72	55	69	62	53	60	57	41	21	15	5	1	1	—	—	1	
Metria	18	17	3	1	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	—	2	1	—	—	1	1	—	1	—	—	—	—	—	—	1	
Erysipelas	5	6	3	6	5	6	8	9	11	5	4	1	1	—	—	—	
Syphilis	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	4	4	9	4	1	5	5	1	1	1	2	—	1	—	—	1	
Dropsy	20	28	34	30	31	47	54	30	35	28	10	5	2	—	—	1	
Abscess	3	1	1	1	1	4	1	—	—	1	1	—	—	—	—	—	
Ulcer	1	—	2	2	1	4	1	2	3	—	—	—	—	—	—	—	
Fistula	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	
Mortification	—	2	1	—	2	6	1	2	—	8	5	3	1	—	—	—	
Cancer	8	23	35	31	39	47	35	27	19	11	17	3	1	—	1	—	
Gout	—	—	1	1	1	—	1	1	—	—	—	—	—	—	—	—	
Scrofula	6	9	5	4	7	3	1	1	1	—	2	—	—	—	—	—	
Tabes Mesenterica . . .	1	2	1	2	1	3	1	—	—	—	—	—	—	—	—	—	
Phthisis	354	296	264	206	137	112	92	45	21	5	2	1	—	—	—	5	
Hydrocephalus	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	181	2	5	17	24	12	18	7	29	6	9	9	6
Apoplexy	465	—	1	7	4	3	4	1	4	6	3	9	7
Paralysis	537	—	—	—	1	2	1	1	2	2	3	3	3
Delirium Tremens	40	—	—	—	—	—	—	—	—	—	—	—	4
Chorea	7	—	—	—	—	—	1	—	1	2	1	2	—
Epilepsy	80	1	2	2	5	—	1	—	3	3	3	4	5
Tetanus	23	10	—	—	2	1	—	—	2	—	1	—	1
Insanity	33	—	—	—	—	—	—	—	—	—	1	2	3
Convulsions	387	158	30	57	46	33	8	9	12	3	6	4	—
Brain Disease	350	8	6	18	20	6	11	1	26	19	12	16	14
V. Pericarditis	29	—	—	—	—	2	—	1	3	4	2	1	2
Aneurism	24	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	902	14	1	2	1	1	2	3	8	30	27	39	62
VI. Laryngitis	44	1	—	7	8	4	2	2	8	—	—	—	2
Bronchitis	1569	101	78	218	183	77	31	18	35	11	16	23	29
Pleurisy	164	2	1	6	5	4	5	4	5	4	6	11	8
Pneumonia	1152	83	68	164	206	93	39	22	61	17	25	39	35
Asthma	443	—	—	1	3	—	1	1	—	—	3	5	4
Lung Disease	206	6	4	11	15	9	8	—	12	5	3	12	14
VII. Teething	655	4	37	241	334	36	1	—	2	—	—	—	—
Quinsey	22	2	1	3	3	1	1	4	1	1	1	—	—
Gastritis	65	5	2	6	1	2	2	1	2	1	2	2	3
Enteritis	381	94	26	45	48	16	9	6	18	11	9	12	14
Peritonitis	116	5	3	1	1	2	1	1	3	6	14	19	15
Ascites	39	—	—	1	—	1	1	—	—	3	2	1	3
Ulceration of Intestines	55	—	2	3	5	1	1	1	2	2	1	3	5
Hernia	29	—	1	1	1	—	—	—	—	—	—	—	1
Ileus	92	9	3	1	2	3	—	1	—	4	7	3	1
Intussusception	12	1	1	4	—	—	—	—	—	—	1	1	—
Stricture of Intestines	8	—	—	1	—	—	—	—	—	—	—	—	1
Stomach Disease	178	21	4	4	7	2	—	3	3	3	1	5	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	43	—	1	—	1	1	—	1	—	—	2	3	4
Jaundice	58	15	1	—	3	1	—	—	2	—	1	1	1
Liver Disease	206	2	3	1	3	2	—	1	2	5	3	7	9
Spleen Disease	5	—	—	—	1	—	—	—	—	—	1	1	—
VIII. Nephritis	15	—	—	1	1	2	1	—	1	—	—	—	1
Nephria	85	—	1	—	1	—	2	—	5	1	4	9	5
Ischuria	12	1	—	—	—	—	—	—	—	—	—	1	—
Diabetes	17	—	—	1	—	—	—	—	—	2	2	2	—
Stone	18	—	—	—	—	1	—	—	—	—	—	1	—
Cystitis	12	—	—	—	—	—	1	—	—	—	—	—	2
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	95	—	—	—	1	—	2	1	4	1	3	3	7
IX. Paramenia	5	—	—	—	—	—	—	—	—	—	2	1	—
Ovarian Dropsy	15	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	133	—	—	—	—	—	—	—	—	—	8	26	22
Uterine Disease	41	—	—	—	—	—	—	—	—	—	—	3	7
X. Arthritis	11	—	1	—	—	1	1	—	2	1	—	—	—
Rheumatism	29	—	—	—	—	—	—	—	1	—	2	1	—
Joint and Bone Disease	57	1	—	—	2	3	2	1	3	8	5	9	5
XI. Carbuncle	9	—	—	—	—	1	—	—	1	—	—	1	—
Phlegmon	2	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	18	5	4	2	3	1	—	—	—	—	—	2	—
XII. Cyanosis	9	8	—	—	—	—	—	—	—	—	—	—	1
Spina Bifida	8	5	3	—	—	—	—	—	—	—	—	—	—
Other Malformations	47	42	1	4	—	—	—	—	—	—	—	—	—
XVII. Intemperance	25	—	—	—	—	—	—	—	—	—	—	—	2
Privation	3	—	—	—	—	—	—	—	—	—	—	1	—
Want of Breast Milk	13	12	—	1	—	—	—	—	—	—	—	—	—
Neglect	6	5	—	—	—	1	—	—	—	—	—	—	—
Cold	10	2	—	—	—	—	1	—	—	—	1	—	2
Poison	17	2	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	111	—	—	6	16	17	8	8	14	5	5	1	1
Hanging, etc.	15	—	—	—	—	—	—	—	—	—	—	1	2
Suffocation	42	22	2	3	—	—	1	—	1	—	2	—	2
Drowning	155	—	—	—	2	1	1	3	11	13	21	17	16
Fracture and Contusion	258	—	1	1	4	4	3	8	12	16	14	25	19
Wounds	36	—	—	—	—	—	—	—	1	2	4	7	3
Other Violent Causes	72	10	—	1	1	—	—	—	5	4	4	4	3
Not Specified	2324	655	199	232	262	95	64	37	79	41	38	44	54

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	9	4	7	7	1	1	5	—	—	3	—	—	—	—	—	—
Apoplexy	15	26	25	37	43	49	58	55	45	36	17	5	3	1	—	1
Paralysis	14	15	18	26	34	53	69	89	78	67	41	10	2	3	—	—
Delirium Tremens	6	8	8	10	2	1	—	—	—	1	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	10	7	7	6	8	3	3	2	4	1	—	—	—	—	—	—
Tetanus	—	1	—	1	1	1	—	—	1	1	—	—	—	—	—	—
Insanity	4	5	4	1	4	4	1	1	2	1	—	—	—	—	—	—
Convulsions	6	—	—	4	2	6	—	2	1	—	—	—	—	—	—	—
Brain Disease	20	28	17	17	18	25	18	19	18	9	2	1	—	—	—	1
Pericarditis	1	1	2	3	1	3	1	1	—	—	—	—	—	—	—	1
Aneurism	4	2	5	8	2	1	—	1	—	1	—	—	—	—	—	—
Heart Disease	53	62	72	60	81	79	111	65	71	38	11	6	1	—	—	2
Laryngitis	1	4	1	1	1	—	2	—	—	—	—	—	—	—	—	—
Bronchitis	26	26	56	53	70	79	115	102	109	73	24	12	3	—	—	1
Pleurisy	6	6	15	9	7	6	18	14	10	8	3	—	—	1	—	—
Pneumonia	28	37	42	32	38	37	27	24	15	12	1	4	1	—	—	—
Asthma	16	13	30	40	49	63	66	64	52	18	8	4	1	—	—	1
Lung Disease	7	8	12	13	12	17	17	7	8	5	1	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—
Gastritis	6	7	2	4	4	3	2	3	1	3	—	1	—	—	—	—
Enteritis	15	10	8	6	7	7	8	4	5	1	2	—	—	—	—	—
Peritonitis	8	13	4	4	2	4	3	4	1	1	—	1	—	—	—	—
Ascites	1	2	2	3	2	7	4	3	1	1	—	—	1	—	—	—
Ulceration of Intestines	6	3	3	1	5	3	2	5	1	—	—	—	—	—	—	—
Hernia	—	4	2	4	3	2	2	5	2	—	1	—	—	—	—	—
Ileus	5	5	1	6	9	6	7	5	4	6	3	1	—	—	—	—
Intussusception	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—
Stricture of Intestines	1	—	1	—	—	1	2	—	—	—	1	—	—	—	—	—
Stomach Disease	5	10	9	16	17	17	20	8	10	4	4	2	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	4	2	4	2	4	6	2	—	3	—	—	—	—	—	—
Jaundice	1	1	2	3	2	3	7	5	3	4	1	1	—	—	—	—
Liver Disease	16	18	16	22	21	19	23	22	9	1	—	—	—	—	—	1
Spleen Disease	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Nephritis	2	1	—	1	1	—	1	—	2	—	—	—	—	—	—	—
Nephria	12	5	11	9	6	4	5	3	1	1	—	—	—	—	—	—
Ischuria	—	1	1	1	—	2	3	—	1	1	—	—	—	—	—	—
Diabetes	1	1	—	2	2	3	—	—	—	1	—	—	—	—	—	—
Stone	1	—	—	—	1	1	1	3	4	2	2	1	—	—	—	—
Cystitis	—	1	—	—	—	2	—	1	1	2	2	—	—	—	—	—
Stricture of Urethra	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—
Kidney Disease	4	4	7	3	5	8	9	9	10	9	4	1	—	—	—	—
Paramenia	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	1	1	1	2	2	3	1	1	—	—	—	—	—	—	—
Childbirth	31	34	8	4	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	4	2	7	7	6	3	—	1	1	—	—	—	—	—	—	—
Arthritis	—	2	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Rheumatism	2	2	3	3	2	3	5	2	1	1	1	—	—	—	—	—
Joint Disease	1	3	1	3	—	2	2	2	2	2	—	—	—	—	—	—
Carbuncle	—	—	2	1	—	1	—	—	1	—	1	—	—	—	—	—
Phlegmon	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	1	5	5	5	3	2	—	—	1	—	—	—	—	—	—	1
Privation	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Poison	—	3	3	2	1	1	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	4	2	3	2	4	1	3	1	4	2	2	1	—	—	—	—
Hanging, etc.	1	3	—	4	1	2	—	—	1	—	—	—	—	—	—	—
Suffocation	1	4	1	—	1	—	—	1	—	1	—	—	—	—	—	—
Drowning	12	13	7	12	4	2	4	5	1	2	—	—	—	—	—	8
Fracture and Contusion	26	24	25	13	17	6	7	9	6	11	4	2	—	1	—	—
Wounds	4	—	—	3	3	2	2	—	2	1	1	—	1	—	—	—
Other Violent Causes	3	3	10	4	5	1	5	2	—	2	3	—	—	—	—	2
Not Specified	51	55	54	66	51	71	51	36	27	26	11	5	2	—	—	18

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	14033	1582	519	1257	1607	730	471	296	723	338	478	543	462
SPECIFIED CAUSES	12867	1228	408	1135	1482	687	432	279	678	319	459	520	435
I. Zymotic Class	3276	148	153	424	666	366	241	160	304	60	80	85	68
II. Diseases of Uncertain Seat	359	11	—	4	11	8	8	3	19	10	14	14	12
III. Tubercular Class	2538	57	74	229	286	126	91	57	180	119	202	233	178
IV. Brain and Nervous System	1143	106	27	55	54	32	25	8	45	29	27	20	18
V. Organs of Circulation	491	9	—	—	1	2	1	2	6	15	17	22	27
VI. Respiratory Organs	1812	117	82	236	225	89	42	20	60	19	32	46	46
VII. Organs of Digestion	984	100	39	154	202	34	10	11	18	21	28	25	28
VIII. Urinary Organs	170	—	1	1	2	2	3	1	6	1	4	9	10
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	49	—	1	—	2	4	1	—	—	5	4	7	5
XI. Skin, etc.	12	2	1	1	1	—	—	—	1	—	—	1	—
XII. Malformation	39	35	2	1	—	—	—	—	—	—	—	—	1
XIII. Premature Debility	601	587	8	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy	133	17	15	16	23	11	4	2	6	1	4	2	1
XV. Age	634	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	75	8	4	2	1	—	—	1	—	3	1	2	—
XVII. Violent Deaths	551	31	1	6	8	13	6	14	33	36	46	54	41
I. Small Pox	385	25	27	79	85	54	28	11	23	5	6	19	10
Measles	391	3	9	60	155	85	35	19	19	2	—	2	1
Scarlatina	495	—	5	41	77	77	68	62	127	16	13	2	1
Hooping Cough	425	17	32	109	147	57	27	16	20	—	—	—	—
Croup	236	10	20	31	64	35	37	17	22	—	—	—	—
Thrush	5	3	—	1	1	—	—	—	—	—	—	—	—
Diarrhoea	386	61	38	66	78	14	10	9	10	3	1	4	4
Dysentery	141	5	4	9	17	3	4	4	9	3	3	5	5
Cholera	23	1	—	3	1	—	1	—	3	1	1	1	1
Influenza	41	1	1	2	1	1	1	—	—	2	—	1	1
Purpura	9	—	—	1	1	1	—	—	1	—	—	1	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	16	—	—	—	1	3	3	3	5	1	—	—	—
Infantile Fever	26	1	2	4	7	3	5	1	3	—	—	—	—
Typhus	585	4	4	11	23	31	20	18	60	24	50	44	39
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	9	—	—	—	—	—	—	—	—	—	3	1	1
Erysipelas	71	7	4	4	4	1	1	—	1	3	3	4	3
Syphilis	24	10	7	2	1	—	—	—	—	—	—	1	1
Noma	8	—	—	1	3	1	1	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	27	1	—	—	—	—	1	—	2	—	1	2	4
Dropsy	192	1	—	2	8	7	6	3	15	10	10	3	3
Abscess	18	2	—	2	1	—	—	—	1	—	2	3	1
Ulcer	14	2	—	—	1	—	—	—	—	—	—	3	—
Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	23	5	—	—	1	1	1	—	—	—	1	—	—
Cancer	79	—	—	—	—	—	—	—	1	—	—	3	3
Gout	4	—	—	—	—	—	—	—	—	—	—	—	1
III. Scrofula	124	3	3	6	7	4	1	5	12	22	16	16	6
Tabes Mesenterica	142	11	9	19	40	11	14	6	15	9	3	1	1
Phthisis	1681	18	19	48	92	53	35	24	71	73	181	216	171
Hydrocephalus	591	25	43	156	147	58	41	22	82	15	2	—	—

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	102	2	4	7	13	8	9	2	16	5	6	4	2
Apoplexy	258	—	1	4	3	2	4	—	3	3	2	6	3
Paralysis	262	—	—	—	—	2	—	—	2	1	1	—	2
Delirium Tremens	32	—	—	—	—	—	—	—	—	—	—	—	3
Chorea	3	—	—	—	—	—	1	—	—	2	—	—	—
Epilepsy	41	—	2	—	3	—	1	—	2	2	3	2	1
Tetanus	20	10	—	—	1	1	—	—	2	—	1	—	—
Insanity	19	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	212	90	17	34	21	16	5	5	5	2	4	3	—
Brain Disease	194	4	3	10	13	3	5	1	15	14	10	4	6
V. Pericarditis	18	—	—	—	—	1	—	—	2	2	1	1	1
Aneurism	17	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	456	9	—	—	1	1	1	2	4	13	16	21	26
VI. Laryngitis	30	1	—	7	5	1	1	2	5	—	—	—	1
Bronchitis	724	62	37	118	89	38	18	6	17	4	9	12	10
Pleurisy	92	1	1	2	3	1	5	4	3	3	4	5	6
Pneumonia	654	49	41	101	119	43	15	7	30	9	16	19	19
Asthma	202	—	—	1	2	—	1	1	—	—	2	4	3
Lung Disease	110	4	3	7	7	6	2	—	5	3	1	6	7
VII. Teething	323	1	17	118	169	17	1	—	—	—	—	—	—
Quinsey	13	2	1	1	1	—	—	2	—	1	1	—	—
Gastritis	38	4	—	4	1	2	2	—	2	—	2	1	1
Enteritis	178	53	11	21	20	8	4	5	9	5	3	5	5
Peritonitis	55	4	1	1	1	2	1	—	2	6	10	4	6
Ascites	15	—	—	—	—	1	1	—	—	1	1	1	1
Ulceration of Intestines	30	—	1	1	1	—	1	1	1	1	—	2	3
Hernia	13	—	1	1	1	—	—	—	—	—	—	—	1
Ileus	41	6	1	1	—	1	—	1	—	2	5	3	1
Intussusception	5	—	1	1	—	—	—	—	—	—	—	1	—
Stricture of Intestines	4	—	—	1	—	—	—	—	—	—	—	—	1
Stomach Disease	100	16	1	3	3	2	—	1	1	1	1	1	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	23	—	1	—	1	—	—	—	—	—	1	2	3
Jaundice	30	12	1	—	2	1	—	—	1	—	1	1	—
Liver Disease	113	2	2	1	2	—	—	1	2	4	2	3	4
Spleen Disease	3	—	—	—	—	—	—	—	—	—	1	1	—
VIII. Nephritis	8	—	—	—	1	1	1	—	1	—	—	—	—
Nephria	48	—	1	—	—	—	1	—	2	—	2	4	5
Ischuria	10	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	9	—	—	1	—	—	—	—	—	1	—	1	—
Stone	16	—	—	—	—	1	—	—	—	—	—	1	—
Cystitis	9	—	—	—	—	—	1	—	—	—	—	—	2
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	67	—	—	—	1	—	—	1	3	—	2	2	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	7	—	1	—	—	1	—	—	—	—	—	—	—
Rheumatism	8	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	34	—	—	—	2	3	1	—	—	5	3	7	5
XI. Carbuncle	4	—	—	—	—	—	—	—	1	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	7	2	1	1	1	—	—	—	—	—	—	1	—
XII. Cyanosis	4	3	—	—	—	—	—	—	—	—	—	—	1
Spina Bifida	5	4	1	—	—	—	—	—	—	—	—	—	—
Other Malformations	30	28	1	1	—	—	—	—	—	—	—	—	—
XVII. Intemperance	15	—	—	—	—	—	—	—	—	—	—	—	2
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	5	5	—	—	—	—	—	—	—	—	—	—	—
Neglect	2	2	—	—	—	—	—	—	—	—	—	—	—
Cold	6	1	—	—	—	—	—	—	—	—	1	—	2
Poison	8	1	—	—	—	—	—	—	1	1	—	—	1
Burns and Scalds	50	—	—	3	7	10	3	5	5	2	2	1	1
Hanging, etc.	10	—	—	—	—	—	—	—	—	—	—	1	1
Suffocation	30	16	1	1	—	—	1	—	1	—	2	—	1
Drowning	126	—	—	—	1	1	1	2	11	12	20	17	13
Fracture and Contusion	212	—	—	1	—	2	1	7	10	15	13	25	16
Wounds	30	—	—	—	—	—	—	—	—	2	4	7	2
Other Violent Causes	56	6	—	1	—	—	—	—	5	4	4	3	2
Not Specified	1166	354	111	122	125	43	39	17	45	19	19	23	27

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	3	6	5	1	1	2	—	—	3	—	—	—	—	—	—
Apoplexy	9	15	17	22	21	27	33	35	15	20	8	2	1	1	—	1
Paralysis	11	10	10	15	17	26	41	41	31	30	16	4	1	1	—	—
Delirium Tremens	5	8	5	8	2	1	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	4	3	4	5	2	2	—	2	—	—	—	—	—	—	—
Tetanus	—	1	—	1	1	1	—	—	1	—	—	—	—	—	—	—
Insanity	1	4	4	—	2	3	1	—	1	1	—	—	—	—	—	—
Convulsions	2	—	—	2	—	5	—	1	—	—	—	—	—	—	—	—
Brain Disease	11	15	9	9	12	14	10	10	8	5	2	—	—	—	—	1
Pericarditis	1	1	2	1	—	3	1	1	—	—	—	—	—	—	—	—
Aneurism	4	1	4	4	2	—	—	1	—	1	—	—	—	—	—	—
Heart Disease	27	31	33	34	42	41	47	38	39	20	5	4	—	—	—	1
Laryngitis	—	3	1	—	1	—	2	—	—	—	—	—	—	—	—	—
Bronchitis	11	12	19	22	33	35	50	47	36	24	12	2	1	—	—	—
Pleurisy	3	4	10	6	4	4	8	8	2	5	—	—	—	—	—	—
Pneumonia	16	25	28	22	22	23	12	17	9	9	—	3	—	—	—	—
Asthma	5	5	12	16	18	19	33	31	29	12	4	3	—	—	—	1
Lung Disease	6	5	6	5	8	9	8	4	4	3	1	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—
Gastritis	1	4	2	4	2	1	1	2	—	2	—	—	—	—	—	—
Enteritis	4	2	4	5	2	3	4	3	1	—	1	—	—	—	—	—
Peritonitis	1	4	2	3	2	1	1	2	1	—	—	—	—	—	—	—
Ascites	—	1	1	1	1	1	1	2	—	1	—	—	—	—	—	—
Ulceration of Intestines	4	2	1	—	3	3	1	4	—	—	—	—	—	—	—	—
Hernia	—	1	—	1	1	—	1	2	2	—	1	—	—	—	—	—
Ileus	2	4	1	2	5	1	1	—	2	1	1	—	—	—	—	—
Intussusception	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Stricture of Intestines	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Stomach Disease	3	6	5	8	9	9	13	6	6	2	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	1	1	1	4	2	2	—	3	—	—	—	—	—	—
Jaundice	—	—	—	—	2	1	2	2	1	1	1	1	—	—	—	—
Liver Disease	7	10	12	9	12	13	11	10	4	1	—	—	—	—	—	1
Spleen Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Nephritis	1	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—
Nephria	6	3	8	6	4	1	3	1	1	—	—	—	—	—	—	—
Ischuria	—	—	1	1	—	2	3	—	1	1	—	—	—	—	—	—
Diabetes	1	—	—	—	2	2	—	—	—	1	—	—	—	—	—	—
Stone	1	—	—	—	1	1	1	3	3	2	1	1	—	—	—	—
Cystitis	—	1	—	—	—	1	—	—	1	2	1	—	—	—	—	—
Stricture of Urethra	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—
Kidney Disease	4	3	4	1	4	7	6	6	8	7	4	1	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	2	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	1	1	1	2	1	—	—	—	—	—	—	—	—
Joint Disease	—	2	—	2	—	1	—	1	1	1	—	—	—	—	—	—
Carbuncle	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—
Phlegmon	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	3	3	1	2	2	—	—	1	—	—	—	—	—	—	1
Privation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	1	—	1	2	—	—	1	3	1	—	—	—	—	—	—
Hanging, etc.	—	3	—	2	—	2	—	—	1	—	—	—	—	—	—	—
Suffocation	1	3	1	—	1	—	—	1	—	—	—	—	—	—	—	—
Drowning	8	9	5	8	3	2	2	4	—	1	—	—	—	—	—	6
Fracture and Contusion	23	22	24	12	16	6	5	7	1	5	—	—	—	1	—	—
Wounds	4	—	—	1	3	2	2	—	2	—	—	—	1	—	—	—
Other Violent Causes	3	2	9	2	4	1	4	2	—	2	2	—	—	—	—	—
Not Specified	23	23	19	32	24	27	22	15	14	9	6	1	—	—	—	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
in 1855.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	14385	1264	424	1095	1592	787	488	305	620	299	406	501	510
SPECIFIED CAUSES	13227	963	336	985	1455	735	463	285	586	277	387	480	483
I. Zymotic Class	3425	153	115	383	669	422	290	168	265	70	75	83	85
II. Diseases of Uncertain Seat	643	11	2	8	6	13	6	7	13	16	13	14	20
III. Tubercular Class	2579	38	54	181	284	118	77	50	165	113	214	211	189
IV. Brain and Nervous System	960	73	17	46	48	25	19	11	34	12	12	29	25
V. Organs of Circulation	464	5	1	2	—	1	1	2	5	19	12	18	37
VI. Respiratory Organs	1764	76	69	171	195	98	44	27	61	18	21	44	46
VII. Organs of Digestion	980	58	46	158	208	34	6	8	17	15	17	33	32
VIII. Urinary Organs	87	1	—	1	1	1	3	—	4	3	5	7	5
IX. Organs of Generation	194	—	—	—	—	—	—	—	—	—	10	31	29
X. Organs of Locomotion	48	1	—	—	—	—	2	1	6	4	3	3	—
XI. Skin, etc.	17	3	3	1	2	2	—	—	—	—	—	2	—
XII. Malformation	25	20	2	3	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	495	479	10	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy	173	21	15	19	25	11	7	5	1	1	—	2	3
XV. Age	1116	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	45	2	—	—	2	—	—	1	2	1	—	—	1
XVII. Violent Deaths	212	22	2	6	15	10	8	5	13	5	5	3	11
I. Small Pox	350	23	17	73	73	48	32	21	23	9	8	9	2
Measles	395	5	4	68	180	61	35	18	19	2	2	—	1
Scarlatina	488	1	7	33	88	94	79	45	98	18	7	9	3
Hooping Cough	560	28	28	102	166	108	67	36	24	—	—	1	—
Croup	177	5	8	16	44	40	29	11	23	—	1	—	—
Thrush	7	5	—	—	1	—	—	—	—	—	—	—	1
Diarrhœa	364	48	29	51	65	22	10	1	7	3	2	2	3
Dysentery	182	3	7	14	14	6	3	1	1	1	4	2	8
Cholera	34	—	4	7	5	1	1	2	5	1	—	—	—
Influenza	54	1	—	1	2	1	—	1	—	—	—	—	1
Purpura	11	—	1	2	2	—	—	—	—	1	1	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	9	—	—	—	—	1	4	1	2	—	—	—	—
Infantile Fever	15	1	—	1	4	4	1	2	2	—	—	—	—
Typhus	569	4	2	8	16	30	21	25	60	33	43	32	39
Metria	89	—	—	—	—	—	—	—	—	—	3	21	26
Rheumatic Fever	7	—	—	—	—	2	—	—	—	1	1	—	—
Erysipelas	78	17	3	4	7	2	2	—	1	1	3	4	—
Syphilis	29	12	5	3	1	—	1	—	—	—	—	2	1
Noma	7	—	—	—	1	2	2	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	32	4	—	—	—	—	—	—	—	—	3	1	1
Dropsy	311	4	—	4	3	11	4	4	11	12	7	10	10
Abscess	20	1	2	3	2	—	1	—	1	1	—	1	—
Ulcer	9	—	—	—	—	—	—	—	—	—	1	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	32	2	—	1	1	1	—	2	1	3	—	1	3
Cancer	237	—	—	—	—	1	1	1	—	—	2	1	6
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	74	1	2	4	6	7	3	4	8	9	6	6	2
Tabes Mesenterica	137	7	6	18	39	21	8	7	15	4	4	—	—
Phthisis	1864	8	17	34	100	42	25	22	80	85	201	204	186
Hydrocephalus	504	22	29	125	139	48	41	17	62	15	3	1	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
in 1855.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	79	—	1	10	11	4	9	5	13	1	3	5	4
Apoplexy	207	—	—	3	1	1	—	1	1	3	1	3	4
Paralysis	275	—	—	—	1	—	1	1	—	1	2	3	1
Delirium Tremens	8	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	4	—	—	—	—	—	—	—	1	—	1	2	—
Epilepsy	39	1	—	2	2	—	—	—	1	1	—	2	4
Tetanus	3	—	—	—	1	—	—	—	—	—	—	—	1
Insanity	14	—	—	—	—	—	—	—	—	—	1	1	2
Convulsions	175	68	13	23	25	17	3	4	7	1	2	1	—
Brain Disease	156	4	3	8	7	3	6	—	11	5	2	12	8
V. Pericarditis	11	—	—	—	—	1	—	1	1	2	1	—	1
Aneurism	7	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	446	5	1	2	—	—	1	1	4	17	11	18	36
VI. Laryngitis	14	—	—	—	3	3	1	—	3	—	—	—	1
Bronchitis	845	39	41	100	94	39	13	12	18	7	7	11	19
Pleurisy	72	1	—	4	2	3	—	—	2	1	2	6	2
Pneumonia	496	34	27	63	87	50	24	15	31	8	9	20	16
Asthma	241	—	—	—	1	—	—	—	—	—	1	1	1
Lung Disease	96	2	1	4	8	3	6	—	7	2	2	6	7
VII. Teething	332	3	20	123	165	19	—	—	2	—	—	—	—
Quinsey	9	—	—	2	2	1	1	2	1	—	—	—	—
Gastritis	27	1	2	2	—	—	—	1	—	1	—	1	2
Enteritis	203	41	15	24	28	8	5	1	9	6	6	7	9
Peritonitis	61	1	2	—	—	—	—	1	1	—	4	15	9
Ascites	24	—	—	1	—	—	—	—	—	2	1	—	2
Ulceration of Intestines	25	—	1	2	4	1	—	—	1	1	1	1	2
Hernia	16	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	51	3	2	—	2	2	—	—	—	2	2	—	—
Intussusception	7	1	—	3	—	—	—	—	—	—	1	—	—
Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	78	5	3	1	4	—	—	2	2	2	—	4	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	20	—	—	—	—	1	—	1	—	—	1	1	1
Jaundice	28	3	—	—	1	—	—	—	1	—	—	—	1
Liver Disease	93	—	1	—	1	2	—	—	—	1	1	4	5
Spleen Disease	2	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	7	—	—	1	—	1	—	—	—	—	—	—	1
Nephria	37	—	—	—	1	—	1	—	3	1	2	5	—
Ischuria	2	1	—	—	—	—	—	—	—	—	—	—	—
Diabetes	8	—	—	—	—	—	—	—	—	1	2	1	—
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	3	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	28	—	—	—	—	—	2	—	1	1	1	1	4
IX. Paramenia	5	—	—	—	—	—	—	—	—	—	2	1	—
Ovarian Dropsy	15	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	133	—	—	—	—	—	—	—	—	—	8	26	22
Uterine Disease	41	—	—	—	—	—	—	—	—	—	—	3	7
X. Arthritis	4	—	—	—	—	—	1	—	2	1	—	—	—
Rheumatism	21	—	—	—	—	—	—	—	1	—	1	1	—
Joint and Bone Disease	23	1	—	—	—	—	1	1	3	3	2	2	—
XI. Carbuncle	5	—	—	—	—	1	—	—	—	—	—	1	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	11	3	3	1	2	1	—	—	—	—	—	1	—
XII. Cyanosis	5	5	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	3	1	2	—	—	—	—	—	—	—	—	—	—
Other Malformations	17	14	—	3	—	—	—	—	—	—	—	—	—
XVII. Intemperance	10	—	—	—	—	—	—	—	—	—	—	—	—
Privation	2	—	—	—	—	—	—	—	—	—	—	1	—
Want of Breast Milk	8	7	—	1	—	—	—	—	—	—	—	—	—
Neglect	4	3	—	—	—	1	—	—	—	—	—	—	—
Cold	4	1	—	—	—	—	1	—	—	—	—	—	—
Poison	9	1	—	—	—	—	—	—	1	—	—	1	—
Burns and Scalds	61	—	—	3	9	7	5	3	9	3	3	—	1
Hanging, etc.	5	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	12	6	1	2	—	—	—	—	—	—	—	—	1
Drowning	29	—	—	—	1	—	—	1	—	1	1	—	3
Fracture and Contusion	46	—	1	—	4	2	2	1	2	1	1	—	3
Wounds	6	—	—	—	—	—	—	—	1	—	—	—	1
Other Violent Causes	16	4	—	—	1	—	—	—	—	—	—	1	1
Not Specified	1158	301	88	110	137	52	25	20	34	22	19	21	27

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life,
in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	1	1	2	—	—	3	—	—	—	—	—	—	—	—	—
Apoplexy	6	11	8	15	22	22	25	20	30	16	9	3	2	—	—	—
Paralysis	3	5	8	11	17	27	28	48	47	37	25	6	1	2	—	—
Delirium Tremens	1	—	3	2	—	—	—	—	—	1	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	7	3	4	2	3	1	1	2	2	1	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Insanity	3	1	—	1	2	1	—	1	1	—	—	—	—	—	—	—
Convulsions	4	—	—	2	2	1	—	1	1	—	—	—	—	—	—	—
Brain Disease	9	13	8	8	6	11	8	9	10	4	—	1	—	—	—	—
Pericarditis	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	1
Aneurism	—	1	1	4	—	1	—	—	—	—	—	—	—	—	—	—
Heart Disease	26	31	39	26	39	38	64	27	32	18	6	2	1	—	—	1
Laryngitis	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	15	14	37	31	37	44	65	55	73	49	12	10	2	—	—	1
Pleurisy	3	2	5	3	3	2	10	6	8	3	3	—	—	1	—	—
Pneumonia	12	12	14	10	16	14	15	7	6	3	1	1	1	—	—	—
Asthma	11	8	18	24	31	44	33	33	23	6	4	1	1	—	—	—
Lung Disease	1	3	6	8	4	8	9	3	4	2	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	5	3	—	—	2	2	1	1	1	1	—	1	—	—	—	—
Enteritis	11	8	4	1	5	4	4	1	4	1	1	—	—	—	—	—
Peritonitis	7	9	2	1	—	3	2	2	—	1	—	1	—	—	—	—
Ascites	1	1	1	2	1	6	3	1	1	—	—	—	1	—	—	—
Ulceration of Intestines	2	1	2	1	2	—	1	1	1	—	—	—	—	—	—	—
Hernia	—	3	2	3	2	2	1	3	—	—	—	—	—	—	—	—
Ileus	3	1	—	4	4	5	6	5	2	5	2	1	—	—	—	—
Intussusception	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—
Stomach Disease	2	4	4	8	8	8	7	2	4	2	4	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	4	1	3	1	—	4	—	—	—	—	—	—	—	—	—
Jaundice	1	1	2	3	—	2	5	3	2	3	—	—	—	—	—	—
Liver Disease	9	8	4	13	9	6	12	12	5	—	—	—	—	—	—	—
Spleen Disease	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Nephria	6	2	3	3	2	3	2	2	—	1	—	—	—	—	—	—
Ischuria	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Cystitis	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	1	3	2	1	1	3	3	2	2	—	—	—	—	—	—
Paramenia	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	2	1	1	1	2	2	3	1	1	—	—	—	—	—	—	—
Childbirth	31	34	8	4	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	4	2	7	7	6	3	—	1	1	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	2	3	2	1	2	3	1	1	1	1	—	—	—	—	—
Joint Disease	1	1	1	1	—	1	2	1	1	1	—	—	—	—	—	—
Carbuncle	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—
Phlegmon	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	1	2	2	4	1	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Poison	—	2	2	1	—	1	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	1	3	1	2	1	3	—	1	1	2	1	—	—	—	—
Hanging, etc.	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Drowning	4	4	2	4	1	—	2	1	1	1	—	—	—	—	—	2
Fracture and Contusion	3	2	1	1	1	—	2	2	5	6	4	2	—	—	—	—
Wounds	—	—	—	2	—	—	—	—	—	1	1	—	—	—	—	—
Other Violent Causes	—	1	1	2	1	—	1	—	—	—	1	—	—	—	—	2
Not Specified	28	32	35	34	27	44	29	21	13	17	5	4	2	—	—	11

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	10655	1140	389	1071	1424	652	385	224	459	229	346	429	376
SPECIFIED CAUSES	9936	910	308	991	1344	617	364	215	439	218	333	418	358
I. Zymotic Class	2601	126	94	352	576	319	202	121	172	44	67	74	65
II. Diseases of Uncertain Seat	273	6	—	4	7	6	5	3	10	7	6	10	11
III. Tubercular Class	2055	48	56	197	264	102	68	39	114	86	158	168	140
IV. Brain and Nervous System	674	67	16	47	42	21	25	10	31	17	13	20	18
V. Organs of Circulation	310	5	—	2	1	1	2	2	6	15	14	17	24
VI. Respiratory Organs	1624	88	70	220	229	115	47	15	64	19	23	45	36
VII. Organs of Digestion	799	74	40	137	190	31	4	7	13	10	22	28	28
VIII. Urinary Organs	70	1	1	2	1	1	1	—	2	2	1	9	7
IX. Organs of Generation	78	—	—	—	—	—	—	—	—	—	6	13	12
X. Organs of Locomotion	23	—	—	—	1	2	1	1	3	—	1	3	—
XI. Skin, etc.	12	—	2	1	2	1	—	—	1	—	—	2	—
XII. Malformation	19	17	—	2	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	463	440	14	9	—	—	—	—	—	—	—	—	—
XIV. Atrophy	109	10	11	14	17	11	2	6	2	1	2	3	—
XV. Age	512	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	36	5	3	1	1	—	—	—	2	—	1	—	—
XVII. Violent Deaths	278	23	1	3	13	7	7	11	19	17	19	26	17
I. Small Pox	203	15	8	45	46	35	15	4	8	4	7	7	4
Measles	522	4	7	93	220	95	54	23	19	4	—	2	—
Scarlatina	205	—	2	21	36	29	36	24	44	3	3	5	1
Hooping Cough	376	17	25	88	113	69	31	21	12	—	—	—	—
Croup	145	3	11	16	34	29	24	11	16	—	1	—	—
Thrush	4	2	—	—	1	—	—	—	—	—	—	—	1
Diarrhoea	339	50	24	58	73	20	10	4	10	2	2	5	6
Dysentery	155	7	3	9	16	5	5	6	5	3	5	2	5
Cholera	21	—	3	4	2	1	1	—	3	2	1	1	—
Influenza	20	2	—	2	1	2	—	—	—	1	—	—	1
Purpura	8	—	—	1	1	—	—	—	1	—	1	2	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	10	—	—	—	—	2	2	1	4	—	—	—	—
Infantile Fever	12	—	—	2	3	2	1	2	2	—	—	—	—
Typhus	460	6	3	9	22	25	21	23	47	24	42	37	34
Metria	36	—	—	—	—	—	—	—	—	—	1	8	12
Rheumatic Fever	5	—	—	—	—	1	—	—	—	—	1	1	—
Erysipelas	46	12	5	2	3	1	—	—	—	1	3	1	1
Syphilis	21	8	3	2	1	—	—	—	—	—	—	3	—
Noma	13	—	—	—	4	3	2	2	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	21	2	—	—	—	—	—	—	—	—	1	—	2
Dropsy	159	3	—	1	5	5	5	1	8	5	4	7	6
Abscess	12	—	—	2	1	—	—	—	1	—	—	2	—
Ulcer	3	—	—	—	1	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	13	1	—	1	—	—	—	2	—	2	1	1	—
Cancer	64	—	—	—	—	1	—	—	1	—	—	—	3
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	66	2	2	5	6	4	2	1	6	8	7	6	3
Tabes Mesenterica	126	13	4	11	40	11	10	8	13	8	2	—	—
Phthisis	1417	12	12	45	98	45	33	18	48	64	148	162	137
Hydrocephalus	446	21	38	136	120	42	23	12	47	6	1	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.		BOTH SEXES.											
		ALL AGES.	AGE UNDER										
			MONTHS.			2	3	4	5	10	15	20	25
3	6	12											
IV. Cephalitis	77	—	1	6	11	4	9	4	16	2	2	2	3
Apoplexy	143	—	—	6	1	1	2	—	—	3	1	4	2
Paralysis	137	—	—	—	1	—	—	—	1	—	1	1	3
Delirium Tremens	13	—	—	—	—	—	—	—	—	—	—	—	2
Chorea	2	—	—	—	—	—	1	—	—	1	—	—	—
Epilepsy	22	—	1	1	2	—	1	—	1	1	1	2	3
Tetanus	8	4	—	—	2	—	—	—	—	—	1	—	1
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	147	56	12	26	15	11	7	5	3	2	2	3	—
Brain Disease	122	7	2	8	10	5	5	1	10	8	5	8	3
V. Pericarditis	14	—	—	—	—	—	—	1	2	2	—	—	2
Aneurism	4	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	292	5	—	2	1	1	2	1	4	13	14	17	22
VI. Laryngitis	21	—	—	2	3	2	—	—	7	—	—	—	1
Bronchitis	694	43	39	112	99	46	16	4	19	7	9	12	13
Pleurisy	40	1	—	2	2	1	2	—	1	3	2	1	2
Pneumonia	565	40	28	103	118	60	23	11	31	6	10	21	12
Asthma	217	—	—	—	—	—	—	—	—	—	2	2	—
Lung Disease	87	4	3	1	7	6	6	—	6	3	—	9	8
VII. Teething	294	1	17	106	151	18	1	—	—	—	—	—	—
Quinsey	5	1	—	—	1	—	—	—	1	—	1	—	—
Gastritis	28	1	1	1	—	1	—	—	2	1	2	1	3
Enteritis	196	52	16	27	28	7	3	3	7	5	3	6	7
Peritonitis	37	2	1	—	1	—	—	—	—	—	8	11	7
Ascites	15	—	—	1	—	1	—	—	—	2	—	—	—
Ulceration of Intestines	20	—	2	—	1	1	—	1	—	—	1	1	2
Hernia	15	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	25	6	—	—	1	1	—	1	—	—	3	1	1
Intussusception	3	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	2	—	—	1	—	—	—	—	—	—	—	—	—
Stomach Disease	44	5	1	1	2	—	—	2	—	—	—	2	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	21	—	1	—	1	—	—	—	—	—	1	2	3
Jaundice	20	4	—	—	2	1	—	—	2	—	—	—	—
Liver Disease	72	2	1	—	2	1	—	—	1	2	2	2	4
Spleen Disease	2	—	—	—	—	—	—	—	—	—	1	1	—
VIII. Nephritis	6	—	—	1	1	—	—	—	1	—	—	—	—
Nephria	27	—	1	—	—	—	—	—	1	1	—	4	2
Ischuria	6	1	—	—	—	—	—	—	—	—	—	1	—
Diabetes	9	—	—	1	—	—	—	—	—	1	1	2	—
Stone	3	—	—	—	—	1	—	—	—	—	—	1	—
Cystitis	6	—	—	—	—	—	1	—	—	—	—	—	2
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	12	—	—	—	—	—	—	—	—	—	—	1	3
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	1	1	—
Ovarian Dropsy	4	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	56	—	—	—	—	—	—	—	—	—	5	10	8
Uterine Disease	16	—	—	—	—	—	—	—	—	—	—	2	4
X. Arthritis	5	—	—	—	—	1	1	—	1	—	—	—	—
Rheumatism	9	—	—	—	—	—	—	—	1	—	—	1	—
Joint and Bone Disease	9	—	—	—	1	1	—	1	1	—	1	2	—
XI. Carbuncle	4	—	—	—	—	1	—	—	1	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	8	—	2	1	2	—	—	—	—	—	—	2	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	3	3	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	15	13	—	2	—	—	—	—	—	—	—	—	—
XVII. Intemperance	11	—	—	—	—	—	—	—	—	—	—	—	1
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	9	9	—	—	—	—	—	—	—	—	—	—	—
Neglect	3	2	—	—	—	1	—	—	—	—	—	—	—
Cold	5	1	—	—	—	—	—	—	—	—	1	—	1
Poison	5	—	—	—	—	—	—	—	1	1	—	1	—
Burns and Scalds	53	—	—	2	10	5	4	5	9	2	4	—	1
Hanging, etc.	3	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	14	6	1	—	—	—	1	—	1	—	—	—	2
Drowning	64	—	—	—	1	—	—	1	2	4	8	9	9
Fracture and Contusion	83	—	—	—	1	1	2	5	6	7	3	10	2
Wounds	12	—	—	—	—	—	—	—	—	1	2	4	1
Other Violent Causes	15	5	—	1	1	—	—	—	—	2	1	1	—
Not Specified	719	230	81	80	80	35	21	9	20	11	13	11	18

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	3	3	4	2	1	—	3	—	—	1	—	—	—	—	—	—	
Apoplexy	8	11	7	10	20	14	14	15	10	9	2	2	1	—	—	—	
Paralysis	4	5	3	6	11	21	22	29	12	11	4	2	—	—	—	—	
Delirium Tremens	2	4	1	2	2	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	2	—	1	—	3	1	—	1	1	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	3	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
Brain Disease	6	11	5	7	3	9	2	4	1	2	—	—	—	—	—	—	
Pericarditis	1	1	1	2	—	—	1	—	—	—	—	—	—	—	—	1	
Aneurism	—	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	
Heart Disease	16	24	26	16	26	24	30	19	19	8	1	1	—	—	—	—	
Laryngitis	1	2	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
Bronchitis	10	14	26	24	31	36	38	38	36	12	7	2	1	—	—	—	
Pleurisy	2	2	4	2	1	2	2	1	5	1	1	—	—	—	—	—	
Pneumonia	10	15	17	12	16	14	7	5	3	3	—	—	—	—	—	—	
Asthma	10	6	18	19	22	33	35	29	29	7	4	1	—	—	—	—	
Lung Disease	2	1	5	6	3	7	7	1	1	1	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Gastritis	4	4	1	—	2	2	—	—	—	1	—	1	—	—	—	—	
Enteritis	8	7	4	3	3	2	2	1	2	—	—	—	—	—	—	—	
Peritonitis	—	1	1	1	1	—	—	3	—	—	—	—	—	—	—	—	
Ascites	1	1	1	—	2	3	2	1	—	—	—	—	—	—	—	—	
Ulceration of Intestines	5	—	1	—	2	1	1	1	—	—	—	—	—	—	—	—	
Hernia	—	3	1	3	1	1	1	2	2	—	1	—	—	—	—	—	
Ileus	1	3	—	—	2	1	1	1	2	—	—	—	—	—	—	—	
Intussusception	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	2	3	—	7	2	4	4	2	3	1	1	1	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	2	2	1	2	—	3	2	—	—	1	—	—	—	—	—	—	
Jaundice	—	—	1	1	—	2	5	2	—	—	—	—	—	—	—	—	
Liver Disease	3	7	8	7	9	8	5	4	2	1	—	—	—	—	—	1	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	5	—	6	2	4	1	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Kidney Disease	2	—	1	—	1	—	2	—	1	1	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—	
Childbirth	13	14	4	2	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	—	1	4	1	2	1	—	—	1	—	—	—	—	—	—	—	
Arthritis	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Rheumatism	—	2	1	1	—	—	1	1	1	—	—	—	—	—	—	—	
Joint Disease	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
Carbuncle	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	2	2	2	3	—	—	—	1	—	—	—	—	—	—	—	
Privation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	2	1	2	1	1	—	—	—	1	2	1	—	—	—	—	—	
Hanging, etc.	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Drowning	6	4	4	7	1	1	2	1	—	—	—	—	—	—	—	4	
Fracture and Contusion	9	6	10	4	7	1	1	3	3	2	—	—	—	—	—	—	
Wounds	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	20	20	16	15	12	18	6	1	—	—	—	—	—	—	—	2	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1855.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	5246	604	213	537	733	317	183	115	249	119	176	223	172
SPECIFIED CAUSES	4876	493	165	495	691	299	170	108	236	113	171	218	164
I. Zymotic Class	1283	57	53	175	294	144	92	61	94	21	34	41	31
II. Diseases of Uncertain Seat	100	1	—	1	6	2	3	1	4	4	3	3	3
III. Tubercular Class	977	28	31	105	129	57	35	23	60	42	66	81	59
IV. Brain and Nervous System	365	38	11	24	24	12	13	4	19	11	9	8	8
V. Organs of Circulation	162	4	—	—	1	1	1	1	4	6	10	13	9
VI. Respiratory Organs	831	56	37	119	131	55	20	5	32	10	17	24	19
VII. Organs of Digestion	401	45	19	56	89	17	2	4	8	5	14	14	15
VIII. Urinary Organs	44	—	1	1	1	1	1	—	2	—	—	4	6
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	9	—	—	—	1	2	—	—	—	—	—	2	—
XI. Skin, etc.	5	—	—	—	1	—	—	—	1	—	—	1	—
XII. Malformation	12	12	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	240	229	6	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy	44	8	3	6	8	4	—	2	1	—	2	2	—
XV. Age	188	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	22	5	3	1	1	—	—	—	—	—	1	—	—
XVII. Violent Deaths	193	10	1	2	5	4	3	7	11	14	15	25	14
I. Small Pox	101	6	6	21	27	11	7	—	4	2	5	6	4
Measles	250	1	4	41	103	53	24	11	8	2	—	2	—
Scarlatina	107	—	1	10	20	12	17	17	25	1	2	1	—
Whooping Cough	166	7	13	42	56	27	9	7	5	—	—	—	—
Croup	79	1	8	12	17	15	11	5	10	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	179	27	12	34	39	9	6	4	7	2	1	3	3
Dysentery	73	4	—	3	10	2	2	3	5	2	2	2	2
Cholera	8	—	—	2	1	—	1	—	—	1	1	1	—
Influenza	7	1	—	1	—	1	—	—	—	1	—	—	1
Purpura	3	—	—	—	—	—	—	—	1	—	—	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	7	—	—	—	—	2	—	1	4	—	—	—	—
Infantile Fever	8	—	—	2	3	—	1	1	1	—	—	—	—
Typhus	252	3	3	5	15	10	14	12	23	9	21	23	20
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	4	—	—	—	—	—	—	—	—	—	1	1	—
Erysipelas	23	3	4	1	—	1	—	—	—	1	1	—	1
Syphilis	9	3	2	1	—	—	—	—	—	—	—	1	—
Noma	6	—	—	—	3	1	—	—	1	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	9	—	—	—	—	—	—	—	—	—	—	—	1
Dropsy	66	1	—	1	5	2	3	1	3	4	2	2	2
Abscess	4	—	—	—	—	—	—	—	—	—	—	1	—
Ulcer	2	—	—	—	1	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	14	—	—	—	—	—	—	—	1	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	36	1	1	3	3	1	1	—	3	3	6	4	2
Tabes Mesenterica	75	9	2	7	24	8	6	3	8	5	1	—	—
Phthisis	640	7	6	23	49	27	19	11	24	31	58	77	57
Hydrocephalus	226	11	22	72	53	21	9	9	25	3	1	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1855.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	186	176	184	150	155	164	150	146	112	91	54	16	9	2	1	9	
SPECIFIED CAUSES . .	173	168	179	142	149	156	147	146	112	91	54	16	9	2	1	8	
Zymotic Class	25	26	22	25	18	18	19	18	9	4	1	—	1	—	—	—	
Uncertain Seat	6	5	9	2	6	13	15	2	2	4	3	—	—	—	—	2	
Tubercular Class . . .	71	45	45	33	26	21	8	8	3	—	—	—	—	—	—	1	
Brain, etc.	12	23	14	16	20	23	22	25	8	14	4	2	1	—	—	—	
Heart, etc.	7	16	14	10	13	14	10	11	10	5	1	1	—	—	—	—	
Respiratory Organs . .	18	21	36	28	35	39	44	37	29	10	7	1	1	—	—	—	
Digestive Organs . . .	12	16	13	14	12	15	11	10	5	3	1	—	—	—	—	1	
Urinary Organs	6	1	6	1	4	4	2	—	1	2	—	—	—	—	—	—	
Generative Organs . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs . .	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	
Skin	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	—	3	—	2	3	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	12	30	41	47	37	12	6	2	1	—	
Sudden Deaths	2	1	1	1	—	1	3	1	1	—	—	—	—	—	—	—	
Violent Deaths	14	13	15	10	13	4	1	3	3	2	—	—	—	—	—	4	
Small Pox	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	5	4	4	5	2	1	5	2	1	2	1	—	—	—	—	—	
Dysentery	1	3	2	7	3	3	2	8	6	1	—	—	—	—	—	—	
Cholera	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Purpura	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	15	14	12	12	10	12	9	7	1	1	—	—	1	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	1	2	—	1	2	1	2	1	1	—	—	—	—	—	—	—	
Syphilis	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	1	1	1	1	2	—	—	—	—	1	—	—	—	—	1	
Dropsy	5	4	3	—	4	5	11	2	2	3	—	—	—	—	—	1	
Abscess	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fistula	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	
Cancer	—	—	3	—	1	5	3	—	—	—	1	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	4	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	
Tabes Mesenterica . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Phthisis	66	44	44	33	25	20	8	8	2	—	—	—	—	—	—	1	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	42	—	1	3	5	2	4	1	9	2	1	1	1
Apoplexy	81	—	—	3	—	1	2	—	—	2	1	2	—
Paralysis	59	—	—	—	—	—	—	—	1	—	—	—	2
Delirium Tremens	13	—	—	—	—	—	—	—	—	—	—	—	2
Chorea	2	—	—	—	—	—	1	—	—	1	—	—	—
Epilepsy	10	—	1	—	1	—	1	—	1	—	1	1	—
Tetanus	6	4	—	—	1	—	—	—	—	—	1	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	78	31	7	14	9	6	4	2	—	1	—	2	—
Brain Disease	72	3	2	4	8	3	1	1	8	5	5	2	3
V. Pericarditis	8	—	—	—	—	—	—	—	1	1	—	—	1
Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	151	4	—	—	1	1	1	1	3	5	10	13	8
VI. Laryngitis	16	—	—	2	3	1	—	—	4	—	—	—	1
Bronchitis	331	28	19	59	52	22	10	2	10	2	6	5	5
Pleurisy	24	—	—	1	2	1	2	—	1	2	1	1	2
Pneumonia	315	24	16	56	70	27	7	3	14	4	8	11	7
Asthma	100	—	—	—	—	—	—	—	—	—	2	2	—
Lung Disease	45	4	2	1	4	4	1	—	3	2	—	5	4
VII. Teething	134	—	7	45	71	10	1	—	—	—	—	—	—
Quinsey	4	1	—	—	1	—	—	—	—	—	1	—	—
Gastritis	17	1	—	—	—	1	—	—	2	—	2	1	1
Enteritis	94	30	9	9	12	3	1	2	4	3	1	4	3
Peritonitis	20	2	—	—	1	—	—	—	—	—	5	3	3
Ascites	4	—	—	—	—	1	—	—	—	1	—	—	—
Ulceration of Intestines	12	—	1	—	—	—	—	1	—	—	—	1	2
Hernia	4	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	13	3	—	—	—	1	—	1	—	—	2	1	1
Intussusception	2	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Intestines	2	—	—	1	—	—	—	—	—	—	—	—	—
Stomach Disease	28	4	1	1	1	—	—	—	—	—	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	13	—	1	—	1	—	—	—	—	—	—	1	3
Jaundice	8	2	—	—	1	1	—	—	1	—	—	—	—
Liver Disease	44	2	—	—	1	—	—	—	1	1	2	1	1
Spleen Disease	2	—	—	—	—	—	—	—	—	—	1	1	—
VIII. Nephritis	3	—	—	—	1	—	—	—	1	—	—	—	—
Nephria	15	—	1	—	—	—	—	—	1	—	—	1	2
Ischuria	4	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	5	—	—	1	—	—	—	—	—	—	—	1	—
Stone	3	—	—	—	—	1	—	—	—	—	—	1	—
Cystitis	5	—	—	—	—	—	1	—	—	—	—	—	2
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	8	—	—	—	—	—	—	—	—	—	—	—	2
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	3	—	—	—	—	1	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	5	—	—	—	1	1	—	—	—	—	—	2	—
XI. Carbuncle	2	—	—	—	—	—	—	—	1	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	3	—	—	—	1	—	—	—	—	—	—	1	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	2	2	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	9	9	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	6	—	—	—	—	—	—	—	—	—	—	—	1
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	4	4	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	3	—	—	—	—	—	—	—	—	—	1	—	1
Poison	2	—	—	—	—	—	—	—	—	1	—	—	—
Burns and Scalds	21	—	—	1	5	4	1	3	3	—	1	—	1
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	10	3	1	—	—	—	1	—	1	—	—	—	1
Drowning	53	—	—	—	—	—	—	—	2	4	7	9	7
Fracture and Contusion	68	—	—	—	—	—	1	4	5	6	3	10	2
Wounds	12	—	—	—	—	—	—	—	—	1	2	4	1
Other Violent Causes	11	3	—	1	—	—	—	—	—	2	1	1	—
Not Specified	370	111	48	42	42	18	13	7	13	6	5	5	8

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1855.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	3	4	1	1	—	2	—	—	1	—	—	—	—	—	—
Apoplexy	3	5	5	8	9	7	10	10	3	6	2	1	1	—	—	—
Paralysis	3	3	2	2	4	9	8	13	4	5	2	1	—	—	—	—
Delirium Tremens	2	4	1	2	2	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Brain Disease	2	7	1	3	2	5	2	2	1	2	—	—	—	—	—	—
Pericarditis	1	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—
Aneurism	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—
Heart Disease	6	15	12	9	12	14	9	10	10	5	1	1	—	—	—	—
Laryngitis	—	2	1	—	1	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	5	6	10	10	13	15	17	17	9	4	4	—	1	—	—	—
Pleurisy	—	2	2	1	1	1	2	1	1	—	—	—	—	—	—	—
Pneumonia	7	8	12	7	11	12	4	3	2	2	—	—	—	—	—	—
Asthma	4	2	8	9	7	8	17	16	17	4	3	1	—	—	—	—
Lung Disease	2	1	3	1	2	3	3	—	—	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Gastritis	1	3	1	—	2	1	—	—	—	1	—	—	—	—	—	—
Enteritis	2	2	3	3	—	1	2	—	—	—	—	—	—	—	—	—
Peritonitis	—	1	1	1	1	—	—	2	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Ulceration of Intestines	3	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—
Ileus	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Stomach Disease	2	2	—	6	2	1	4	1	2	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	1	—	—	3	1	—	—	1	—	—	—	—	—	—
Jaundice	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Liver Disease	2	5	6	4	4	5	3	3	1	1	—	—	—	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	2	—	4	1	2	1	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	1	—	1	—	—	—	1	1	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	1	1	—	2	—	—	—	1	—	—	—	—	—	—	—
Privation	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Suffocation	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	4	4	3	5	1	1	1	1	—	—	—	—	—	—	—	4
Fracture and Contusion	8	4	9	4	7	1	—	2	1	1	—	—	—	—	—	—
Wounds	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	13	8	5	8	6	8	3	—	—	—	—	—	—	—	—	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	5409	536	176	534	691	335	202	109	210	110	170	206	204
SPECIFIED CAUSES	5060	417	143	496	653	318	194	107	203	105	162	200	194
I. Zymotic Class	1318	69	41	177	282	175	110	60	78	23	33	33	34
II. Diseases of Uncertain Seat	173	5	—	3	1	4	2	2	6	3	3	7	8
III. Tubercular Class	1078	20	25	92	135	45	33	16	54	44	92	87	81
IV. Brain and Nervous System	309	29	5	23	18	9	12	6	12	6	4	12	10
V. Organs of Circulation	148	1	—	2	—	—	1	1	2	9	4	4	15
VI. Respiratory Organs	793	32	33	101	98	60	27	10	32	9	6	21	17
VII. Organs of Digestion	398	29	21	81	101	14	2	3	5	5	8	14	13
VIII. Urinary Organs	26	1	—	1	—	—	—	—	—	2	1	5	1
IX. Organs of Generation	78	—	—	—	—	—	—	—	—	—	6	13	12
X. Organs of Locomotion	14	—	—	—	—	—	1	1	3	—	1	1	—
XI. Skin, etc.	7	—	2	1	1	1	—	—	—	—	—	1	—
XII. Malformation	7	5	—	2	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	223	211	8	4	—	—	—	—	—	—	—	—	—
XIV. Atrophy	65	2	8	8	9	7	2	4	1	1	—	1	—
XV. Age	324	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	14	—	—	—	—	—	—	—	2	—	—	—	—
XVII. Violent Deaths	85	13	—	1	8	3	4	4	8	3	4	1	3
I. Small Pox	102	9	2	24	19	24	8	4	4	2	2	1	—
Measles	272	3	3	52	117	42	30	12	11	2	—	—	—
Scarlatina	98	—	1	11	16	17	19	7	19	2	1	4	1
Hooping Cough	210	10	12	46	57	42	22	14	7	—	—	—	—
Croup	66	2	3	4	17	14	13	6	6	—	1	—	—
Thrush	3	1	—	—	1	—	—	—	—	—	—	—	1
Diarrhœa	160	23	12	24	34	11	4	—	3	—	1	2	3
Dysentery	82	3	3	6	6	3	3	3	—	1	3	—	3
Cholera	13	—	3	2	1	1	—	—	3	1	—	—	—
Influenza	13	1	—	1	1	1	—	—	—	—	—	—	—
Purpura	5	—	—	1	1	—	—	—	—	—	1	1	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	3	—	—	—	—	—	2	—	—	—	—	—	—
Infantile Fever	4	—	—	—	—	2	—	1	1	—	—	—	—
Typhus	208	3	—	4	7	15	7	11	24	15	21	14	14
Metria	36	—	—	—	—	—	—	—	—	—	1	8	12
Rheumatic Fever	1	—	—	—	—	1	—	—	—	—	—	—	—
Erysipelas	23	9	1	1	3	—	—	—	—	—	2	1	—
Syphilis	12	5	1	1	1	—	—	—	—	—	—	2	—
Noma	7	—	—	—	1	2	2	2	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	12	2	—	—	—	—	—	—	—	—	1	—	1
Dropsy	93	2	—	—	—	3	2	—	5	1	2	5	4
Abscess	8	—	—	2	1	—	—	—	1	—	—	1	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	9	1	—	1	—	—	—	2	—	2	—	1	—
Cancer	50	—	—	—	—	1	—	—	—	—	—	—	3
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	30	1	1	2	3	3	1	1	3	5	1	2	1
Tabes Mesenterica	51	4	2	4	16	3	4	5	5	3	1	—	—
Phthisis	777	5	6	22	49	18	14	7	24	33	90	85	80
Hydrocephalus	220	10	16	64	67	21	14	3	22	3	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	35	—	—	3	6	2	5	3	7	—	1	1	2
Apoplexy	62	—	—	3	1	—	—	—	—	1	—	2	2
Paralysis	78	—	—	—	1	—	—	—	—	—	1	1	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	12	—	—	1	1	—	—	—	—	1	—	1	3
Tetanus	2	—	—	—	1	—	—	—	—	—	—	—	1
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	69	25	5	12	6	5	3	3	3	1	2	1	—
Brain Disease	50	4	—	4	2	2	4	—	2	3	—	6	—
V. Pericarditis	6	—	—	—	—	—	—	1	1	1	—	—	1
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	141	1	—	2	—	—	1	—	1	8	4	4	14
VI. Laryngitis	5	—	—	—	—	1	—	—	3	—	—	—	—
Bronchitis	363	15	20	53	47	24	6	2	9	5	3	7	8
Pleurisy	16	1	—	1	—	—	—	—	—	1	1	—	—
Pneumonia	250	16	12	47	48	33	16	8	17	2	2	10	5
Asthma	117	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	42	—	1	—	3	2	5	—	3	1	—	4	4
VII. Teething	160	1	10	61	80	8	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	1	—	—	—	—
Gastritis	11	—	1	1	—	—	—	—	—	1	—	—	2
Enteritis	102	22	7	18	16	4	2	1	3	2	2	2	4
Peritonitis	17	—	1	—	—	—	—	—	—	—	3	8	4
Ascites	11	—	—	1	—	—	—	—	—	1	—	—	—
Ulceration of Intestines	8	—	1	—	1	1	—	—	—	—	1	—	—
Hernia	11	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	12	3	—	—	1	—	—	—	—	—	1	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	16	1	—	—	1	—	—	2	—	—	—	2	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	8	—	—	—	—	—	—	—	—	—	1	1	—
Jaundice	12	2	—	—	1	—	—	—	1	—	—	—	—
Liver Disease	28	—	1	—	1	1	—	—	—	1	—	1	3
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	3	—	—	1	—	—	—	—	—	—	—	—	—
Nephria	12	—	—	—	—	—	—	—	—	1	—	3	—
Ischuria	2	1	—	—	—	—	—	—	—	—	—	—	—
Diabetes	4	—	—	—	—	—	—	—	—	1	1	1	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	—	—	—	—	—	—	—	—	1	1
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	1	1	—
Ovarian Dropsy	4	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	56	—	—	—	—	—	—	—	—	—	5	10	8
Uterine Disease	16	—	—	—	—	—	—	—	—	—	—	2	4
X. Arthritis	2	—	—	—	—	—	1	—	1	—	—	—	—
Rheumatism	8	—	—	—	—	—	—	—	1	—	—	1	—
Joint and Bone Disease	4	—	—	—	—	—	—	1	1	—	1	—	—
XI. Carbuncle	2	—	—	—	—	1	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	5	—	2	1	1	—	—	—	—	—	—	1	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	6	4	—	2	—	—	—	—	—	—	—	—	—
XVII. Intemperance	5	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	5	5	—	—	—	—	—	—	—	—	—	—	—
Neglect	3	2	—	—	—	1	—	—	—	—	—	—	—
Cold	2	1	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	—	—	—	1	—	—	1	—
Burns and Scalds	32	—	—	1	5	1	3	2	6	2	3	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	4	3	—	—	—	—	—	—	—	—	—	—	1
Drowning	11	—	—	—	1	—	—	1	—	—	1	—	2
Fracture and Contusion	15	—	—	—	1	1	1	1	1	1	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	4	2	—	—	1	—	—	—	—	—	—	—	—
Not Specified	349	119	33	38	38	17	8	2	7	5	8	6	10

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Apoplexy	5	6	2	2	11	7	4	5	7	3	—	1	—	—	—	—
Paralysis	1	2	1	4	7	12	14	16	8	6	2	1	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	1	—	1	—	—	1	1	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	4	4	4	4	1	4	—	2	—	—	—	—	—	—	—	—
Pericarditis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
Aneurism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	10	9	14	7	14	10	21	9	9	3	—	—	—	—	—	—
Laryngitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	5	8	16	14	18	21	21	21	27	8	3	2	—	—	—	—
Pleurisy	2	—	2	1	—	1	—	—	4	1	1	—	—	—	—	—
Pneumonia	3	7	5	5	5	2	3	2	1	1	—	—	—	—	—	—
Asthma	6	4	10	10	15	25	18	13	12	3	1	—	—	—	—	—
Lung Disease	—	—	2	5	1	4	4	1	1	1	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	3	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Enteritis	6	5	1	—	3	1	—	1	2	—	—	—	—	—	—	—
Peritonitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Ascites	1	1	1	—	1	3	2	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Hernia	—	3	1	3	1	1	1	1	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	2	1	1	1	2	—	—	—	—	—	—	—
Intussusception	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	1	—	1	—	3	—	1	1	1	1	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	2	—	2	—	—	1	—	—	—	—	—	—	—	—	—
Jaundice	—	—	1	1	—	1	4	1	—	—	—	—	—	—	—	—
Liver Disease	1	2	2	3	5	3	2	1	1	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	3	—	2	1	2	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	1	1	—	—	1	1	—	—	—	—	—	—	—	—
Childbirth	13	14	4	2	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	1	4	1	2	1	—	—	1	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	2	1	—	—	—	1	1	1	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	1	2	1	1	—	—	—	—	1	1	—	—	—	—	—
Hanging, etc.	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	2	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—
Fracture and Contusion	1	2	1	—	—	—	1	1	2	1	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	7	12	11	7	6	10	3	1	—	—	—	—	—	—	—	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	671	58	24	45	92	26	21	10	32	18	29	19	21
SPECIFIED CAUSES	607	43	18	35	84	24	19	9	30	17	29	18	20
I. Zymotic Class	142	4	7	14	37	10	10	5	8	2	4	4	3
II. Diseases of Uncertain Seat	20	2	—	—	—	1	—	—	1	1	1	—	1
III. Tubercular Class	147	7	6	10	24	6	5	3	10	11	18	10	7
IV. Brain and Nervous System	51	—	1	2	2	1	—	1	7	1	2	—	3
V. Organs of Circulation	16	—	—	—	—	—	—	—	—	—	—	—	—
VI. Respiratory Organs	60	3	2	4	8	2	1	—	3	—	1	2	2
VII. Organs of Digestion	43	4	1	4	9	2	1	—	—	1	1	1	1
VIII. Urinary Organs	2	—	—	—	—	—	1	—	—	—	—	—	—
IX. Organs of Generation	4	—	—	—	—	—	—	—	—	—	1	—	1
X. Organs of Locomotion	3	—	—	—	—	—	—	—	—	—	1	—	1
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	21	20	1	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	12	2	—	—	2	1	—	—	—	—	—	—	—
XV. Age	64	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	21	1	—	1	2	1	1	—	1	1	—	1	1
I. Small Pox	15	—	1	6	2	1	1	—	3	—	—	1	—
Measles	29	—	—	2	18	5	1	1	2	—	—	—	—
Scarlatina	8	—	1	—	4	—	2	—	—	—	—	1	—
Hooping Cough	7	—	—	4	3	—	—	—	—	—	—	—	—
Croup	3	—	—	—	1	1	—	1	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	14	—	2	1	3	—	—	1	—	—	—	—	—
Dysentery	15	—	1	1	3	—	2	1	—	—	—	—	1
Cholera	2	—	—	—	—	—	—	—	1	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	1	—	—	—	—	—	—
Infantile Fever	2	—	—	—	1	1	—	—	—	—	—	—	—
Typhus	34	1	—	—	1	2	3	1	2	2	4	1	1
Metria	3	—	—	—	—	—	—	—	—	—	—	1	1
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	1	—	—	—	1	—	—	—	—	—	—	—	—
Syphilis	6	3	2	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	10	—	—	—	—	1	—	—	1	—	1	—	—
Abscess	1	—	—	—	—	—	—	—	—	1	—	—	—
Ulcer	1	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	6	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	13	—	—	—	1	—	1	1	2	3	2	—	—
Tabes Mesenterica	21	1	4	3	7	2	1	2	—	—	1	—	—
Phthisis	89	4	1	2	9	1	—	—	6	7	15	10	7
Hydrocephalus	24	2	1	5	7	3	3	—	2	1	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	—	—	1	—	—	—	1	—	—	1	—	1
Apoplexy	7	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	19	—	—	—	—	1	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	1	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	4	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	6	—	1	1	1	—	—	—	3	—	—	—	—
Brain Disease	8	—	—	—	1	—	—	—	4	—	1	—	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	16	—	—	—	—	—	—	—	—	—	—	—	—
VI. Laryngitis	2	—	—	—	1	1	—	—	—	—	—	—	—
Bronchitis	26	1	1	1	3	—	—	—	—	—	—	—	1
Pleurisy	3	—	—	1	—	—	—	—	—	—	—	—	—
Pneumonia	24	2	1	1	4	1	1	—	3	—	1	2	1
Asthma	4	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
VII. Teething	12	—	—	4	7	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	11	4	1	—	1	1	1	—	—	—	1	—	—
Peritonitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	1	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	3	—	—	—	1	—	—	—	—	1	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	8	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	1	—	—	—	—	—	—	—	—	—	—	—	1
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—	1
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	1	2	1	1	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	3	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	5	—	—	—	—	—	—	—	1	1	—	—	—
Fracture and Contusion	5	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	—	—	—	—	—	—	—	—	—	—	1	1
Not Specified	64	15	6	10	8	2	2	1	2	1	—	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life,
in 1855.—BOTH SEXES. (*Continued.*)

[illegible]

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1855.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	348	34	17	26	49	12	13	6	15	9	20	8	8
SPECIFIED CAUSES	313	26	14	20	44	11	11	6	13	8	20	8	8
I. Zymotic Class	62	—	4	8	13	7	5	3	—	1	1	—	1
II. Diseases of Uncertain Seat	8	1	—	—	—	—	—	—	1	—	1	—	1
III. Tubercular Class	82	5	6	5	16	2	3	2	4	5	14	6	3
IV. Brain and Nervous System	29	—	1	1	—	1	—	1	4	1	2	—	—
V. Organs of Circulation	9	—	—	—	—	—	—	—	—	—	—	—	—
VI. Respiratory Organs	32	1	2	3	6	—	—	—	3	—	1	—	1
VII. Organs of Digestion	25	4	—	2	6	1	1	—	—	—	—	1	—
VIII. Urinary Organs	2	—	—	—	—	—	1	—	—	—	—	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	2	—	—	—	—	—	—	—	—	—	1	—	1
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	15	14	1	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	4	—	—	—	2	—	—	—	—	—	—	—	—
XV. Age	25	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	18	1	—	1	1	—	1	—	1	1	—	1	1
I. Small Pox	7	—	1	3	1	1	1	—	—	—	—	—	—
Measles	9	—	—	1	5	2	1	—	—	—	—	—	—
Scarlatina	4	—	—	—	2	—	2	—	—	—	—	—	—
Hooping Cough	5	—	—	3	2	—	—	—	—	—	—	—	—
Croup	3	—	—	—	1	1	—	1	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	7	—	1	1	—	—	—	1	—	—	—	—	—
Dysentery	6	—	—	—	—	—	—	1	—	—	—	—	1
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	1	—	—	—	—	—	—
Infantile Fever	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	14	—	—	—	1	2	—	—	—	1	1	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	1	—	—	—	1	—	—	—	—	—	—	—	—
Syphilis	2	—	2	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	5	—	—	—	—	—	—	—	1	—	1	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	1	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	2	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	—	—	—	—	—	1	3	1	—	—
Tabes Mesenterica	15	—	4	2	5	—	1	2	—	—	1	—	—
Phthisis	46	3	1	1	5	1	—	—	3	2	12	6	3
Hydrocephalus	14	2	1	2	6	1	2	—	—	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life,
in 1855.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	—	—	—	—	—	1	—	—	1	—	—
Apoplexy	5	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	11	—	—	—	—	1	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	1	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	4	—	1	1	—	—	—	—	2	—	—	—	—
Brain Disease	3	—	—	—	—	—	—	—	2	—	1	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	9	—	—	—	—	—	—	—	—	—	—	—	—
VI. Laryngitis	1	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	12	—	1	1	3	—	—	—	—	—	—	—	—
Pleurisy	2	—	—	1	—	—	—	—	—	—	—	—	—
Pneumonia	15	1	1	1	2	—	—	—	3	—	1	—	1
Asthma	2	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	8	—	—	2	6	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	8	4	—	—	—	1	1	—	—	—	—	—	—
Peritonitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	—	—	—	—	—	—	—	1	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—	1
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	1	1	—	1	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	3	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	4	—	—	—	—	—	—	—	1	1	—	—	—
Fracture and Contusion	5	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	—	—	—	—	—	—	—	—	—	—	1	1
Not Specified	35	8	3	6	5	1	2	—	2	1	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	323	24	7	19	43	14	8	4	17	9	9	11	13
SPECIFIED CAUSES	294	17	4	15	40	13	8	3	17	9	9	10	12
I. Zymotic Class	80	4	3	6	24	3	5	2	8	1	3	4	2
II. Diseases of Uncertain Seat	12	1	—	—	—	1	—	—	—	1	—	—	—
III. Tubercular Class	65	2	—	5	8	4	2	1	6	6	4	4	4
IV. Brain and Nervous System	22	—	—	1	2	—	—	—	3	—	—	—	3
V. Organs of Circulation	7	—	—	—	—	—	—	—	—	—	—	—	—
VI. Respiratory Organs	28	2	—	1	2	2	1	—	—	—	—	2	1
VII. Organs of Digestion	18	—	1	2	3	1	—	—	—	1	1	—	1
VIII. Urinary Organs	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	4	—	—	—	—	—	—	—	—	—	1	—	1
X. Organs of Locomotion	1	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	6	6	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	2	—	—	—	1	—	—	—	—	—	—	—
XV. Age	39	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	3	—	—	—	1	1	—	—	—	—	—	—	—
I. Small Pox	8	—	—	3	1	—	—	—	3	—	—	1	—
Measles	20	—	—	1	13	3	—	1	2	—	—	—	—
Scarlatina	4	—	1	—	2	—	—	—	—	—	—	1	—
Hooping Cough	2	—	—	1	1	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	7	—	1	—	3	—	—	—	—	—	—	—	—
Dysentery	9	—	1	1	3	—	2	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	1	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Typhus	20	1	—	—	—	—	3	1	2	1	3	1	1
Metria	3	—	—	—	—	—	—	—	—	—	—	1	1
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	4	3	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	5	—	—	—	—	1	—	—	—	—	—	—	—
Abscess	1	—	—	—	—	—	—	—	—	1	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	4	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	6	—	—	—	1	—	1	1	1	—	1	—	—
Tabes Mesenterica	6	1	—	1	2	2	—	—	—	—	—	—	—
Phthisis	43	1	—	1	4	—	—	—	3	5	3	4	4
Hydrocephalus	10	—	—	3	1	2	1	—	2	1	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life,
in 1855.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	15	12	15	8	11	12	22	9	13	8	9	7	2	1	-	1	
SPECIFIED CAUSES . .	12	11	15	8	10	12	19	9	13	8	9	7	2	1	-	1	
Zymotic Class	3	3	2	-	2	1	4	-	-	-	-	-	-	-	-	-	
Uncertain Seat	-	-	1	1	1	3	-	1	-	-	1	1	-	-	-	-	
Tubercular Class . . .	6	4	4	1	3	-	-	-	-	-	-	-	-	-	-	1	
Brain, etc.	1	-	1	2	2	2	2	1	-	2	-	-	-	-	-	-	
Heart, etc.	-	-	1	-	-	2	3	-	1	-	-	-	-	-	-	-	
Respiratory Organs . .	1	1	3	1	-	1	7	1	2	-	-	-	-	-	-	-	
Digestive Organs . . .	1	2	2	-	1	-	-	1	1	-	-	-	-	-	-	-	
Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Generative Organs . . .	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Locomfotive Organs . .	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Premature Debility . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atrophy	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	
Age	-	-	-	-	-	-	3	5	9	6	7	6	2	1	-	-	
Sudden Deaths	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Violent Deaths	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Small Pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping Cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Dysentery	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infantile Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus	3	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	
Metria	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rheumatic Fever	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hæmorrhage	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
Dropsy	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	
Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mortification	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Cancer	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scrofula	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phthisis	6	4	4	1	2	-	-	-	-	-	-	-	-	-	-	1	
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	—	—	1	—	—	—	—	—	—	—	—	1
Apoplexy	2	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	8	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	2	—	—	—	1	—	—	—	1	—	—	—	—
Brain Disease	5	—	—	—	1	—	—	—	2	—	—	—	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	7	—	—	—	—	—	—	—	—	—	—	—	—
VI. Laryngitis	1	—	—	—	—	1	—	—	—	—	—	—	—
Bronchitis	14	1	—	—	—	—	—	—	—	—	—	—	1
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	9	1	—	—	2	1	1	—	—	—	—	2	—
Asthma	2	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	1	—	—	1	—	—	—	—	—	—	—	—	—
VII. Teething	4	—	—	2	1	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	3	—	1	—	1	—	—	—	—	—	1	—	—
Peritonitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	2	—	—	—	1	—	—	—	—	1	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	1	—	—	—	—	—	—	—	—	—	—	—	1
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	1	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	1	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	—	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	29	7	3	4	3	1	—	1	—	—	—	1	1

**CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life,
in 1855.—FEMALES. (Continued.)**

[illegible]

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	442	42	14	43	51	25	15	9	19	9	15	14	22
SPECIFIED CAUSES	428	35	14	42	49	25	15	8	19	9	14	14	22
I. Zymotic Class	119	4	8	16	17	13	10	5	7	3	3	7	6
II. Diseases of Uncertain Seat	17	—	—	—	—	—	1	—	1	—	—	—	—
III. Tubercular Class	96	2	4	12	13	6	3	3	9	3	7	3	7
IV. Brain and Nervous System	41	4	—	2	4	1	—	—	1	—	—	—	2
V. Organs of Circulation	15	—	—	—	—	—	—	—	—	1	—	1	—
VI. Respiratory Organs	47	3	—	8	4	1	1	—	—	—	2	—	2
VII. Organs of Digestion	31	1	1	2	8	1	—	—	—	1	1	1	3
VIII. Urinary Organs	1	—	—	—	—	1	—	—	—	—	—	—	—
IX. Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	1	—
X. Organs of Locomotion	1	—	—	—	—	—	—	—	—	—	1	—	—
XI. Skin, etc.	1	—	—	—	1	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	18	18	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	1	1	2	1	—	—	—	—	—	—	—
XV. Age	13	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	15	2	—	1	—	1	—	—	1	1	—	1	2
I. Small Pox	17	—	1	5	3	1	2	—	1	—	—	2	1
Measles	14	—	—	3	4	5	2	—	—	—	—	—	—
Scarlatina	14	—	1	1	2	3	1	2	2	—	—	1	1
Hooping Cough	5	—	—	—	4	—	1	—	—	—	—	—	—
Croup	7	—	—	—	1	1	3	2	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	15	3	3	3	1	1	—	—	—	—	—	—	—
Dysentery	14	—	1	2	1	2	—	—	1	—	—	1	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	3	—	—	—	1	—	—	—	—	—	—	—	—
Purpura	2	—	1	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	1	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	20	—	1	2	—	—	—	1	3	3	3	2	1
Metria	4	—	—	—	—	—	—	—	—	—	—	—	3
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	1	—	—	—	—	—	—	—	—	—	1	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	7	—	—	—	—	—	1	—	1	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	8	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	4	—	—	—	—	1	—	—	1	—	1	—	—
Tabes Mesenterica	12	—	—	3	3	3	1	—	1	—	1	—	—
Phthisis	52	2	—	3	2	—	1	2	2	2	5	3	7
Hydrocephalus	28	—	4	6	8	2	1	1	5	1	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		MONTHS.			AGE UNDER								
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	—	—	1	2	1	—	—	1	—	—	—	—
Apoplexy	9	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	10	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	4	—	1	—	—	—	—	—	—	—	—	—
Brain Disease	9	—	—	—	2	—	—	—	—	—	—	—	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	1	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	14	—	—	—	—	—	—	—	—	1	—	—	—
VI. Laryngitis	1	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	19	1	—	5	1	—	1	—	—	—	—	—	1
Pleurisy	3	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	17	2	—	2	3	1	—	—	—	—	1	—	1
Asthma	5	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	—	—	—	—	—	—	1	—	—
VII. Teething	8	—	—	1	6	1	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	3	1	—	1	—	—	—	—	—	—	—	—	1
Peritonitis	6	—	1	—	—	—	—	—	—	1	1	1	1
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	1	—	—	—	1	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	5	—	—	—	1	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	1	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	2	—	—	—	—	—	—	—	—	—	—	1	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	1	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	1	—	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	6	—	—	—	—	—	—	—	—	1	—	—	2
Fracture and Contusion	3	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	1	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	2	1	—	—	—	—	—	—	1	—	—	—	—
Not Specified	14	7	—	1	2	—	—	1	—	—	1	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life,
in 1855.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	—	1	1	—	2	—	3	1	1	—	—	—	—	—	—	
Paralysis	—	—	2	2	—	3	—	—	1	1	—	1	—	—	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	—	1	—	—	2	—	—	2	1	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	3	1	2	1	—	2	2	—	1	1	—	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	—	—	1	—	1	1	1	1	1	3	1	—	—	—	—	—	
Pleurisy	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	
Pneumonia	—	2	1	—	1	3	—	—	—	—	—	—	—	—	—	—	
Asthma	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—	
Lung Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Liver Disease	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
Fracture and Contusion	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1855.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	232	29	6	24	24	13	13	5	12	3	6	6	8
SPECIFIED CAUSES	223	25	6	23	22	13	13	5	12	3	5	6	8
I. Zymotic Class	60	3	2	7	7	7	8	3	5	1	3	3	1
II. Diseases of Uncertain Seat	3	—	—	—	—	—	1	—	—	—	—	—	—
III. Tubercular Class	47	2	2	7	7	1	3	2	5	—	1	1	3
IV. Brain and Nervous System	23	3	—	2	1	—	—	—	1	—	—	—	1
V. Organs of Circulation	7	—	—	—	—	—	—	—	—	—	—	1	—
VI. Respiratory Organs	28	3	—	5	—	1	1	—	—	—	—	—	1
VII. Organs of Digestion	21	1	1	1	6	1	—	—	—	1	1	—	1
VIII. Urinary Organs	1	—	—	—	—	1	—	—	—	—	—	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	10	10	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	1	1	1	1	—	—	—	—	—	—	—
XV. Age	5	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	10	2	—	—	—	1	—	—	1	1	—	1	1
I. Small Pox	9	—	1	1	1	1	2	—	1	—	—	1	1
Measles	8	—	—	2	1	3	2	—	—	—	—	—	—
Scarlatina	4	—	—	1	—	2	—	—	1	—	—	—	—
Hooping Cough	2	—	—	—	2	—	—	—	—	—	—	—	—
Croup	6	—	—	—	1	—	3	2	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	10	2	1	2	1	1	—	—	—	—	—	—	—
Dysentery	5	—	—	—	1	—	—	—	1	—	—	1	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	1	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	11	—	—	1	—	—	—	1	2	1	3	1	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	2	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	1	—	—	—	—	—	1	—	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	2	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	—	—	—	—	—	—	—	—	1	—	—	—	—
Tabes Mesenterica	4	—	—	1	1	—	1	—	—	—	1	—	—
Phthisis	26	2	—	2	1	—	1	2	1	—	—	1	3
Hydrocephalus	16	—	2	4	5	1	1	—	3	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life,
in 1855.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	4	—	—	1	1	—	—	—	1	—	—	—	—
Apoplexy	4	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	5	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	4	3	—	1	—	—	—	—	—	—	—	—	—
Brain Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	1	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	6	—	—	—	—	—	—	—	—	—	—	—	—
VI. Laryngitis	1	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	11	1	—	2	—	—	1	—	—	—	—	—	1
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	11	2	—	2	—	1	—	—	—	—	—	—	—
Asthma	4	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	7	—	—	1	5	1	—	—	—	—	—	—	—
Quinsey	1	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	1	1	—	—	—	—	—	—	—	—	—	—	—
Peritonitis	3	—	1	—	—	—	—	—	—	1	1	—	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	1	—	—	—	1	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	1	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	—	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	2	—	—	—	—	—	—	—	—	1	—	—	1
Fracture and Contusion	3	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	1	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	2	1	—	—	—	—	—	—	1	—	—	—	—
Not Specified	9	4	—	1	2	—	—	—	—	—	1	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life,
in 1855.—MALES. (*Continued.*)

[illegible]

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	210	13	8	19	27	12	2	4	7	6	9	8	14
SPECIFIED CAUSES	205	10	8	19	27	12	2	3	7	6	9	8	14
I. Zymotic Class	39	1	6	9	10	6	2	2	2	2	—	4	5
II. Diseases of Uncertain Seat	14	—	—	—	—	—	—	—	1	—	—	—	—
III. Tubercular Class	49	—	2	5	6	5	—	1	4	3	6	2	4
IV. Brain and Nervous System	18	1	—	—	3	1	—	—	—	—	—	—	1
V. Organs of Circulation	8	—	—	—	—	—	—	—	—	1	—	—	—
VI. Respiratory Organs	19	—	—	3	4	—	—	—	—	—	2	—	1
VII. Organs of Digestion	10	—	—	1	2	—	—	—	—	—	—	1	2
VIII. Urinary Organs	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	1	—
X. Organs of Locomotion	1	—	—	—	—	—	—	—	—	—	1	—	—
XI. Skin, etc.	1	—	—	—	1	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	8	8	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	2	—	—	—	1	—	—	—	—	—	—	—	—
XV. Age	8	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	5	—	—	1	—	—	—	—	—	—	—	—	1
I. Small Pox	8	—	—	4	2	—	—	—	—	—	—	1	—
Measles	6	—	—	1	3	2	—	—	—	—	—	—	—
Scarlatina	10	—	1	—	2	1	1	2	1	—	—	1	1
Hooping Cough	3	—	—	—	2	—	1	—	—	—	—	—	—
Croup	1	—	—	—	—	1	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	5	1	2	1	—	—	—	—	—	—	—	—	—
Dysentery	9	—	1	2	—	2	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	2	—	—	—	1	—	—	—	—	—	—	—	—
Purpura	1	—	1	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	9	—	1	1	—	—	—	—	1	2	—	1	1
Metria	4	—	—	—	—	—	—	—	—	—	—	—	3
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	1	—	—	—	—	—	—	—	—	—	—	1	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	6	—	—	—	—	—	—	—	1	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	6	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	3	—	—	—	—	1	—	—	—	—	1	—	—
Tabes Mesenterica	8	—	—	2	2	3	—	—	1	—	—	—	—
Phthisis	26	—	—	1	1	—	—	—	1	2	5	2	4
Hydrocephalus	12	—	2	2	3	1	—	1	2	1	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life,
in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	—	—	1	1	—	—	—	—	—	—	—
Apoplexy	5	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	5	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	1	1	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	5	—	—	—	2	—	—	—	—	—	—	—	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	8	—	—	—	—	—	—	—	—	1	—	—	—
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	8	—	—	3	1	—	—	—	—	—	—	—	—
Pleurisy	2	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	6	—	—	—	3	—	—	—	—	—	1	—	1
Asthma	1	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	—	—	—	—	—	—	1	—	—
VII. Teething	1	—	—	—	1	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	2	—	—	1	—	—	—	—	—	—	—	—	1
Peritonitis	3	—	—	—	—	—	—	—	—	—	—	1	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	2	—	—	—	1	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	2	—	—	—	—	—	—	—	—	—	—	1	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	1	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	1	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	4	—	—	—	—	—	—	—	—	—	—	—	1
Fracture and Contusion	—	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	5	3	—	—	—	—	—	1	—	—	—	—	—

**CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life,
in 1855.—FEMALES. (Continued.)**

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	—	—	1	—	1	—	2	1	—	—	—	—	—	—	—	
Paralysis	—	—	1	—	—	2	—	—	1	—	—	1	—	—	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	1	—	2	1	—	1	1	—	—	1	—	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	
Pleurisy	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
Pneumonia	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Asthma	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Lung Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Liver Disease	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
Fracture and Contusion	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4254	348	130	269	382	188	138	99	192	72	107	146	182
SPECIFIED CAUSES	4017	274	107	253	359	179	130	96	188	71	106	143	170
I. Zymotic Class	952	36	41	106	175	113	85	62	104	18	17	21	18
II. Diseases of Uncertain Seat	167	2	1	—	1	3	—	2	6	3	—	2	5
III. Tubercular Class	722	6	14	43	61	30	21	12	32	21	55	70	78
IV. Brain and Nervous System	419	21	8	16	16	8	7	2	11	7	3	10	5
V. Organs of Circulation	217	4	1	—	—	—	—	1	2	5	3	4	17
VI. Respiratory Organs	575	28	21	46	71	14	11	9	16	7	7	10	16
VII. Organs of Digestion	266	21	12	35	26	7	3	4	2	3	7	11	6
VIII. Urinary Organs	79	—	—	—	2	1	1	—	4	1	4	6	6
IX. Organs of Generation	33	—	—	—	—	—	—	—	—	—	—	5	6
X. Organs of Locomotion	20	—	—	—	1	—	—	—	2	3	3	1	2
XI. Skin, etc.	4	1	—	—	—	1	—	—	—	—	—	—	—
XII. Malformation	16	15	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	125	125	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	40	8	7	4	3	1	2	1	—	—	1	—	2
XV. Age	250	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	31	2	1	—	2	—	—	2	—	—	—	—	1
XVII. Violent Deaths	101	5	—	3	1	1	—	1	9	3	6	3	8
I. Small Pox	28	—	3	4	8	2	2	—	1	—	2	3	—
Measles	23	2	1	4	8	2	—	3	3	—	—	—	—
Scarlatina	300	—	4	18	55	61	39	34	68	11	6	1	—
Hooping Cough	224	11	15	50	62	36	23	13	13	—	—	1	—
Croup	60	5	2	8	20	4	14	2	5	—	—	—	—
Thrush	5	3	—	1	1	—	—	—	—	—	—	—	—
Diarrhœa	68	7	9	13	9	—	1	1	—	1	—	—	1
Dysentery	26	—	2	1	2	1	—	—	1	—	—	—	2
Cholera	7	—	1	2	1	—	1	—	1	—	—	—	—
Influenza	8	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	3	—	—	—	—	1	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Infantile Fever	2	—	—	—	1	—	—	—	1	—	—	—	—
Typhus	136	—	1	1	3	5	4	9	10	5	7	9	8
Metria	10	—	—	—	—	—	—	—	—	—	1	3	2
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	1
Erysipelas	36	4	—	2	5	—	—	—	1	1	1	4	2
Syphilis	12	4	3	2	—	—	1	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	53	—	—	—	—	1	—	1	6	3	—	—	1
Abscess	5	1	1	—	1	—	—	—	—	—	—	—	—
Ulcer	4	—	—	—	—	—	—	—	—	—	—	1	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	11	1	—	—	—	2	—	—	—	—	—	—	2
Cancer	90	—	—	—	—	—	—	1	—	—	—	1	2
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	26	—	—	1	1	5	—	2	1	1	5	4	2
Tabes Mesenterica	35	2	4	4	8	8	2	—	4	2	1	—	—
Phthisis	524	—	5	4	12	6	3	5	11	14	48	65	76
Hydrocephalus	137	4	5	34	40	11	16	5	16	4	1	1	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	175	190	172	185	173	184	212	179	187	165	94	55	19	4	2	5	
SPECIFIED CAUSES . .	169	184	162	177	172	169	203	176	186	165	94	55	19	4	2	4	
Zymotic Class	27	17	15	14	9	10	18	18	16	4	6	1	—	—	—	1	
Uncertain Seat	6	7	9	10	21	23	15	14	11	10	7	6	2	—	1	—	
Tubercular Class . . .	62	62	48	37	29	15	18	5	3	—	—	—	—	—	—	—	
Brain, etc.	15	27	21	23	23	34	34	34	41	31	13	6	2	—	—	1	
Heart, etc.	10	12	12	28	24	17	32	10	24	6	5	—	—	—	—	—	
Respiratory Organs . .	11	17	31	27	30	36	44	48	29	29	8	7	1	—	—	1	
Digestive Organs . . .	15	15	10	12	16	17	17	16	4	5	2	—	—	—	—	—	
Urinary Organs	6	7	6	6	2	5	6	5	5	4	1	1	—	—	—	—	
Generative Organs . . .	5	5	1	4	3	2	1	1	—	—	—	—	—	—	—	—	
Locomotive Organs . .	1	1	1	1	—	1	2	—	—	1	—	—	—	—	—	—	
Skin	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	2	—	—	2	2	5	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	2	11	20	48	71	47	32	13	4	1	1	
Sudden Deaths	1	3	2	3	4	—	2	2	2	1	1	1	1	—	—	—	
Violent Deaths	8	11	5	9	9	2	3	3	3	3	4	1	—	—	—	—	
Small Pox	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	1	—	2	1	1	4	1	4	7	2	3	—	—	—	—	—	
Dysentery	2	1	—	—	1	2	2	4	2	—	2	1	—	—	—	—	
Cholera	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	—	—	1	—	—	1	3	—	2	—	1	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	15	12	11	8	6	2	10	6	3	1	—	—	—	—	—	—	
Metria	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	
Erysipelas	2	1	1	3	1	1	1	4	1	1	—	—	—	—	—	—	
Syphilis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	
Dropsy	3	2	—	4	4	7	5	5	5	2	1	3	—	—	—	—	
Abscess	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	—	—	1	—	—	—	—	3	—	1	1	—	—	—	
Cancer	3	5	9	6	14	13	8	8	6	5	5	2	1	—	1	—	
Gout	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Scrofula	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	61	62	48	36	27	15	18	5	3	—	—	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	29	1	—	4	6	2	3	2	3	1	—	2	—
Apoplexy	93	—	—	—	1	1	—	—	—	—	—	1	1
Paralysis	106	—	—	—	—	—	—	—	—	—	—	1	—
Delirium Tremens	9	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	19	—	—	—	—	—	—	—	1	1	1	—	—
Tetanus	2	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	10	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	53	19	6	9	7	5	—	—	1	—	1	—	—
Brain Disease	98	—	2	3	2	—	4	—	6	5	1	5	3
V. Pericarditis	4	—	—	—	—	—	—	—	—	1	1	—	—
Aneurism	10	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	203	4	1	—	—	—	—	1	2	4	2	4	17
VI. Laryngitis	6	—	—	1	1	—	—	—	1	—	—	—	—
Bronchitis	272	14	7	28	36	5	4	3	4	1	4	2	4
Pleurisy	54	1	—	2	1	1	2	—	3	1	—	4	2
Pneumonia	167	12	13	10	27	7	5	6	5	4	3	3	10
Asthma	42	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	34	1	1	5	6	1	—	—	3	1	—	—	—
VII. Teething	50	1	7	24	16	2	—	—	—	—	—	—	—
Quinsey	6	—	—	1	1	1	—	2	—	—	—	—	—
Gastritis	8	1	—	3	—	—	—	—	—	—	—	—	—
Enteritis	40	12	2	3	7	2	1	1	1	—	1	3	—
Peritonitis	27	—	—	—	—	1	1	—	—	1	2	3	3
Ascites	7	—	—	—	—	—	1	—	—	—	2	—	—
Ulceration of Intestines	17	—	—	2	1	—	—	—	—	—	—	1	—
Hernia	4	—	—	—	—	—	—	—	—	—	—	—	1
Ileus	15	—	—	—	1	—	—	—	—	1	—	1	—
Intussusception	3	1	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	31	2	1	2	—	1	—	1	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	13	4	—	—	—	—	—	—	—	—	1	1	—
Liver Disease	42	—	1	—	—	—	—	—	1	1	1	1	2
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	3	—	—	—	—	1	—	—	—	—	—	—	1
Nephria	38	—	—	—	1	—	—	—	2	—	3	5	2
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	1	—	—	—
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	31	—	—	—	1	—	1	—	2	—	1	1	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	5	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	16	—	—	—	—	—	—	—	—	—	—	3	4
Uterine Disease	12	—	—	—	—	—	—	—	—	—	—	1	2
X. Arthritis	3	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	15	—	—	—	1	—	—	—	2	3	3	1	2
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	1	—	—	—	1	—	—	—	—	—	—	—
XII. Cyanosis	2	2	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	13	12	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	4	—	—	—	—	—	—	—	—	—	—	—	—
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	1	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	—	—	—	—	—	—	—	1
Burns and Scalds	7	—	—	—	1	—	—	—	3	—	—	—	—
Hanging, etc.	4	—	—	—	—	—	—	—	—	—	—	—	2
Suffocation	4	1	—	1	—	—	—	—	—	—	—	—	—
Drowning	5	—	—	—	—	—	—	—	1	1	1	—	—
Fracture and Contusion	49	—	—	1	—	1	—	1	3	2	4	2	4
Wounds	8	—	—	—	—	—	—	—	1	—	—	1	—
Other Violent Causes	15	3	—	—	—	—	—	—	1	—	1	—	1
Not Specified	237	74	23	16	23	9	8	3	4	1	1	3	12

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—
Apoplexy	—	7	7	9	9	11	5	12	13	9	4	1	1	—	—	1
Paralysis	2	3	3	2	7	7	18	17	18	15	8	4	1	—	—	—
Delirium Tremens	2	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	4	1	4	—	—	1	—	2	1	—	—	—	—	—	—
Tetanus	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Insanity	1	3	2	—	—	2	—	—	—	1	—	—	—	—	—	—
Convulsions	—	—	—	1	1	3	—	—	—	—	—	—	—	—	—	—
Brain Disease	6	9	4	3	6	9	10	5	8	5	1	1	—	—	—	—
Pericarditis	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Aneurism	2	1	1	5	1	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	8	11	11	22	23	17	32	9	24	6	5	—	—	—	—	—
Laryngitis	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	5	5	12	11	13	14	22	28	19	19	5	5	1	—	—	1
Pleurisy	3	2	6	—	2	3	7	6	2	5	1	—	—	—	—	—
Pneumonia	3	3	10	6	11	9	6	7	3	3	—	1	—	—	—	—
Asthma	—	3	1	7	3	8	4	7	3	2	2	1	—	—	—	—
Lung Disease	—	2	2	3	1	2	4	—	2	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Enteritis	4	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Peritonitis	3	5	1	2	—	3	1	—	—	1	—	—	—	—	—	—
Ascites	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	3	1	—	2	1	1	3	1	—	—	—	—	—	—	—
Hernia	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—
Ileus	—	1	1	2	3	—	1	—	1	2	1	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	1	—	3	3	6	3	5	—	2	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	1	—	—	—	2	1	—	1	1	—	—	—	—	—
Liver Disease	4	2	3	3	3	7	5	8	—	—	—	—	—	—	—	—
Spleen Disease	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	4	5	3	4	1	2	4	2	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	2	3	2	1	2	2	2	3	3	1	1	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Childbirth	3	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	1	—	—	4	2	1	—	1	—	—	—	—	—	—	—	—
Arthritis	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—
Carbuncle	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Drowning	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	6	6	1	4	3	1	1	1	2	2	3	1	—	—	—	—
Wounds	1	—	—	2	1	—	—	—	1	—	1	—	—	—	—	—
Other Violent Causes	1	1	3	—	2	—	1	1	—	—	—	—	—	—	—	—
Not Specified	6	6	10	8	1	15	9	3	1	—	—	—	—	—	—	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1855.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2041	197	75	145	195	81	69	45	104	36	59	69	87
SPECIFIED CAUSES	1926	155	61	138	186	76	62	44	101	36	59	67	82
I. Zymotic Class	451	17	24	60	92	48	37	30	59	5	8	11	8
II. Diseases of Uncertain Seat	45	2	—	—	—	2	—	—	6	1	—	2	3
III. Tubercular Class	359	3	8	27	28	11	12	5	15	13	29	34	42
IV. Brain and Nervous System	216	11	3	7	12	5	3	—	6	5	2	2	2
V. Organs of Circulation	119	2	—	—	—	—	—	1	—	1	1	3	6
VI. Respiratory Organs	269	13	15	25	35	5	6	3	7	3	4	4	6
VII. Organs of Digestion	146	14	5	16	16	3	3	3	2	3	4	3	4
VIII. Urinary Organs	48	—	—	—	1	—	—	—	1	1	3	4	2
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	11	—	—	—	1	—	—	—	—	1	2	1	2
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	10	9	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	75	75	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	17	4	4	1	—	1	1	—	—	—	1	—	1
XV. Age	71	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	20	1	1	—	—	—	—	1	—	—	—	—	—
XVII. Violent Deaths	69	4	—	2	1	1	—	1	5	3	5	3	6
I. Small Pox	17	—	2	3	4	2	1	—	1	—	1	2	—
Measles	13	1	1	3	4	1	—	—	3	—	—	—	—
Scarlatina	158	—	2	12	29	29	17	21	42	3	3	—	—
Hooping Cough	95	3	9	25	28	9	10	5	6	—	—	—	—
Croup	41	4	1	6	15	3	8	2	2	—	—	—	—
Thrush	4	2	—	1	1	—	—	—	—	—	—	—	—
Diarrhœa	30	3	6	7	5	—	—	1	—	—	—	—	1
Dysentery	7	—	1	—	1	—	—	—	—	—	—	—	1
Cholera	1	—	—	—	—	—	—	—	1	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	—	—	—	1	—	—	—	—	—	—	1
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Typhus	51	—	—	1	1	2	1	1	3	1	3	7	2
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	—	—	1
Erysipelas	21	1	—	1	3	—	—	—	1	1	1	2	2
Syphilis	6	3	2	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	16	—	—	—	—	1	—	—	6	1	—	—	1
Abscess	2	1	—	—	—	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	1	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	1	—	—	—	1	—	—	—	—	—	—	—
Cancer	20	—	—	—	—	—	—	—	—	—	—	1	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	18	—	—	1	—	3	—	1	1	1	3	2	2
Tabes Mesenterica	12	1	2	2	2	1	—	—	2	2	—	—	—
Phthisis	250	—	3	4	4	—	1	2	3	7	26	32	40
Hydrocephalus	79	2	3	20	22	7	11	2	9	3	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	10	1	—	1	2	1	—	—	2	—	—	—	—
Apoplexy	45	—	—	—	1	1	—	—	—	—	—	1	1
Paralysis	55	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	6	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	12	—	—	—	—	—	—	—	—	1	1	—	—
Tetanus	2	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	7	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	30	9	2	5	7	3	—	—	—	—	1	—	—
Brain Disease	49	—	1	1	2	—	3	—	4	4	—	1	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	7	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	111	2	—	—	—	—	—	1	—	1	1	3	6
VI. Laryngitis	4	—	—	1	—	—	—	—	1	—	—	—	—
Bronchitis	113	5	4	17	16	3	1	1	1	—	3	1	1
Pleurisy	30	1	—	—	1	—	2	—	1	1	—	—	2
Pneumonia	88	7	10	4	16	2	3	2	3	2	1	2	3
Asthma	17	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	17	—	1	3	2	—	—	—	1	—	—	—	—
VII. Teething	28	1	3	10	13	1	—	—	—	—	—	—	—
Quinsey	2	—	—	—	—	—	—	1	—	—	—	—	—
Gastritis	5	1	—	3	—	—	—	—	—	—	—	—	—
Enteritis	17	7	—	1	2	—	1	1	1	—	—	—	—
Peritonitis	12	—	—	—	—	1	1	—	—	1	2	—	2
Ascites	4	—	—	—	—	—	1	—	—	—	1	—	—
Ulceration of Intestines	12	—	—	1	1	—	—	—	—	—	—	1	—
Hernia	3	—	—	—	—	—	—	—	—	—	—	—	1
Ileus	9	—	—	—	—	—	—	—	—	1	—	1	—
Intussusception	1	—	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	20	2	—	1	—	1	—	1	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	7	3	—	—	—	—	—	—	—	—	1	1	—
Liver Disease	25	—	1	—	—	—	—	—	1	1	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	22	—	—	—	—	—	—	—	—	—	2	3	2
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	1	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	20	—	—	—	1	—	—	—	1	—	1	1	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	3	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	8	—	—	—	1	—	—	—	—	1	2	1	2
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	9	8	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	3	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	—	—	—	—	—	—	—	1
Burns and Scalds	4	—	—	—	1	—	—	—	1	—	—	—	1
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	2	1	—	1	—	—	—	—	—	—	—	—	—
Drowning	3	—	—	—	—	—	—	—	1	1	1	—	—
Fracture and Contusion	37	—	—	1	—	1	—	1	2	2	3	2	4
Wounds	5	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	11	2	—	—	—	—	—	—	1	—	1	—	—
Not Specified	115	42	14	7	9	5	7	1	3	—	—	2	5

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2213	151	55	124	187	107	69	54	88	36	48	77	95
SPECIFIED CAUSES	2091	119	46	115	173	103	68	52	87	35	47	76	38
I. Zymotic Class	501	19	17	46	83	65	48	32	45	13	9	10	10
II. Diseases of Uncertain Seat	122	—	1	—	1	1	—	2	—	2	—	—	2
III. Tubercular Class	363	3	6	16	33	19	9	7	17	8	26	36	36
IV. Brain and Nervous System	203	10	5	9	4	3	4	2	5	2	1	8	3
V. Organs of Circulation	98	2	1	—	—	—	—	—	2	4	2	1	11
VI. Respiratory Organs	306	15	6	21	36	9	5	6	9	4	3	6	10
VII. Organs of Digestion	120	7	7	19	10	4	—	1	—	—	3	8	2
VIII. Urinary Organs	31	—	—	—	1	1	1	—	3	—	1	2	4
IX. Organs of Generation	33	—	—	—	—	—	—	—	—	—	—	5	6
X. Organs of Locomotion	9	—	—	—	—	—	—	—	2	2	1	—	—
XI. Skin, etc.	4	1	—	—	—	1	—	—	—	—	—	—	—
XII. Malformation	6	6	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	50	50	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	23	4	3	3	3	—	1	1	—	—	—	—	1
XV. Age	179	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	11	1	—	—	2	—	—	1	—	—	—	—	1
XVII. Violent Deaths	32	1	—	1	—	—	—	—	4	—	1	—	2
I. Small Pox	11	—	1	1	4	—	1	—	—	—	1	1	—
Measles	10	1	—	1	4	1	—	3	—	—	—	—	—
Scarlatina	142	—	2	6	26	32	22	13	26	8	3	1	—
Whooping Cough	129	8	6	25	34	27	13	8	7	—	—	1	—
Croup	19	1	1	2	5	1	6	—	3	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	38	4	3	6	4	—	1	—	—	1	—	—	—
Dysentery	19	—	1	1	1	1	—	—	1	—	—	—	1
Cholera	6	—	1	2	1	—	1	—	—	—	—	—	—
Influenza	7	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus	85	—	1	—	2	3	3	8	7	4	4	2	6
Metria	10	—	—	—	—	—	—	—	—	—	1	3	2
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	15	3	—	1	2	—	—	—	—	—	—	2	—
Syphilis	6	1	1	1	—	—	1	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	37	—	—	—	—	—	—	1	—	2	—	—	—
Abscess	3	—	1	—	1	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	—	—	—	—	1	—	—	—	—	—	—	2
Cancer	70	—	—	—	—	—	—	1	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	8	—	—	—	1	2	—	1	—	—	2	2	—
Tabes Mesenterica	23	1	2	2	6	7	2	—	2	—	1	—	—
Phthisis	274	—	2	—	8	6	2	3	8	7	22	33	36
Hydrocephalus	58	2	2	14	18	4	5	3	7	1	1	1	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	19	—	—	3	4	1	3	2	1	1	—	2	—
Apoplexy	48	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	51	—	—	—	—	—	—	—	—	—	—	1	—
Delirium Tremens	3	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	7	—	—	—	—	—	—	—	1	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions	23	10	4	4	—	2	—	—	1	—	—	—	—
Brain Disease	49	—	1	2	—	—	1	—	2	1	1	4	2
V. Pericarditis	3	—	—	—	—	—	—	—	—	1	1	—	—
Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	92	2	1	—	—	—	—	—	2	3	1	1	11
VI. Laryngitis	2	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	159	9	3	11	20	2	3	2	3	1	1	1	3
Pleurisy	24	—	—	2	—	1	—	—	2	—	—	4	—
Pneumonia	79	5	3	6	11	5	2	4	2	2	2	1	7
Asthma	25	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	17	1	—	2	4	1	—	—	2	1	—	—	—
VII. Teething	22	—	4	14	3	1	—	—	—	—	—	—	—
Quinsey	4	—	—	1	1	1	—	1	—	—	—	—	—
Gastritis	3	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	23	5	2	2	5	2	—	—	—	—	1	3	—
Peritonitis	15	—	—	—	—	—	—	—	—	—	—	3	1
Ascites	3	—	—	—	—	—	—	—	—	—	1	—	—
Ulceration of Intestines	5	—	—	1	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	6	—	—	—	1	—	—	—	—	—	—	—	—
Intussusception	2	1	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	11	—	1	1	—	—	—	—	—	—	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	6	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	17	—	—	—	—	—	—	—	—	—	1	1	1
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	3	—	—	—	—	1	—	—	—	—	—	—	1
Nephria	16	—	—	—	1	—	—	—	2	—	1	2	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	11	—	—	—	—	—	1	—	1	—	—	—	3
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	5	—	—	—	—	—	—	—	—	—	—	1	—
Childbirth	16	—	—	—	—	—	—	—	—	—	—	3	4
Uterine Disease	12	—	—	—	—	—	—	—	—	—	—	1	2
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	7	—	—	—	—	—	—	—	2	2	1	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	1	—	—	—	1	—	—	—	—	—	—	—
XII. Cyanosis	2	2	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	4	4	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	—	—	—	—	—	2	—	—	—	—
Hanging, etc.	3	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	2	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	2	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	12	—	—	—	—	—	—	—	1	—	1	—	—
Wounds	3	—	—	—	—	—	—	—	1	—	—	—	—
Other Violent Causes	4	1	—	—	—	—	—	—	—	—	—	—	1
Not Specified	122	32	9	9	14	4	1	2	1	1	1	1	7

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	3	2	5	3	6	5	6	11	4	1	1	1	—	—	—	
Paralysis	—	1	2	—	1	2	7	10	10	8	6	2	1	—	—	—	
Delirium Tremens	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	2	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Brain Disease	2	5	2	1	3	5	5	3	5	3	—	1	—	—	—	—	
Pericarditis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	3	4	4	10	7	7	17	4	11	1	3	—	—	—	—	—	
Laryngitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	3	1	9	7	7	9	14	19	10	12	2	5	1	—	—	1	
Pleurisy	1	1	1	—	1	1	5	2	1	1	1	—	—	—	—	—	
Pneumonia	1	—	4	—	7	5	5	2	2	2	—	1	—	—	—	—	
Asthma	—	1	1	4	2	6	1	5	2	1	1	1	—	—	—	—	
Lung Disease	—	1	—	2	—	—	2	—	1	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Enteritis	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis	3	3	1	1	—	2	—	—	—	1	—	—	—	—	—	—	
Ascites	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Ileus	—	—	—	2	—	—	1	—	—	2	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	—	1	3	2	—	1	—	1	—	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	1	—	1	—	—	—	1	1	—	1	—	—	—	—	—	—	
Liver Disease	3	1	1	—	—	2	2	5	—	—	—	—	—	—	—	—	
Spleen Disease	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	1	2	1	1	—	2	2	1	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	1	2	—	—	—	1	1	1	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	
Childbirth	3	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	1	—	—	4	2	1	—	1	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Joint Disease	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Carbuncle	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Hanging, etc.	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Drowning	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	1	—	—	—	1	—	1	—	2	1	3	1	—	—	—	—	
Wounds	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	
Other Violent Causes	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Not Specified	4	1	8	4	1	11	6	3	1	—	—	—	—	—	—	1	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2151	297	65	173	272	129	59	37	84	47	53	59	64
SPECIFIED CAUSES	1702	213	42	139	207	108	49	30	63	37	49	51	53
I. Zymotic Class	463	38	20	65	112	59	38	19	22	6	9	3	10
II. Diseases of Uncertain Seat	99	2	—	3	2	3	—	—	3	4	4	6	3
III. Tubercular Class	281	6	6	15	23	19	7	5	22	17	21	30	16
IV. Brain and Nervous System	119	16	1	4	4	5	—	2	3	1	3	2	1
V. Organs of Circulation	72	—	—	—	—	—	—	—	1	2	—	1	6
VI. Respiratory Organs	216	20	7	27	28	10	2	3	5	2	2	6	3
VII. Organs of Digestion	135	8	7	23	35	9	—	—	4	2	6	—	6
VIII. Urinary Organs	9	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	12	—	—	—	—	—	—	—	—	—	—	1	3
X. Organs of Locomotion	3	1	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	2	—	—	—	—	—	—	—	—	—	—	1	—
XII. Malformation	5	5	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	108	108	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	9	—	1	1	1	—	1	—	—	—	—	—	—
XV. Age	118	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	1	—	1	—	—	—	—	—	1	—	—	—
XVII. Violent Deaths	48	8	—	—	2	3	1	1	3	2	4	1	5
I. Small Pox	116	10	4	23	26	21	9	10	5	2	2	1	—
Measles	7	—	—	—	5	1	—	—	1	—	—	—	—
Scarlatina	8	—	1	2	2	1	—	—	2	—	—	—	—
Hooping Cough	127	10	7	21	44	21	19	4	1	—	—	—	—
Croup	57	4	5	8	17	10	6	3	4	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	37	12	2	3	12	1	1	—	1	1	—	—	—
Dysentery	14	—	—	3	—	—	—	—	—	—	—	1	3
Cholera	10	—	—	1	2	—	—	—	—	—	—	—	—
Influenza	6	—	—	1	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	1	—	1	—	—	—	—	—
Infantile Fever	3	1	—	1	1	—	—	—	—	—	—	—	—
Typhus	58	—	—	2	3	2	3	1	8	3	5	1	5
Metria	5	—	—	—	—	—	—	—	—	—	—	—	2
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas	10	—	—	—	—	1	—	—	—	—	1	—	—
Syphilis	1	—	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	—	—	—	—	—	—	—	—	—	—	2	—
Dropsy	62	—	—	3	2	3	—	—	2	4	3	1	3
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	4	—	—	—	—	—	—	—	—	—	—	2	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	2	—	—	—	—	—	—	1	—	—	—	—
Cancer	20	—	—	—	—	—	—	—	—	—	1	1	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	—	—	—	—	1	1	2	1	—	1
Tabes Mesenterica	8	—	—	1	3	1	—	1	1	—	—	1	—
Phthisis	210	—	3	1	12	12	2	1	13	11	19	29	15
Hydrocephalus	56	6	3	13	8	6	5	2	7	4	1	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	—	—	—	—	1	—	—	1	—	1	1	—
Apoplexy	30	—	—	—	—	—	—	—	—	—	—	1	—
Paralysis	36	—	—	—	—	—	—	—	—	1	1	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	33	16	1	4	3	4	—	2	1	—	—	—	—
Brain Disease	10	—	—	—	1	—	—	—	1	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	72	—	—	—	—	—	—	—	1	2	—	1	6
VI. Laryngitis	2	1	—	—	—	1	—	—	—	—	—	—	—
Bronchitis	74	12	4	13	11	5	—	2	1	1	—	3	1
Pleurisy	5	—	—	—	—	1	—	—	1	—	1	—	—
Pneumonia	57	6	3	11	14	2	—	—	2	1	—	2	1
Asthma	62	—	—	1	3	—	1	1	—	—	1	1	—
Lung Disease	16	1	—	2	—	1	1	—	1	—	—	—	1
VII. Teething	69	—	3	23	34	8	—	—	1	—	—	—	—
Quinsey	2	—	1	—	—	—	—	—	—	—	—	—	—
Gastritis	5	2	1	—	—	1	—	—	—	—	—	—	—
Enteritis	11	1	—	—	1	—	—	—	3	—	2	—	—
Peritonitis	8	1	—	—	—	—	—	—	—	1	2	—	1
Ascites	3	—	—	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	—	1	—	—	—	—	—	—	—	—	—	—
Ileus	7	1	—	—	—	—	—	—	—	—	1	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	11	2	—	—	—	—	—	—	—	1	1	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	5	1	1	—	—	—	—	—	—	—	—	—	1
Liver Disease	10	—	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	8	—	—	—	—	—	—	—	—	—	—	1	2
Uterine Disease	4	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	2	1	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	1	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	4	4	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	1
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	9	—	—	—	2	3	1	1	1	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	5	5	—	—	—	—	—	—	—	—	—	—	—
Drowning	7	—	—	—	—	—	—	—	1	—	2	—	—
Fracture and Contusion	15	—	—	—	—	—	—	—	—	2	—	1	2
Wounds	4	—	—	—	—	—	—	—	—	—	1	—	2
Other Violent Causes	4	1	—	—	—	—	—	—	1	—	1	—	—
Not Specified	449	84	23	34	65	21	10	7	21	10	4	8	11

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	2	2	1	3	1	1	6	6	1	2	3	1	—	—	—	—
Paralysis	—	1	2	3	2	4	2	9	3	2	6	—	—	—	—	—
Delirium Tremens	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Brain Disease	—	1	1	1	1	1	2	1	—	—	—	—	—	—	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	5	6	7	4	7	7	7	7	3	7	1	1	—	—	—	—
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	2	—	3	2	2	1	2	3	1	4	—	1	—	—	—	—
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Pneumonia	—	1	—	3	1	1	2	3	1	2	—	1	—	—	—	—
Asthma	4	2	4	8	6	5	13	7	2	2	—	—	—	—	—	1
Lung Disease	—	1	1	1	2	2	1	—	1	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteritis	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—
Peritonitis	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	1	—	2	1	1	1	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Liver Disease	1	—	1	4	1	1	—	—	1	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	1	—	—	—	2	—	—	1	—	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Carbuncle	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Fracture and Contusion	1	1	3	—	2	2	—	1	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Not Specified	7	14	8	17	14	14	13	17	13	17	8	4	2	—	—	3

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1054	178	36	94	134	67	23	15	41	20	28	34	28
SPECIFIED CAUSES	853	135	27	78	100	61	18	13	31	18	25	31	24
I. Zymotic Class	222	18	13	36	56	34	12	6	11	2	4	—	3
II. Diseases of Uncertain Seat	35	2	—	1	1	2	—	—	—	1	1	4	—
III. Tubercular Class	142	3	4	9	10	10	4	3	9	6	11	22	10
IV. Brain and Nervous System	66	12	1	2	1	3	—	1	1	1	1	2	—
V. Organs of Circulation	33	—	—	—	—	—	—	—	1	1	—	—	4
VI. Respiratory Organs	123	14	4	16	14	6	1	3	5	2	—	2	1
VII. Organs of Digestion	70	7	4	12	17	5	—	—	1	2	4	—	3
VIII. Urinary Organs	5	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	69	69	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	1	1	1	—	—	—	—	—	—	—	—
XV. Age	40	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	1	—	1	—	—	—	—	—	1	—	—	—
XVII. Violent Deaths	36	6	—	—	—	1	1	—	3	2	4	1	3
I. Small Pox	64	4	3	11	15	16	5	3	4	—	—	—	—
Measles	2	—	—	—	1	1	—	—	—	—	—	—	—
Scarlatina	4	—	1	1	1	—	—	—	1	—	—	—	—
Hooping Cough	58	4	4	17	18	10	4	1	—	—	—	—	—
Croup	32	2	4	1	10	7	3	2	3	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	20	7	1	1	9	—	—	—	—	—	—	—	—
Dysentery	4	—	—	2	—	—	—	—	—	—	—	—	—
Cholera	4	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	2	—	—	1	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	3	1	—	1	1	—	—	—	—	—	—	—	—
Typhus	24	—	—	1	1	—	—	—	3	2	3	—	3
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas	4	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	2	—
Dropsy	19	—	—	1	1	2	—	—	—	1	1	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	4	—	—	—	—	—	—	—	—	—	—	2	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	2	—	—	—	—	—	—	—	—	—	—	—
Cancer	5	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	2	—	—	—	—	—	—	1	—	—	1	—	—
Tabes Mesenterica	5	—	—	1	2	—	—	—	1	—	—	1	—
Phthisis	104	—	1	1	3	6	1	1	6	4	9	21	10
Hydrocephalus	31	3	3	7	5	4	3	1	2	2	1	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES	20	30	30	36	28	34	45	49	29	28	13	9	3	—	—	2	
SPECIFIED CAUSES	19	23	27	28	22	29	38	41	24	20	8	8	3	—	—	2	
Zymotic Class	2	6	3	2	4	3	3	2	1	1	—	—	—	—	—	—	
Uncertain Seat	3	1	2	3	2	2	1	3	1	3	2	—	—	—	—	—	
Tubercular Class	6	8	6	7	1	3	6	2	2	—	—	—	—	—	—	—	
Brain, etc.	3	2	3	5	2	4	7	11	2	—	2	—	—	—	—	—	
Heart, etc.	3	1	3	3	—	3	3	6	2	2	—	1	—	—	—	—	
Respiratory Organs	1	2	3	7	6	5	11	11	3	4	—	1	—	—	—	1	
Digestive Organs	—	1	2	1	5	4	1	—	—	—	—	1	—	—	—	—	
Urinary Organs	—	—	—	—	—	1	1	—	2	1	—	—	—	—	—	—	
Generative Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	2	5	11	9	4	5	3	—	—	1	
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Violent Deaths	1	2	4	—	2	2	3	1	—	—	—	—	—	—	—	—	
Small Pox	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Dysentery	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
Cholera	—	1	—	—	1	1	—	—	1	—	—	—	—	—	—	—	
Influenza	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	1	1	1	2	2	2	1	1	—	—	—	—	—	—	—	—	
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy	2	—	1	3	1	1	—	3	—	—	2	—	—	—	—	—	
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Fistula	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Mortification	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Cancer	—	1	1	—	1	—	1	—	—	1	—	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis	6	8	6	7	1	3	6	2	2	—	—	—	—	—	—	—	
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	—	—	—	—	1	—	—	—	—	—	1	—
Apoplexy	20	—	—	—	—	—	—	—	—	—	—	1	—
Paralysis	15	—	—	—	—	—	—	—	—	1	1	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	20	12	1	2	—	2	—	1	1	—	—	—	—
Brain Disease	6	—	—	—	1	—	—	—	—	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	33	—	—	—	—	—	—	—	1	1	—	—	4
VI. Laryngitis	1	1	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	32	8	2	5	3	3	—	2	1	1	—	1	—
Pleurisy	2	—	—	—	—	—	—	—	1	—	—	—	—
Pneumonia	42	5	2	8	9	2	—	—	2	1	—	1	1
Asthma	33	—	—	1	2	—	1	1	—	—	—	—	—
Lung Disease	13	—	—	2	—	1	—	—	1	—	—	—	—
VII. Teething	34	—	1	12	17	4	—	—	—	—	—	—	—
Quinsey	2	—	1	—	—	—	—	—	—	—	—	—	—
Gastritis	3	2	—	—	—	1	—	—	—	—	—	—	—
Enteritis	3	—	—	—	—	—	—	—	1	—	1	—	—
Peritonitis	6	1	—	—	—	—	—	—	—	1	1	—	1
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	1	—	—	—	—	—	—	—	—	—	—
Ileus	4	1	—	—	—	—	—	—	—	—	1	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	8	2	—	—	—	—	—	—	—	1	1	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	4	1	1	—	—	—	—	—	—	—	—	—	—
Liver Disease	4	—	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	3	3	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	1
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	—	—	1	1	—	1	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	4	4	—	—	—	—	—	—	—	—	—	—	—
Drowning	6	—	—	—	—	—	—	—	1	—	2	—	—
Fracture and Contusion	14	—	—	—	—	—	—	—	—	2	—	1	1
Wounds	3	—	—	—	—	—	—	—	—	—	1	—	1
Other Violent Causes	3	—	—	—	—	—	—	—	1	—	1	—	—
Not Specified	201	43	9	16	34	6	5	2	10	2	3	3	4

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy . . .	2	1	1	2	1	1	5	6	—	—	—	—	—	—	—	—	
Paralysis . . .	—	—	—	1	1	1	1	5	2	—	2	—	—	—	—	—	
Delirium Tremens . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . .	—	1	1	1	—	1	1	—	—	—	—	—	—	—	—	—	
Pericarditis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease . . .	3	1	3	3	—	3	3	6	2	2	—	1	—	—	—	—	
Laryngitis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis . . .	—	—	—	1	—	1	2	2	—	—	—	—	—	—	—	—	
Pleurisy . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pneumonia . . .	—	1	—	2	—	—	1	3	1	2	—	1	—	—	—	—	
Asthma . . .	—	—	2	3	4	2	7	6	1	2	—	—	—	—	—	1	
Lung Disease . . .	—	1	1	1	2	2	1	—	1	—	—	—	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Peritonitis . . .	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ascites . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus . . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease . . .	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—	
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice . . .	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	
Liver Disease . . .	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Cystitis . . .	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease . . .	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Joint Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning . . .	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	
Fracture and Contusion . . .	1	1	3	—	2	2	—	1	—	—	—	—	—	—	—	—	
Wounds . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Other Violent Causes . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Not Specified . . .	1	7	3	8	6	5	7	8	5	8	5	1	—	—	—	—	

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1097	119	29	79	138	62	36	22	43	27	25	25	36
SPECIFIED CAUSES	849	78	15	61	107	47	31	17	32	19	24	20	29
I. Zymotic Class	241	20	7	29	56	25	26	13	11	4	5	3	7
II. Diseases of Uncertain Seat	64	—	—	2	1	1	—	—	3	3	3	2	3
III. Tubercular Class	139	3	2	6	13	9	3	2	13	11	10	8	6
IV. Brain and Nervous System	53	4	—	2	3	2	—	1	2	—	2	—	1
V. Organs of Circulation	39	—	—	—	—	—	—	—	—	1	—	1	2
VI. Respiratory Organs	93	6	3	11	14	4	1	—	—	—	2	4	2
VII. Organs of Digestion	65	1	3	11	18	4	—	—	3	—	2	—	3
VIII. Urinary Organs	4	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	12	—	—	—	—	—	—	—	—	—	—	1	3
X. Organs of Locomotion	3	1	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	2	—	—	—	—	—	—	—	—	—	—	1	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	39	39	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	3	—	—	—	—	—	1	—	—	—	—	—	—
XV. Age	78	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	12	2	—	—	2	2	—	1	—	—	—	—	2
I. Small Pox	52	6	1	12	11	5	4	7	1	2	2	1	—
Measles	5	—	—	—	4	—	—	—	1	—	—	—	—
Scarlatina	4	—	—	1	1	1	—	—	1	—	—	—	—
Hooping Cough	69	6	3	4	26	11	15	3	1	—	—	—	—
Croup	25	2	1	7	7	3	3	1	1	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	17	5	1	2	3	1	1	—	1	1	—	—	—
Dysentery	10	—	—	1	—	—	—	—	—	—	—	1	3
Cholera	6	—	—	1	2	—	—	—	—	—	—	—	—
Influenza	4	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	1	—	1	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	34	—	—	1	2	2	3	1	5	1	2	1	2
Metria	5	—	—	—	—	—	—	—	—	—	—	—	2
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	6	—	—	—	—	1	—	—	—	—	1	—	—
Syphilis	1	—	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	43	—	—	2	1	1	—	—	2	3	2	1	3
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	15	—	—	—	—	—	—	—	—	—	1	1	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	5	—	—	—	—	—	—	—	1	2	—	—	1
Tabes Mesenterica	3	—	—	—	1	1	—	1	—	—	—	—	—
Phthisis	106	—	2	—	9	6	1	—	7	7	10	8	5
Hydrocephalus	25	3	—	6	3	2	2	1	5	2	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	40	46	40	48	36	35	40	31	45	43	25	19	3	1	—	4
SPECIFIED CAUSES .	34	39	35	39	28	26	34	22	37	34	22	16	1	1	—	1
Zymotic Class . . .	5	3	3	5	3	1	4	5	4	1	—	1	—	—	—	—
Uncertain Seat . . .	3	8	8	4	4	8	6	2	—	3	—	—	—	—	—	—
Tubercular Class . .	11	12	10	9	4	1	4	—	1	—	1	—	—	—	—	—
Brain, etc.	—	2	3	3	3	3	3	5	2	4	7	1	—	—	—	—
Heart, etc.	2	5	4	1	7	4	4	1	1	5	1	—	—	—	—	—
Respiratory Organs .	6	2	5	7	5	4	7	2	2	4	—	1	—	1	—	—
Digestive Organs . .	4	—	1	6	1	3	1	1	1	1	—	—	1	—	—	—
Urinary Organs . . .	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Generative Organs .	3	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs .	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Skin	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	5	6	25	15	13	13	—	—	—	1
Sudden Deaths . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery	1	—	1	—	—	1	—	2	—	—	—	—	—	—	—	—
Cholera	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	2	2	1	2	3	—	1	2	1	—	—	—	—	—	—	—
Metria	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	1	5	3	2	3	5	5	1	—	3	—	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Cancer	1	2	4	1	1	3	—	1	—	—	—	—	—	—	—	—
Gout	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	11	11	10	9	4	1	3	—	1	—	1	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	—	—	—	—	—	—	1	—	1	—	—
Apoplexy	10	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	21	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	13	4	—	2	3	2	—	1	—	—	—	—	—
Brain Disease	4	—	—	—	—	—	—	—	1	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	39	—	—	—	—	—	—	—	—	1	—	1	2
VI. Laryngitis	1	—	—	—	—	1	—	—	—	—	—	—	—
Bronchitis	42	4	2	8	8	2	—	—	—	—	—	2	1
Pleurisy	3	—	—	—	—	1	—	—	—	—	1	—	—
Pneumonia	15	1	1	3	5	—	—	—	—	—	—	1	—
Asthma	29	—	—	—	1	—	—	—	—	—	1	1	—
Lung Disease	3	1	—	—	—	—	1	—	—	—	—	—	1
VII. Teething	35	—	2	11	17	4	—	—	1	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	—	1	—	—	—	—	—	—	—	—	—	—
Enteritis	8	1	—	—	1	—	—	—	2	—	1	—	—
Peritonitis	2	—	—	—	—	—	—	—	—	—	1	—	—
Ascites	3	—	—	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	3	—	—	—	—	—	—	—	—	—	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	1
Liver Disease	6	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	8	—	—	—	—	—	—	—	—	—	—	1	2
Uterine Disease	4	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	2	1	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	1	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	6	—	—	—	2	2	—	1	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	1	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	1	—	—	—	—	—	—	—	—	—	—	—	1
Wounds	1	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	1	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	248	41	14	18	31	15	5	5	11	8	1	5	7

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	—	1	—	1	—	—	1	—	1	2	3	1	—	—	—	—
Paralysis	—	1	2	2	1	3	1	4	1	2	4	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	2	5	4	1	7	4	4	1	1	5	1	—	—	—	—	—
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	2	—	3	1	2	—	—	1	1	4	—	1	—	—	—	—
Pleurisy	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Pneumonia	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—
Asthma	4	2	2	5	2	3	6	1	1	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Enteritis	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—
Peritonitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	1	—	—	4	—	—	—	—	1	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Carbuncle	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	6	7	5	9	8	9	6	9	8	9	3	3	2	—	—	3

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1664	142	46	89	103	47	44	39	93	59	60	70	48
SPECIFIED CAUSES	1623	130	44	87	102	47	44	37	91	58	59	66	46
I. Zymotic Class	347	9	11	16	25	28	25	15	31	12	8	13	7
II. Diseases of Uncertain Seat	81	1	—	—	—	1	2	—	4	2	1	1	1
III. Tubercular Class	393	7	12	31	43	12	11	12	41	20	38	37	24
IV. Brain and Nervous System	163	30	5	9	9	1	2	—	6	5	3	3	2
V. Organs of Circulation	63	1	—	—	—	—	—	1	—	3	1	2	3
VI. Respiratory Organs	179	7	7	15	5	3	2	4	2	4	2	3	6
VII. Organs of Digestion	94	8	4	9	18	2	—	4	3	3	1	2	1
VIII. Urinary Organs	26	—	—	—	—	—	1	—	1	1	1	—	—
IX. Organs of Generation	4	—	—	—	—	—	—	—	—	—	—	—	1
X. Organs of Locomotion	7	—	—	—	—	—	—	—	—	1	—	1	1
XI. Skin, etc.	3	—	2	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	63	61	1	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	22	3	2	6	2	—	—	—	—	—	—	—	—
XV. Age	128	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	6	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	44	3	—	—	—	—	1	1	3	7	4	4	—
I. Small Pox	10	2	2	2	—	1	—	—	—	1	—	1	1
Measles	1	—	—	—	—	—	1	—	—	—	—	—	—
Scarlatina	88	1	1	6	7	13	18	11	20	4	4	1	—
Hooping Cough	24	1	—	4	7	7	3	2	—	—	—	—	—
Croup	10	—	2	1	2	1	2	1	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	34	2	3	1	3	1	—	1	—	—	—	—	—
Dysentery	6	—	—	—	2	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	16	—	1	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	2	—	1	—	—	1	—	—	—	—	—	—	—
Typhus	128	—	1	1	4	4	—	—	10	6	4	10	4
Metria	5	—	—	—	—	—	—	—	—	—	—	1	2
Rheumatic Fever	2	—	—	—	—	—	—	—	—	1	—	—	—
Erysipelas	18	—	—	1	—	—	1	—	—	—	—	—	—
Syphilis	3	3	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Haemorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	42	—	—	—	—	1	1	—	3	1	—	—	1
Abscess	5	—	—	—	—	—	—	—	1	—	1	1	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	1	—	—	—	—	—	—	—	1	—	—	—
Cancer	22	—	—	—	—	—	1	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	19	—	2	—	1	—	1	—	3	5	—	4	—
Tabes Mesenterica	16	—	—	3	6	1	—	—	4	1	1	—	—
Phthisis	242	3	2	6	5	3	2	3	13	10	36	33	24
Hydrocephalus	116	4	8	22	31	8	8	9	21	4	1	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	10	—	—	3	—	—	—	—	2	1	2	—	—
Apoplexy	33	—	—	—	—	—	—	—	1	1	—	—	2
Paralysis	32	—	—	—	—	—	1	—	—	—	—	1	—
Delirium Tremens	3	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	8	—	1	—	—	—	—	—	—	—	1	1	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	52	29	4	5	8	—	1	—	1	—	—	1	—
Brain Disease	24	1	—	1	1	1	—	—	2	3	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	4	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	59	1	—	—	—	—	—	1	—	3	1	2	3
VI. Laryngitis	2	—	—	—	—	—	—	1	—	—	—	—	—
Bronchitis	90	2	1	11	4	1	1	1	1	1	—	—	2
Pleurisy	12	—	1	—	—	—	—	—	—	—	1	2	1
Pneumonia	48	5	5	4	1	2	1	2	1	3	—	—	2
Asthma	13	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	14	—	—	—	—	—	—	—	—	—	—	1	1
VII. Teething	28	—	2	9	15	1	—	—	1	—	—	—	—
Quinsey	3	—	—	—	1	—	—	1	—	1	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	10	2	1	—	—	—	—	1	1	—	—	1	1
Peritonitis	7	1	—	—	—	—	—	1	—	1	—	1	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	4	—	—	—	2	—	—	—	1	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	11	—	—	—	—	1	—	—	—	—	1	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	13	3	1	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	6	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	8	—	—	—	—	—	—	1	—	1	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	1	—	—
Stone	3	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	18	—	—	—	—	—	1	—	1	1	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	2	—	—	—	—	—	—	—	—	—	—	—	1
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	5	—	—	—	—	—	—	—	—	1	—	1	1
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	—	2	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	6	—	—	—	—	—	—	—	1	2	—	—	—
Hanging, etc.	4	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	3	2	—	—	—	—	—	—	—	—	—	—	—
Drowning	8	—	—	—	—	—	—	1	1	2	3	1	—
Fracture and Contusion	4	—	—	—	—	—	1	—	—	1	—	1	—
Wounds	1	—	—	—	—	—	—	—	—	—	1	—	—
Other Violent Causes	16	—	—	—	—	—	—	—	1	2	—	2	—
Not Specified	41	12	2	2	1	—	—	2	2	1	1	4	2

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	—	2	1	2	4	7	5	4	2	2	—	—	—	—	—	
Paralysis	2	1	1	2	2	2	3	3	3	5	5	—	—	1	—	—	
Delirium Tremens	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	3	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Convulsions	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	
Brain Disease	—	3	1	4	2	—	—	2	3	—	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Heart Disease	5	3	5	3	6	2	5	5	8	1	2	2	1	—	—	—	
Laryngitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	—	—	3	3	6	5	8	8	13	14	2	2	—	—	—	—	
Pleurisy	—	—	1	2	1	—	1	1	1	—	—	—	—	—	—	—	
Pneumonia	1	4	3	2	2	1	4	1	3	—	—	—	1	—	—	—	
Asthma	—	—	—	1	3	2	1	2	3	1	—	—	—	—	—	—	
Lung Disease	3	—	1	2	2	2	1	1	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
Peritonitis	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus	1	—	—	—	1	2	2	1	1	—	1	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	
Stomach Disease	1	—	—	—	1	1	2	1	1	—	2	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Jaundice	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—	
Liver Disease	—	—	—	2	2	—	—	1	1	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	1	—	1	—	2	2	2	4	3	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Joint Disease	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	
Hanging, etc.	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	2	1	1	—	2	1	—	2	1	—	—	—	—	1	
Not Specified	—	1	1	1	—	2	—	2	2	2	1	—	—	—	—	—	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1855.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	812	82	28	53	45	19	16	20	53	38	37	40	30
SPECIFIED CAUSES	784	71	26	53	44	19	16	19	52	37	36	36	28
I. Zymotic Class	160	7	6	10	8	12	12	7	14	6	5	6	2
II. Diseases of Uncertain Seat	31	—	—	—	—	—	—	—	3	—	1	1	—
III. Tubercular Class	212	5	6	17	23	5	3	6	28	12	22	22	18
IV. Brain and Nervous System	88	15	3	6	2	—	1	—	3	3	2	2	2
V. Organs of Circulation	27	—	—	—	—	—	—	—	—	2	—	—	1
VI. Respiratory Organs	81	4	5	10	2	2	—	2	—	3	1	1	4
VII. Organs of Digestion	37	3	2	6	8	—	—	3	1	3	1	—	—
VIII. Urinary Organs	20	—	—	—	—	—	—	—	1	—	—	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	4	—	—	—	—	—	—	—	—	1	—	1	1
XI. Skin, etc.	2	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	36	35	1	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	2	4	1	—	—	—	—	—	—	—	—
XV. Age	41	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	4	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	33	2	—	—	—	—	—	1	2	7	4	3	—
I. Small Pox	7	2	1	—	—	1	—	—	—	1	—	1	1
Measles	1	—	—	—	—	—	1	—	—	—	—	—	—
Scarlatina	39	—	—	4	3	4	9	6	8	1	3	—	—
Hooping Cough	9	—	—	4	3	2	—	—	—	—	—	—	—
Croup	7	—	1	1	1	—	2	1	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	15	2	1	1	—	1	—	—	—	—	—	—	—
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	6	—	1	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	2	—	1	—	—	1	—	—	—	—	—	—	—
Typhus	64	—	1	—	1	3	—	—	5	4	2	5	1
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	7	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	3	3	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	16	—	—	—	—	—	—	—	2	—	—	—	—
Abscess	3	—	—	—	—	—	—	—	1	—	1	1	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	8	—	—	—	—	—	—	—	—	—	—	—	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	17	—	1	—	1	—	—	—	3	5	—	4	—
Tabes Mesenterica	6	—	—	1	2	—	—	—	2	1	—	—	—
Phthisis	123	2	1	4	2	1	—	1	8	4	22	18	18
Hydrocephalus	66	3	4	12	18	4	3	5	15	2	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	—	—	1	—	—	—	—	—	1	1	—	—
Apoplexy	16	—	—	—	—	—	—	—	1	—	—	—	2
Paralysis	19	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	1	—	—	—	—	—	—	—	1	1	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	27	14	2	4	2	—	1	—	1	—	—	1	—
Brain Disease	14	1	—	1	—	—	—	—	1	2	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	4	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	23	—	—	—	—	—	—	—	—	2	—	—	1
VI. Laryngitis	1	—	—	—	—	—	—	1	—	—	—	—	—
Bronchitis	34	2	1	6	2	—	—	—	—	1	—	—	1
Pleurisy	8	—	1	—	—	—	—	—	—	—	1	1	1
Pneumonia	27	2	3	4	—	2	—	1	—	2	—	—	2
Asthma	3	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	8	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	16	—	2	6	8	—	—	—	—	—	—	—	—
Quinsey	2	—	—	—	—	—	—	1	—	1	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	3	—	—	—	—	—	—	1	1	—	—	—	—
Peritonitis	1	—	—	—	—	—	—	—	—	1	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	—	—	—	—	—	—	—	1	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	1	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	3	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	3	—	—	—	—	—	—	1	—	1	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	3	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	15	—	—	—	—	—	—	—	1	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	3	—	—	—	—	—	—	—	—	1	—	1	1
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	—	—	—	—	—	—	2	—	—	—
Hanging, etc.	3	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	3	2	—	—	—	—	—	—	—	—	—	—	—
Drowning	8	—	—	—	—	—	—	1	1	2	3	1	—
Fracture and Contusion	3	—	—	—	—	—	—	—	—	1	—	1	—
Wounds	1	—	—	—	—	—	—	—	—	—	1	—	—
Other Violent Causes	12	—	—	—	—	—	—	—	1	2	—	1	—
Not Specified	28	11	2	—	1	—	—	1	1	1	1	4	2

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	—	2	—	—	2	3	2	2	1	1	—	—	—	—	—	
Paralysis	2	1	1	2	2	2	2	—	2	2	2	—	—	1	—	—	
Delirium Tremens	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Convulsions	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
Brain Disease	—	1	1	2	2	—	—	1	2	—	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Heart Disease	1	1	3	1	3	1	1	2	5	1	1	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	—	—	2	2	3	2	1	1	4	5	—	1	—	—	—	—	
Pleurisy	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	
Pneumonia	—	2	2	1	2	—	2	—	2	—	—	—	—	—	—	—	
Asthma	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	
Lung Disease	2	—	—	2	1	2	—	1	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Jaundice	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Liver Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	1	—	1	—	2	2	2	3	3	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Hanging, etc.	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	1	—	1	—	2	1	—	2	1	—	—	—	—	—	
Not Specified	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	852	60	18	36	58	28	28	19	40	21	23	30	18
SPECIFIED CAUSES	839	59	18	34	58	28	28	18	39	21	23	30	18
I. Zymotic Class	187	2	5	6	17	16	13	8	17	6	3	7	5
II. Diseases of Uncertain Seat	50	1	—	—	—	1	2	—	1	2	—	—	1
III. Tubercular Class	181	2	6	14	20	7	8	6	13	8	16	15	6
IV. Brain and Nervous System	75	15	2	3	7	1	1	—	3	2	1	1	—
V. Organs of Circulation	36	1	—	—	—	—	—	1	—	1	1	2	2
VI. Respiratory Organs	98	3	2	5	3	1	2	2	2	1	1	2	2
VII. Organs of Digestion	57	5	2	3	10	2	—	1	2	—	—	2	1
VIII. Urinary Organs	6	—	—	—	—	—	1	—	—	1	1	—	—
IX. Organs of Generation	4	—	—	—	—	—	—	—	—	—	—	—	1
X. Organs of Locomotion	3	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	27	26	—	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	14	3	—	2	1	—	—	—	—	—	—	—	—
XV. Age	87	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	11	1	—	—	—	—	1	—	1	—	—	1	—
I. Small Pox	3	—	1	2	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	49	1	1	2	4	9	9	5	12	3	1	1	—
Hooping Cough	15	1	—	—	4	5	3	2	—	—	—	—	—
Croup	3	—	1	—	1	1	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	19	—	2	—	3	—	—	1	—	—	—	—	—
Dysentery	6	—	—	—	2	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	10	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	64	—	—	1	3	1	—	—	5	2	2	5	3
Metria	5	—	—	—	—	—	—	—	—	—	—	1	2
Rheumatic Fever	2	—	—	—	—	—	—	—	—	1	—	—	—
Erysipelas	11	—	—	1	—	—	1	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	26	—	—	—	—	1	1	—	1	1	—	—	1
Abscess	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	1	—	—	—	—	—	—	—	1	—	—	—
Cancer	14	—	—	—	—	—	1	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	2	—	1	—	—	—	1	—	—	—	—	—	—
Tabes Mesenterica	10	—	—	2	4	1	—	—	2	—	1	—	—
Phthisis	119	1	1	2	3	2	2	2	5	6	14	15	6
Hydrocephalus	50	1	4	10	13	4	5	4	6	2	1	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	36	31	29	40	26	40	48	40	50	55	46	16	11	3	1	1
SPECIFIED CAUSES	36	30	28	40	26	39	48	39	49	53	45	16	11	3	1	1
Zymotic Class	3	9	5	9	5	11	7	10	8	4	6	1	3	1	—	—
Uncertain Seat	—	3	3	2	2	5	4	1	9	9	3	1	—	—	—	—
Tubercular Class	18	10	8	12	4	2	5	—	—	1	—	—	—	—	—	—
Brain, etc.	3	2	2	4	2	2	5	7	4	4	4	—	—	—	—	—
Heart, etc.	4	2	2	2	3	1	4	3	3	—	1	2	1	—	—	—
Respiratory Organs	2	2	4	4	8	6	11	9	13	9	2	1	1	—	—	—
Digestive Organs	4	—	—	4	1	4	7	2	1	2	4	—	—	—	—	—
Urinary Organs	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Generative Organs	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	1	—	1	1	—	5	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	1	3	6	10	23	25	10	6	2	1	—
Sudden Deaths	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Violent Deaths	1	1	1	1	—	—	—	—	1	—	—	1	—	—	—	1
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	—	—	—	—	1	2	1	2	1	2	1	1	1	1	—	—
Dysentery	1	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	1	1	1	1	2	1	3	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	1	6	4	8	3	6	5	5	1	1	2	—	—	—	—	—
Metria	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	1	1	—	1	—	1	4	—	—	—	1	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	2	1	1	—	1	3	—	6	7	—	—	—	—	—	—
Abscess	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—
Cancer	—	1	2	1	2	3	1	1	1	—	1	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	18	10	8	12	4	2	5	—	—	1	—	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	—	—	2	—	—	—	—	2	—	1	—	—
Apoplexy	17	—	—	—	—	—	—	—	—	1	—	—	—
Paralysis	13	—	—	—	—	—	1	—	—	—	—	1	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	4	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	25	15	2	1	6	—	—	—	—	—	—	—	—
Brain Disease	10	—	—	—	1	1	—	—	1	1	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	36	1	—	—	—	—	—	1	—	1	1	2	2
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	56	—	—	5	2	1	1	1	1	—	1	—	1
Pleurisy	4	—	—	—	—	—	—	—	—	—	—	1	—
Pneumonia	21	3	2	—	1	—	1	1	1	1	—	—	—
Asthma	10	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	6	—	—	—	—	—	—	—	—	—	—	1	1
VII. Teething	12	—	—	3	7	1	—	—	1	—	—	—	—
Quinsey	1	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	7	2	1	—	—	—	—	—	—	—	—	1	1
Peritonitis	6	1	—	—	—	—	—	1	—	—	—	1	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	3	—	—	—	2	—	—	—	1	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	8	—	—	—	—	1	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	9	2	1	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	3	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	1	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	1	—	—	1	—	—	—
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	2	—	—	—	—	—	—	—	—	—	—	—	1
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	—	—	—	—	—	1	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	1	—	—	—	—	—	1	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	4	—	—	—	—	—	—	—	—	—	—	1	—
Not Specified	13	1	—	2	—	—	—	1	1	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy	—	—	—	1	2	2	4	3	2	1	1	—	—	—	—	—	
Paralysis	—	—	—	—	—	—	1	3	1	3	3	—	—	—	—	—	
Delirium Tremens	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	2	—	2	—	—	—	1	1	—	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	4	2	2	2	3	1	4	3	3	—	1	2	1	—	—	—	
Laryngitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	—	—	1	1	3	3	7	7	9	9	2	1	—	—	—	—	
Pleurisy	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	
Pneumonia	1	2	1	1	—	1	2	1	1	—	—	—	1	—	—	—	
Asthma	—	—	—	1	3	2	1	1	2	—	—	—	—	—	—	—	
Lung Disease	1	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Peritonitis	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus	1	—	—	—	—	2	2	1	—	—	1	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	
Stomach Disease	1	—	—	—	—	1	2	—	—	—	2	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	
Liver Disease	—	—	—	2	1	—	—	1	1	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Joint Disease	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	
Not Specified	—	1	1	—	—	1	—	1	1	2	1	—	—	—	—	—	

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1320	117	36	101	138	74	55	25	76	37	55	35	34
SPECIFIED CAUSES	1220	64	23	87	129	73	53	24	76	36	55	34	33
I. Zymotic Class	294	7	6	33	65	45	28	15	30	6	6	5	7
II. Diseases of Uncertain Seat	56	4	1	1	1	—	—	—	3	—	3	—	—
III. Tubercular Class	273	1	5	20	18	16	10	5	29	20	33	22	12
IV. Brain and Nervous System	92	1	1	1	1	—	2	—	3	3	5	2	3
V. Organs of Circulation	29	—	—	—	—	—	—	—	—	—	—	—	1
VI. Respiratory Organs	136	3	6	7	9	4	5	3	3	—	2	3	6
VII. Organs of Digestion	113	7	1	22	33	2	5	1	3	4	3	1	3
VIII. Urinary Organs	10	—	—	—	—	—	—	—	1	—	—	1	—
IX. Organs of Generation	6	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	7	—	—	—	—	—	—	—	—	2	1	—	1
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	4	3	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	33	33	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	29	5	2	3	1	5	3	—	3	—	—	—	—
XV. Age	120	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	5	—	—	—	—	—	—	—	—	1	—	—	—
XVII. Violent Deaths	12	—	—	—	1	1	—	—	1	—	2	—	—
I. Small Pox	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles	68	—	1	15	21	20	1	5	5	—	—	—	—
Scarlatina	45	—	—	2	7	8	10	5	8	3	2	—	—
Hooping Cough	29	1	1	3	15	4	5	—	—	—	—	—	—
Croup	22	—	—	2	8	6	2	1	3	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	39	3	3	8	8	3	3	—	—	1	—	—	—
Dysentery	13	—	—	2	3	—	1	—	—	—	—	—	—
Cholera	6	1	—	—	—	—	—	—	1	—	—	—	1
Influenza	4	—	—	—	1	—	—	1	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	6	—	—	—	—	—	3	2	1	—	—	—	—
Infantile Fever	5	—	1	—	2	—	1	—	1	—	—	—	—
Typhus	45	—	—	—	—	3	2	1	11	2	4	4	5
Metria	5	—	—	—	—	—	—	—	—	—	—	1	1
Rheumatic Fever	1	—	—	—	—	1	—	—	—	—	—	—	—
Erysipelas	5	1	—	1	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	1	—	—	—	—	—	—	1	—	—	—	—
Dropsy	30	—	—	—	—	—	—	—	2	—	3	—	—
Abscess	4	2	1	1	—	—	—	—	—	—	—	—	—
Ulcer	4	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	13	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	8	—	—	—	1	—	—	—	—	2	1	1	—
Tabes Mesenterica	9	—	—	2	—	1	—	2	3	1	—	—	—
Phthisis	209	—	4	5	10	6	5	3	17	15	32	21	12
Hydrocephalus	47	1	1	13	7	9	5	—	9	2	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.		BOTH SEXES.											
		ALL AGES.	AGE UNDER										
			MONTHS.			2	3	4	5	10	15	20	25
3	6	12											
IV. Cephalitis	5	—	1	—	—	—	1	—	2	—	1	—	—
Apoplexy	24	—	—	—	—	—	—	—	—	1	2	1	1
Paralysis	38	—	—	—	—	—	—	—	—	—	1	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	—	1	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	3	—	—	—	—	—	—	—	1	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	1	—	1	1	—	—	—	—	1	—	—	—
Brain Disease	14	—	—	—	—	—	1	—	—	1	1	—	2
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	28	—	—	—	—	—	—	—	—	—	—	—	1
VI. Laryngitis	2	—	—	—	1	—	—	1	—	—	—	—	—
Bronchitis	64	3	4	5	6	1	2	1	1	—	—	1	2
Pleurisy	3	—	—	—	—	—	—	—	—	—	—	1	—
Pneumonia	29	—	2	2	2	3	2	1	2	—	1	—	2
Asthma	29	—	—	—	—	—	—	—	—	—	—	—	2
Lung Disease	9	—	—	—	—	—	1	—	—	—	1	1	—
VII. Teething	48	—	—	18	30	—	—	—	—	—	—	—	—
Quinsey	1	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis	6	—	—	1	1	—	2	—	—	—	—	—	—
Enteritis	24	4	1	2	2	—	2	—	1	3	1	—	1
Peritonitis	3	—	—	—	—	—	—	—	1	—	—	—	2
Ascites	3	—	—	—	—	—	—	—	—	—	—	1	—
Ulceration of Intestines	2	—	—	—	—	—	1	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	—	—	1	—	—	—	1	1	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	5	1	—	—	—	1	—	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	5	—	—	—	—	—	—	1	—	—	1	—	—
Jaundice	2	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	11	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	3	—	—	—	—	—	—	—	1	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	—	—	—	—	—	1	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	3	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	3	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	4	—	—	—	—	—	—	—	—	2	1	—	1
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	—	1	—	—	—	—	—	—	—	—	—	—
Other Malformations	3	3	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	—	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	6	—	—	—	1	—	—	—	1	—	2	—	—
Fracture and Contusion	3	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	100	53	13	14	9	1	2	1	—	1	—	1	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1855.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	671	72	19	56	69	39	30	15	43	23	31	21	15
SPECIFIED CAUSES	616	37	11	51	68	38	29	14	43	23	31	21	15
I. Zymotic Class	160	6	5	17	38	25	13	10	15	4	2	3	3
II. Diseases of Uncertain Seat	23	3	—	1	—	—	—	—	2	—	3	—	—
III. Tubercular Class	143	—	3	11	12	8	5	2	18	14	18	12	6
IV. Brain and Nervous System	48	—	—	—	—	—	2	—	2	2	3	1	1
V. Organs of Circulation	17	—	—	—	—	—	—	—	—	—	—	—	1
VI. Respiratory Organs	78	1	2	6	6	1	3	2	2	—	—	3	3
VII. Organs of Digestion	50	5	—	14	10	1	4	—	—	1	2	1	—
VIII. Urinary Organs	8	—	—	—	—	—	—	—	—	—	—	1	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	4	—	—	—	—	—	—	—	—	1	1	—	1
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	19	19	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	15	1	1	2	1	2	2	—	3	—	—	—	—
XV. Age	39	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	—	—	—	—	—	—	1	—	—	—
XVII. Violent Deaths	6	—	—	—	1	1	—	—	1	—	2	—	—
I. Small Pox	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles	43	—	1	7	12	15	1	4	3	—	—	—	—
Scarlatina	19	—	—	1	3	4	3	3	3	2	—	—	—
Hooping Cough	18	—	1	2	9	4	2	—	—	—	—	—	—
Croup	8	—	—	2	4	—	1	—	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	22	3	2	3	6	1	2	—	—	—	—	—	—
Dysentery	5	—	—	1	2	—	1	—	—	—	—	—	—
Cholera	6	1	—	—	—	—	—	—	1	—	—	—	1
Influenza	3	—	—	—	1	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	3	—	—	—	—	—	1	2	—	—	—	—	—
Infantile Fever	4	—	1	—	1	—	1	—	1	—	—	—	—
Typhus	25	—	—	—	—	1	1	1	6	2	2	3	2
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	1	—	1	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	1	—	—	—	—	—	—	1	—	—	—	—
Dropsy	13	—	—	—	—	—	—	—	1	—	3	—	—
Abscess	2	1	—	1	—	—	—	—	—	—	—	—	—
Ulcer	3	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	3	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	5	—	—	—	1	—	—	—	—	1	1	1	—
Tabes Mesenterica	3	—	—	1	—	—	—	1	—	1	—	—	—
Phthisis	109	—	2	4	7	3	2	1	12	11	17	11	6
Hydrocephalus	26	—	1	6	4	5	3	—	6	1	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1855.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	14	20	19	13	17	21	28	33	27	22	13	9	1	1	-	-
SPECIFIED CAUSES	14	20	19	13	16	20	27	33	27	22	13	9	1	1	-	-
Zymotic Class	2	3	2	1	2	3	1	1	1	-	2	1	-	-	-	-
Uncertain Seat	-	2	1	1	-	2	3	3	2	-	-	-	-	-	-	-
Tubercular Class	6	7	7	4	3	3	2	-	-	1	-	1	-	-	-	-
Brain, etc.	3	1	2	3	1	5	6	11	2	2	-	-	-	1	-	-
Heart, etc.	2	1	3	1	-	3	2	1	3	-	-	-	-	-	-	-
Respiratory Organs	1	3	4	3	3	3	9	9	9	4	1	-	-	-	-	-
Digestive Organs	-	2	-	-	2	-	3	4	1	-	-	-	-	-	-	-
Urinary Organs	-	-	-	-	1	-	-	1	2	3	-	-	-	-	-	-
Generative Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotive Organs	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Malformation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Debility	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophy	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
Age	-	-	-	-	-	-	-	3	7	11	10	7	1	-	-	-
Sudden Deaths	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Violent Deaths	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Small Pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping Cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrush	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Dysentery	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	2	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-
Metria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dropsy	-	1	-	1	-	1	2	2	2	-	-	-	-	-	-	-
Abscess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tabes Mesenterica	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis	6	6	7	4	3	3	2	-	-	1	-	1	-	-	-	-
Hydrocephalus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	3	—	—	—	—	—	1	—	1	—	1	—	—
Apoplexy	12	—	—	—	—	—	—	—	—	—	1	1	—
Paralysis	20	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	2	—	—	—	—	—	—	—	1	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	1	—	—	—	—	—	—	—	—	1	—	—	—
Brain Disease	8	—	—	—	—	—	1	—	—	1	1	—	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	17	—	—	—	—	—	—	—	—	—	—	—	1
VI. Laryngitis	1	—	—	—	—	—	—	1	—	—	—	—	—
Bronchitis	37	1	—	4	5	—	2	—	1	—	—	1	—
Pleurisy	2	—	—	—	—	—	—	—	—	—	—	1	—
Pneumonia	19	—	2	2	1	1	—	1	1	—	—	—	2
Asthma	13	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	6	—	—	—	—	—	1	—	—	—	—	1	—
VII. Teething	21	—	—	12	9	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	5	—	—	—	1	—	2	—	—	—	—	—	—
Enteritis	6	2	—	2	—	—	1	—	—	—	—	—	—
Peritonitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	3	—	—	—	—	—	—	—	—	—	—	1	—
Ulceration of Intestines	1	—	—	—	—	—	1	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	2	—	—	—	—	—	—	—	—	1	1	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	1	—	—	—	1	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	1	—	—
Jaundice	2	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	2	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	—	—	—	—	—	1	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	3	—	—	—	—	—	—	—	—	1	1	—	1
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	2	2	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	—	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	4	—	—	—	1	—	—	—	1	—	2	—	—
Fracture and Contusion	1	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	55	35	8	5	1	1	1	1	—	—	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	649	45	17	45	69	35	25	10	33	14	24	14	19
SPECIFIED CAUSES	604	27	12	36	61	35	24	10	33	13	24	13	18
I. Zymotic Class	134	1	1	16	27	20	15	5	15	2	4	2	4
II. Diseases of Uncertain Seat	33	1	1	—	1	—	—	—	1	—	—	—	—
III. Tubercular Class	130	1	2	9	6	8	5	3	11	6	15	10	6
IV. Brain and Nervous System	44	1	1	1	1	—	—	—	1	1	2	1	2
V. Organs of Circulation	12	—	—	—	—	—	—	—	—	—	—	—	—
VI. Respiratory Organs	58	2	4	1	3	3	2	1	1	—	2	—	3
VII. Organs of Digestion	63	2	1	8	23	1	1	1	3	3	1	—	3
VIII. Urinary Organs	2	—	—	—	—	—	—	—	1	—	—	—	—
IX. Organs of Generation	6	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	3	—	—	—	—	—	—	—	—	1	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	1	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	14	14	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	14	4	1	1	—	3	1	—	—	—	—	—	—
XV. Age	81	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	6	—	—	—	—	—	—	—	—	—	—	—	—
I. Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	25	—	—	8	9	5	—	1	2	—	—	—	—
Scarlatina	26	—	—	1	4	4	7	2	5	1	2	—	—
Hooping Cough	11	1	—	1	6	—	3	—	—	—	—	—	—
Croup	14	—	—	—	4	6	1	1	2	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	17	—	1	5	2	2	1	—	—	1	—	—	—
Dysentery	8	—	—	1	1	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	1	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	3	—	—	—	—	—	2	—	1	—	—	—	—
Infantile Fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Typhus	20	—	—	—	—	2	1	—	5	—	2	1	3
Metria	5	—	—	—	—	—	—	—	—	—	—	1	1
Rheumatic Fever	1	—	—	—	—	1	—	—	—	—	—	—	—
Erysipelas	2	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	17	—	—	—	—	—	—	—	1	—	—	—	—
Abscess	2	1	1	—	—	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	1	—	—	—	—	—	—	—	—
Cancer	10	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	3	—	—	—	—	—	—	—	—	1	—	—	—
Tabes Mesenterica	6	—	—	1	—	1	—	1	3	—	—	—	—
Phthisis	100	—	2	1	3	3	3	2	5	4	15	10	6
Hydrocephalus	21	1	—	7	3	4	2	—	3	1	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	1	—	—	—	—	—	1	—	—	—	—
Apoplexy	12	—	—	—	—	—	—	—	—	1	1	—	1
Paralysis	18	—	—	—	—	—	—	—	—	—	1	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	—	—	1	—
Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	1	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	4	1	—	1	1	—	—	—	—	—	—	—	—
Brain Disease	6	—	—	—	—	—	—	—	—	—	—	—	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	11	—	—	—	—	—	—	—	—	—	—	—	—
VI. Laryngitis	1	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	27	2	4	1	1	1	—	1	—	—	—	—	2
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	10	—	—	—	1	2	2	—	1	—	1	—	—
Asthma	16	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	3	—	—	—	—	—	—	—	—	—	1	—	—
VII. Teething	27	—	—	6	21	—	—	—	—	—	—	—	—
Quinsey	1	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	1	—	—	—	—	—	—	—	—	—
Enteritis	18	2	1	—	2	—	1	—	1	3	1	—	1
Peritonitis	3	—	—	—	—	—	—	—	1	—	—	—	2
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	1	—	—	—	—	1	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	1	—	—	—	—	—	—	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	3	—	—	—	—	—	—	1	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	7	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	—	—	—	—	—	1	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	3	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	3	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	1	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	1	—	1	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	2	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	2	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	45	18	5	9	8	—	1	—	—	1	—	1	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1355	160	58	124	190	81	50	27	81	23	38	57	49
SPECIFIED CAUSES	1211	102	45	106	170	77	45	25	76	20	37	55	48
I. Zymotic Class	391	15	24	52	93	44	34	16	40	5	6	11	12
II. Diseases of Uncertain Seat	52	2	—	1	2	2	—	3	—	3	3	3	4
III. Tubercular Class	222	4	6	17	23	11	6	4	18	9	13	20	12
IV. Brain and Nervous System	95	4	1	2	5	5	—	—	4	1	1	3	2
V. Organs of Circulation	27	—	—	—	—	1	—	—	1	2	1	2	1
VI. Respiratory Organs	118	7	9	13	8	8	2	2	5	—	4	4	6
VII. Organs of Digestion	108	8	2	19	38	2	1	—	4	—	1	4	2
VIII. Urinary Organs	3	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	9	—	—	—	—	—	—	—	—	—	1	2	3
X. Organs of Locomotion	3	—	1	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	2	2	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	52	51	—	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	22	4	2	1	1	1	2	—	2	—	1	1	2
XV. Age	65	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	6	1	—	—	—	—	—	—	—	—	—	2	—
XVII. Violent Deaths	33	1	—	—	—	3	—	—	2	—	6	3	4
I. Small Pox	116	4	14	27	31	12	9	3	4	1	1	4	4
Measles	56	1	3	6	26	6	5	4	4	—	1	—	—
Scarlatina	73	—	—	8	11	15	11	3	20	1	1	1	1
Hooping Cough	22	3	1	3	7	3	1	2	2	—	—	—	—
Croup	15	—	1	3	5	3	1	1	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	29	4	2	3	7	2	1	1	4	—	—	—	—
Dysentery	25	1	1	2	3	—	2	—	—	—	1	2	1
Cholera	2	—	—	—	1	—	—	1	—	—	—	—	—
Influenza	3	—	—	—	—	—	1	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	1	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	2	—	—	—	1	—	1	—	—	—	—	—	—
Typhus	35	—	—	—	1	3	1	1	5	—	1	1	6
Metria	4	—	—	—	—	—	—	—	—	—	—	3	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	4	—	—	—	—	—	1	—	—	2	1	—	—
Syphilis	4	2	2	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	1
Dropsy	36	2	—	1	2	2	—	3	—	3	1	2	2
Abscess	1	—	—	—	—	—	—	—	—	—	1	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	10	—	—	—	—	—	—	—	—	—	1	1	1
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	10	—	—	1	2	—	—	1	1	3	1	—	—
Tabes Mesenterica	4	1	1	—	1	—	—	—	—	1	—	—	—
Phthisis	167	1	2	4	6	5	5	2	15	5	12	20	12
Hydrocephalus	41	2	3	12	14	6	1	1	2	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	45	37	39	44	42	36	39	38	30	29	24	7	4	1	—	2
SPECIFIED CAUSES . . .	42	36	36	44	41	32	39	38	30	29	24	7	4	1	—	2
Zymotic Class . . .	7	3	3	5	3	3	3	6	2	2	2	—	—	—	—	—
Uncertain Seat . . .	—	4	4	4	1	4	3	4	2	1	2	—	—	—	—	—
Tubercular Class . . .	13	10	16	11	11	8	4	2	3	—	—	—	—	—	—	1
Brain, etc.	6	7	2	8	7	7	10	4	7	4	2	1	1	1	—	—
Heart, etc.	1	4	—	2	4	3	3	1	—	—	—	1	—	—	—	—
Respiratory Organs . . .	7	2	4	4	7	3	5	8	4	4	2	—	—	—	—	—
Digestive Organs . . .	3	1	2	8	4	2	2	2	1	1	1	—	—	—	—	—
Urinary Organs	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Generative Organs . . .	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	1	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	8	8	10	16	15	5	3	—	—	—
Sudden Deaths	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Violent Deaths	2	3	1	1	2	2	—	2	—	—	—	—	—	—	—	1
Small Pox	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	—	1	—	2	—	—	—	—	2	—	—	—	—	—	—	—
Dysentery	—	1	—	1	1	2	—	4	—	1	2	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	4	1	2	1	1	1	3	2	—	1	—	—	—	—	—	—
Metria	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	1	4	2	—	2	3	2	2	—	2	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	—	2	—	1	1	1	—	1	—	1	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Scrofula	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	13	10	15	11	11	8	4	2	3	—	—	—	—	—	—	1
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	—	—	—	3	—	—	—	—	—	—	—	—
Apoplexy	18	—	1	—	—	—	—	—	1	—	—	1	1
Paralysis	38	—	—	—	—	—	—	—	1	—	—	—	—
Delirium Tremens	4	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	2	—	—	—	—	1	—	—	—	—	—	—	—
Insanity	4	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	13	4	—	1	1	4	—	—	1	—	1	—	—
Brain Disease	12	—	—	1	1	—	—	—	1	1	—	2	1
V. Pericarditis	2	—	—	—	—	1	—	—	1	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	25	—	—	—	—	—	—	—	—	2	1	2	1
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	—	1
Bronchitis	54	5	6	7	5	4	1	—	2	—	1	—	2
Pleurisy	6	—	—	—	—	—	—	1	—	—	—	1	1
Pneumonia	45	2	3	6	3	4	1	1	3	—	2	3	2
Asthma	9	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	—	—	—	—	—	—	—	—	—	1	—	—
VII. Teething	48	1	1	17	27	2	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	3	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis	19	3	—	1	7	—	1	—	3	—	—	—	—
Peritonitis	5	—	—	—	—	—	—	—	1	—	1	1	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	1	—
Hernia	1	—	—	1	—	—	—	—	—	—	—	—	—
Ileus	2	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	13	2	1	—	2	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	5	1	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	7	—	—	—	—	—	—	—	—	—	—	2	—
Spleen Disease	1	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	8	—	—	—	—	—	—	—	—	—	1	2	3
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	1	—	1	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	2	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	3	3	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	1	—	—	—	—
Burns and Scalds	7	—	—	—	—	2	—	—	—	—	1	1	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	3	1	—	—	—	—	—	—	—	—	1	—	—
Drowning	10	—	—	—	—	—	—	—	—	—	1	1	2
Fracture and Contusion	8	—	—	—	—	1	—	—	1	—	2	1	2
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	—	—	—	—	—	—	—	—	—	1	—	—
Not Specified	144	58	13	18	20	4	5	2	5	3	1	2	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1855.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	704	89	34	74	105	43	26	13	38	12	28	31	19
SPECIFIED CAUSES	623	54	26	64	93	40	25	13	35	10	28	29	18
I. Zymotic Class	200	9	14	36	47	21	18	7	17	1	4	6	7
II. Diseases of Uncertain Seat	23	—	—	—	1	1	—	1	—	1	2	1	1
III. Tubercular Class	120	3	2	10	14	7	6	4	7	5	9	10	1
IV. Brain and Nervous System	53	1	1	1	4	2	—	—	2	1	1	1	—
V. Organs of Circulation	15	—	—	—	—	—	—	—	1	2	1	1	—
VI. Respiratory Organs	61	4	6	5	4	6	1	1	2	—	3	4	4
VII. Organs of Digestion	52	4	—	12	23	—	—	—	2	—	1	1	1
VIII. Urinary Organs	3	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	2	—	1	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	28	28	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	10	2	2	—	—	1	—	—	2	—	1	—	—
XV. Age	21	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	2	—
XVII. Violent Deaths	30	—	—	—	—	2	—	—	2	—	6	3	4
I. Small Pox	67	3	9	19	16	6	4	1	1	—	—	4	3
Measles	33	1	2	4	14	2	3	4	3	—	—	—	—
Scarlatina	36	—	—	5	4	7	6	1	10	—	1	1	1
Hooping Cough	8	1	—	2	2	2	1	—	—	—	—	—	—
Croup	9	—	1	3	4	1	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	13	2	1	1	4	1	—	1	1	—	—	—	—
Dysentery	13	1	—	2	3	—	1	—	—	—	1	1	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	1	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	—	—	1	—	—	—	—	—	—
Typhus	14	—	—	—	—	2	—	—	2	—	1	—	3
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	—	—	—	—	—	1	—	—	1	1	—	—
Syphilis	2	1	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	1
Dropsy	15	—	—	—	1	1	—	1	—	1	1	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	1	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	4	—	—	—	—	—	—	—	—	—	—	1	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	—	2	—	—	1	1	2	1	—	—
Tabes Mesenterica	1	1	—	—	—	—	—	—	—	—	—	—	—
Phthisis	88	1	1	1	5	4	5	2	5	3	8	10	1
Hydrocephalus	24	1	1	9	7	3	1	1	1	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	3	—	—	—	3	—	—	—	—	—	—	—	—
Apoplexy	10	—	1	—	—	—	—	—	1	—	—	1	—
Paralysis	23	—	—	—	—	—	—	—	1	—	—	—	—
Delirium Tremens	3	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	2	—	—	—	—	1	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	1	—	1	—	1	—	—	—	—	1	—	—
Brain Disease	5	—	—	—	1	—	—	—	—	1	—	—	—
V. Pericarditis	1	—	—	—	—	—	—	—	1	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	14	—	—	—	—	—	—	—	—	2	1	1	—
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	24	3	4	1	2	3	—	—	1	—	—	—	1
Pleurisy	4	—	—	—	—	—	—	1	—	—	—	1	1
Pneumonia	27	1	2	4	2	3	1	—	1	—	2	3	2
Asthma	3	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	3	—	—	—	—	—	—	—	—	—	1	—	—
VII. Teething	26	—	—	11	15	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	9	1	—	—	5	—	—	—	1	—	—	—	—
Peritonitis	3	—	—	—	—	—	—	—	1	—	1	—	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	1
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	1	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	6	2	—	—	2	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	3	1	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	2	—	—	—	—	—	—	—	—	—	—	1	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	1	—	1	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	2	2	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	1	—	—	—	—
Burns and Scalds	6	—	—	—	—	2	—	—	—	—	1	1	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	—	—	—	—	—	—	—	—	—	1	—	—
Drowning	10	—	—	—	—	—	—	—	—	—	1	1	2
Fracture and Contusion	7	—	—	—	—	—	—	—	1	—	2	1	2
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	—	—	—	—	—	—	—	—	—	1	—	—
Not Specified	81	35	8	10	12	3	1	—	3	2	—	2	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	651	71	24	50	85	38	24	14	43	11	10	26	30
SPECIFIED CAUSES	588	48	19	42	77	37	20	12	41	10	9	26	30
I. Zymotic Class	191	6	10	16	46	23	16	9	23	4	2	5	5
II. Diseases of Uncertain Seat	29	2	—	1	1	1	—	2	—	2	1	2	3
III. Tubercular Class	102	1	4	7	9	4	—	—	11	4	4	10	11
IV. Brain and Nervous System	42	3	—	1	1	3	—	—	2	—	—	2	2
V. Organs of Circulation	12	—	—	—	—	1	—	—	—	—	—	1	1
VI. Respiratory Organs	57	3	3	8	4	2	1	1	3	—	1	—	2
VII. Organs of Digestion	56	4	2	7	15	2	1	—	2	—	—	3	1
VIII. Urinary Organs	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	9	—	—	—	—	—	—	—	—	—	1	2	3
X. Organs of Locomotion	1	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	24	23	—	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	12	2	—	1	1	—	2	—	—	—	—	1	2
XV. Age	44	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths :	4	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths :	3	1	—	—	—	1	—	—	—	—	—	—	—
I. Small Pox :	49	1	5	8	15	6	5	2	3	1	1	—	1
Measles	23	—	1	2	12	4	2	—	1	—	1	—	—
Scarlatina	37	—	—	3	7	8	5	2	10	1	—	—	—
Hooping Cough	14	2	1	1	5	1	—	2	2	—	—	—	—
Croup	6	—	—	—	1	2	1	1	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	16	2	1	2	3	1	1	—	3	—	—	—	—
Dysentery	12	—	1	—	—	—	1	—	—	—	—	1	1
Cholera	2	—	—	—	1	—	—	1	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	1	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	1	—	—	—	—	—	—	—	—
Typhus	21	—	—	—	1	1	1	1	3	—	—	1	3
Metria	4	—	—	—	—	—	—	—	—	—	—	3	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	1	—	—	—	—	—	—	—	—	1	—	—	—
Syphilis	2	1	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	21	2	—	1	1	1	—	2	—	2	—	2	2
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	6	—	—	—	—	—	—	—	—	—	1	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	3	—	—	1	—	—	—	—	—	1	—	—	—
Tabes Mesenterica	3	—	1	—	1	—	—	—	—	1	—	—	—
Phthisis	79	—	1	3	1	1	—	—	10	2	4	10	11
Hydrocephalus	17	1	2	3	7	3	—	—	1	—	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	8	—	—	—	—	—	—	—	—	—	—	—	1
Paralysis	15	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	8	8	—	—	1	3	—	—	1	—	—	—	—
Brain Disease	7	—	—	1	—	—	—	—	1	—	—	2	1
V. Pericarditis	1	—	—	—	—	1	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	11	—	—	—	—	—	—	—	—	—	—	1	1
VI. Laryngitis	1	—	—	—	—	—	—	—	—	—	—	—	1
Bronchitis	30	2	2	6	3	1	1	—	1	—	1	—	1
Pleurisy	2	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	18	1	1	2	1	1	—	1	2	—	—	—	—
Asthma	6	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	22	1	1	6	12	2	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis	10	2	—	1	2	—	1	—	2	—	—	—	—
Peritonitis	2	—	—	—	—	—	—	—	—	—	—	1	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	—	1	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	2	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	7	—	1	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	2	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	5	—	—	—	—	—	—	—	—	—	—	1	—
Spleen Disease	1	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	8	—	—	—	—	—	—	—	—	—	1	2	3
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	1	—	—	—	—	1	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	63	23	5	8	8	1	4	2	2	1	1	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1855.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in LEITH, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	663	79	28	52	68	21	16	9	37	13	16	29	20
SPECIFIED CAUSES	559	58	21	44	60	17	14	7	33	11	15	27	18
I. Zymotic Class	121	6	7	20	26	13	7	2	16	3	1	2	2
II. Diseases of Uncertain Seat	22	—	—	—	—	—	—	—	—	—	—	3	—
III. Tubercular Class	101	3	3	7	12	2	4	3	11	3	8	11	6
IV. Brain and Nervous System	59	6	2	2	3	1	1	—	3	1	1	1	—
V. Organs of Circulation	27	3	—	—	—	—	—	—	—	—	—	2	2
VI. Respiratory Organs	81	5	6	8	11	—	2	1	2	1	2	3	2
VII. Organs of Digestion	30	1	2	7	2	—	—	—	1	2	—	1	1
VIII. Urinary Organs	12	—	—	—	—	—	—	—	—	—	1	—	—
IX. Organs of Generation	6	—	—	—	—	—	—	—	—	—	—	1	—
X. Organs of Locomotion	4	—	—	—	—	—	—	—	—	1	—	1	—
XI. Skin, etc.	3	2	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	4	4	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	24	24	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	5	—	—	—	—	—	—	—	—
XV. Age	26	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	30	4	1	—	1	1	—	1	—	—	2	2	5
I. Small Pox	10	1	1	2	2	—	—	—	2	—	1	1	—
Measles	1	—	—	—	1	—	—	—	—	—	—	—	—
Scarlatina	20	—	—	2	3	7	3	1	4	—	—	—	—
Hooping Cough	44	1	4	11	14	6	3	—	5	—	—	—	—
Croup	8	1	1	—	1	—	1	1	3	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	9	1	—	—	4	—	—	—	—	—	—	—	—
Dysentery	6	—	1	1	—	—	—	—	—	1	—	—	—
Cholera	1	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	3	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	3	1	—	1	1	—	—	—	—	—	—	—	—
Typhus	12	—	—	—	—	—	—	—	2	2	—	—	—
Metria	3	—	—	—	—	—	—	—	—	—	—	1	2
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	1	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	3	—	—	—	—	—	—	—	—	—	—	1	—
Abscess	2	—	—	—	—	—	—	—	—	—	—	1	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	14	—	—	—	—	—	—	—	—	—	—	1	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	4	—	—	—	—	—	—	2	—	1	—	1	—
Tabes Mesenterica	6	1	—	1	2	—	1	—	1	—	—	—	—
Phthisis	61	—	2	—	3	—	—	1	3	—	8	10	6
Hydrocephalus	30	2	1	6	7	2	3	—	7	2	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	10	—	1	1	—	—	1	—	—	1	1	1	—
Apoplexy	7	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	10	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	1	—	—	—	—
Epilepsy	7	1	—	—	1	—	—	—	1	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	9	5	1	—	1	1	—	—	1	—	—	—	—
Brain Disease	14	—	—	1	1	—	—	—	—	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	25	3	—	—	—	—	—	—	—	—	—	2	2
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	39	3	3	3	4	—	1	—	1	—	—	2	—
Pleurisy	6	—	—	1	1	—	—	1	—	—	—	—	—
Pneumonia	29	2	3	4	6	—	1	—	1	—	2	1	2
Asthma	1	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	6	—	—	—	—	—	—	—	—	1	—	—	—
VII. Teething	4	—	1	2	1	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	1	—
Enteritis	6	1	1	2	—	—	—	—	—	—	—	—	1
Peritonitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	—	—	1	—	—	—	—	—	1	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	—	—	—	—	—	—	1	—	—	—
Intussusception	2	—	—	2	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	5	—	—	—	—	—	—	—	1	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	4	—	—	—	1	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	6	—	—	—	—	—	—	—	—	—	1	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	5	—	—	—	—	—	—	—	—	—	—	1	—
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	4	—	—	—	—	—	—	—	—	1	—	1	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	2	2	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	4	4	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	1	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	4	—	—	—	1	1	—	1	—	—	—	—	1
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	2	—	—	—	—	—	—	—	—	—	—	—
Drowning	8	—	—	—	—	—	—	—	—	—	—	2	1
Fracture and Contusion	11	—	1	—	—	—	—	—	—	—	2	—	2
Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	104	21	7	8	8	4	2	2	4	2	1	2	2

CAUSES of DEATH in LEITH, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	1	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	
Apoplexy	1	—	—	2	—	—	2	1	—	1	—	—	—	—	—	—	
Paralysis	—	—	—	—	1	—	4	3	1	—	1	—	—	—	—	—	
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	4	2	1	—	1	1	1	1	1	—	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	2	1	2	2	1	1	2	4	—	3	—	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	1	—	1	3	2	2	4	3	3	2	1	—	—	—	—	—	
Pleurisy	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	
Pneumonia	—	3	1	—	1	1	—	—	—	1	—	—	—	—	—	—	
Asthma	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Lung Disease	—	1	—	—	2	—	—	—	—	2	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Peritonitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Jaundice	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Liver Disease	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	1	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
Fracture and Contusion	1	—	1	1	—	—	—	—	—	1	2	—	—	—	—	—	
Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	2	3	5	3	5	6	2	3	4	5	1	1	—	—	—	1	

CAUSES of DEATH in LEITH, at different Periods of Life, in 1855.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	327	43	15	27	29	10	9	6	17	8	5	17	7
SPECIFIED CAUSES	276	29	11	22	28	7	8	5	16	7	4	15	6
I. Zymotic Class	50	2	4	9	11	5	3	1	5	2	—	—	—
II. Diseases of Uncertain Seat	10	—	—	—	—	—	—	—	—	—	—	3	—
III. Tubercular Class	43	—	2	3	6	2	2	2	7	2	1	5	—
IV. Brain and Nervous System	38	4	1	2	2	—	1	—	1	1	1	1	—
V. Organs of Circulation	18	3	—	—	—	—	—	—	—	—	—	1	1
VI. Respiratory Organs	39	3	2	5	3	—	2	1	2	1	—	2	—
VII. Organs of Digestion	12	—	2	3	1	—	—	—	1	—	—	—	1
VIII. Urinary Organs	5	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	4	—	—	—	—	—	—	—	—	1	—	1	—
XI. Skin, etc.	2	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	10	10	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	5	—	—	—	—	—	—	—	—
XV. Age	13	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	21	3	—	—	—	—	—	1	—	—	2	2	4
I. Small Pox	2	—	—	1	1	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	8	—	—	—	1	4	1	1	1	—	—	—	—
Hooping Cough	20	1	3	5	6	1	2	—	2	—	—	—	—
Croup	2	1	—	—	1	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	2	—	—	1	1	—	—	—	—	—	—	—	—
Dysentery	4	—	1	—	—	—	—	—	—	1	—	—	—
Cholera	1	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	2	—	—	1	1	—	—	—	—	—	—	—	—
Typhus	9	—	—	—	—	—	—	—	2	1	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	1	—	—	—	—	—	—	—	—	—	—	1	—
Abscess	2	—	—	—	—	—	—	—	—	—	—	1	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	5	—	—	—	—	—	—	—	—	—	—	1	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	3	—	—	—	—	—	—	1	—	1	—	1	—
Tabes Mesenterica	1	—	—	—	—	—	1	—	—	—	—	—	—
Phthisis	21	—	1	—	1	—	1	1	2	—	1	4	—
Hydrocephalus	18	—	1	3	5	2	1	—	5	1	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1855.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	17	15	13	9	12	2	12	13	8	18	12	1	—	—	—	2
SPECIFIED CAUSES	17	13	10	9	8	2	11	11	6	17	12	1	—	—	—	1
Zymotic Class	—	1	1	1	1	2	—	—	—	1	—	1	—	—	—	—
Uncertain Seat	1	1	1	—	—	—	—	2	—	2	—	—	—	—	—	—
Tubercular Class	3	4	2	—	—	—	2	—	—	—	—	—	—	—	—	—
Brain, etc.	5	—	3	2	3	—	4	4	—	2	1	—	—	—	—	—
Heart, etc.	2	1	1	1	1	—	2	2	—	3	—	—	—	—	—	—
Respiratory Organs	1	3	—	1	2	—	3	2	3	3	—	—	—	—	—	—
Digestive Organs	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Urinary Organs	—	—	—	2	1	—	—	—	—	1	1	—	—	—	—	—
Generative Organs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Skin	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	—	—	2	3	8	—	—	—	—	—
Sudden Deaths	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Violent Deaths	3	3	2	—	—	—	—	—	—	—	—	—	—	—	—	1
Small Pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	1	1	1	1	2	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer	—	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	3	4	2	—	—	—	2	—	—	—	—	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	8	-	1	1	-	-	1	-	-	1	1	1	-
Apoplexy	5	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis	7	-	-	-	-	-	-	-	-	-	-	-	-
Delirium Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	5	-	-	-	1	-	-	-	1	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	4	4	-	-	-	-	-	-	-	-	-	-	-
Brain Disease	8	-	-	1	1	-	-	-	-	-	-	-	-
V. Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism	1	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	17	3	-	-	-	-	-	-	-	-	-	1	1
VI. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	21	3	1	1	1	-	1	-	1	-	-	2	-
Pleurisy	1	-	-	-	-	-	-	1	-	-	-	-	-
Pneumonia	12	-	1	4	2	-	1	-	1	-	-	-	-
Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-
Lung Disease	5	-	-	-	-	-	-	-	-	1	-	-	-
VII. Teething	1	-	1	-	-	-	-	-	-	-	-	-	-
Quinsey	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis	4	-	1	2	-	-	-	-	-	-	-	-	1
Peritonitis	1	-	-	-	-	-	-	-	-	-	-	-	-
Ascites	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	-	-	-	-	-	-	-	-	-	-	-	-	-
Ileus	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception	1	-	-	1	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	3	-	-	-	-	-	-	-	1	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	-	-	-	-	-	-	-	-	-	-	-	-	-
Jaundice	-	-	-	-	-	-	-	-	-	-	-	-	-
Liver Disease	2	-	-	-	1	-	-	-	-	-	-	-	-
Spleen Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. Nephritis	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephria	1	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	1	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	-	-	-	-	-	-	-	-	-	-	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	1	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra	1	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	1	-	-	-	-	-	-	-	-	-	-	-	-
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Arthritis	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-
Joint and Bone Disease	4	-	-	-	-	-	-	-	-	1	-	1	-
XI. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	1	1	-	-	-	-	-	-	-	-	-	-	-
XII. Cyanosis	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina Bifida	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Malformations	3	3	-	-	-	-	-	-	-	-	-	-	-
XVII. Intemperance	2	-	-	-	-	-	-	-	-	-	-	-	1
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	1	1	-	-	-	-	-	-	-	-	-	-	-
Poison	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	1	-	-	-	-	-	-	1	-	-	-	-	-
Hanging, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	2	2	-	-	-	-	-	-	-	-	-	-	-
Drowning	8	-	-	-	-	-	-	-	-	-	-	2	1
Fracture and Contusion	6	-	-	-	-	-	-	-	-	-	2	-	2
Wounds	1	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Specified	51	14	4	5	1	3	1	1	1	1	1	2	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Apoplexy	1	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—
Paralysis	—	—	—	—	1	—	3	2	—	—	1	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	3	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	2	1	—	1	1	—	2	2	—	3	—	—	—	—	—	—
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	1	—	—	1	1	—	3	2	3	—	—	—	—	—	—	—
Pleurisy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Asthma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	—	1	—	—	1	—	—	—	—	2	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Stricture of Urethra	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Fracture and Contusion	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	—	2	3	—	4	—	1	2	2	1	—	—	—	—	—	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	336	36	13	25	39	11	7	3	20	5	11	12	13
SPECIFIED CAUSES	283	29	10	22	32	10	6	2	17	4	11	12	12
I. Zymotic Class	71	4	3	11	15	8	4	1	11	1	1	2	2
II. Diseases of Uncertain Seat	12	—	—	—	—	—	—	—	—	—	—	—	—
III. Tubercular Class	58	3	1	4	6	—	2	1	4	1	7	6	6
IV. Brain and Nervous System	21	2	1	—	1	1	—	—	2	—	—	—	—
V. Organs of Circulation	9	—	—	—	—	—	—	—	—	—	—	1	1
VI. Respiratory Organs	42	2	4	3	8	—	—	—	—	—	2	1	2
VII. Organs of Digestion	18	1	—	4	1	—	—	—	—	2	—	1	—
VIII. Urinary Organs	7	—	—	—	—	—	—	—	—	—	1	—	—
IX. Organs of Generation	6	—	—	—	—	—	—	—	—	—	—	1	—
X. Organs of Locomotion	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	14	14	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	—	—	—	—	—	—	—	—	—	—	—	—	—
XV. Age	13	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	9	1	1	—	1	1	—	—	—	—	—	—	1
I. Small Pox	8	1	1	1	1	—	—	—	2	—	1	1	—
Measles	1	—	—	—	1	—	—	—	—	—	—	—	—
Scarlatina	12	—	—	2	2	3	2	—	3	—	—	—	—
Hooping Cough	24	—	1	6	8	5	1	—	3	—	—	—	—
Croup	6	—	1	—	—	—	1	1	3	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	7	1	—	1	3	—	—	—	—	—	—	—	—
Dysentery	2	—	—	1	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	3	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	3	—	—	—	—	—	—	—	—	1	—	—	—
Metria	3	—	—	—	—	—	—	—	—	—	—	1	2
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	1	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	9	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	1	—	—	—	—	—	—	1	—	—	—	—	—
Tabes Mesenterica	5	1	—	1	2	—	—	—	1	—	—	—	—
Phthisis	40	—	1	—	2	—	—	—	1	—	7	6	6
Hydrocephalus	12	2	—	3	2	—	2	—	2	1	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	2	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	3	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	1	—	—	—	—
Epilepsy	2	1	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	5	1	1	—	1	1	—	—	1	—	—	—	—
Brain Disease	6	—	—	—	—	—	—	—	—	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	8	—	—	—	—	—	—	—	—	—	—	1	1
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	18	—	2	2	3	—	—	—	—	—	—	—	—
Pleurisy	5	—	—	1	1	—	—	—	—	—	—	—	—
Pneumonia	17	2	2	—	4	—	—	—	—	—	2	1	2
Asthma	1	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	3	—	—	2	1	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	1	—
Enteritis	2	1	—	—	—	—	—	—	—	—	—	—	—
Peritonitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	—	—	1	—	—	—	—	—	1	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	—	—	—	—	—	—	—	—	1	—	—	—
Intussusception	1	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	5	—	—	—	—	—	—	—	—	—	1	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	5	—	—	—	—	—	—	—	—	—	—	1	—
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	1	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	—	1	1	—	—	—	—	—	—	1
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	5	—	1	—	—	—	—	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	53	7	3	3	7	1	1	1	3	1	—	—	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Apoplexy	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Paralysis	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	1	2	—	—	—	1	1	—	1	—	—	—	—	—	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	—	—	2	1	—	1	—	2	—	—	—	—	—	—	—	—
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	—	—	1	2	1	2	1	1	—	2	1	—	—	—	—	—
Pleurisy	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
Pneumonia	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—
Asthma	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Peritonitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Liver Disease	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	1	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	2	1	2	3	1	6	1	1	2	4	1	1	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1855.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	628	62	13	38	50	28	19	14	17	8	21	26	22
SPECIFIED CAUSES	571	48	10	31	47	25	18	14	12	8	20	25	21
I. Zymotic Class	124	9	5	12	22	10	11	8	6	3	1	—	2
II. Diseases of Uncertain Seat	20	1	—	1	—	—	—	—	—	—	—	1	1
III. Tubercular Class	112	1	1	5	11	5	6	1	3	1	13	14	8
IV. Brain and Nervous System	65	3	—	1	2	1	—	—	2	—	1	2	1
V. Organs of Circulation	24	—	—	—	—	1	—	—	—	2	2	1	2
VI. Respiratory Organs	64	5	2	7	2	6	—	3	1	—	—	1	4
VII. Organs of Digestion	43	2	2	5	9	1	—	1	—	1	—	1	—
VIII. Urinary Organs	5	—	—	—	—	—	1	—	—	—	—	—	1
IX. Organs of Generation	5	—	—	—	—	—	—	—	—	—	1	1	—
X. Organs of Locomotion	4	—	—	—	—	—	—	—	—	—	—	1	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	26	26	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	—	—	—	—	—	—	—	—	—	—	—	—	—
XV. Age	50	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	5	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	24	1	—	—	—	2	—	1	—	1	2	3	2
I. Small Pox	25	3	2	5	3	1	5	2	2	1	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	4	—	—	—	1	1	—	1	—	1	—	—	—
Hooping Cough	13	—	—	3	5	2	1	2	—	—	—	—	—
Croup	24	1	3	1	8	4	2	2	3	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	23	5	—	1	3	—	1	1	—	—	—	—	—
Dysentery	5	—	—	1	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	7	—	—	—	—	—	—	—	—	—	—	—	1
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	3	—	—	—	1	1	1	—	—	—	—	—	—
Typhus	17	—	—	—	1	1	1	—	1	1	1	—	1
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	2	—	—	1	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	7	—	—	—	—	—	—	—	—	—	—	1	—
Abscess	2	—	—	1	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	7	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	10	—	—	2	—	—	—	—	1	—	1	3	—
Tabes Mesenterica	7	—	—	—	2	2	2	—	—	—	—	—	—
Phthisis	73	—	—	—	—	1	—	—	1	1	12	11	8
Hydrocephalus	22	1	1	3	9	2	4	1	1	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	—	—	—	—	—	—	—	—	—	—	1	—
Apoplexy	23	—	—	—	1	—	—	—	—	—	—	—	—
Paralysis	24	—	—	—	—	1	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	1	1
Convulsions	5	3	—	—	1	—	—	—	1	—	—	—	—
Brain Disease	6	—	—	1	—	—	—	—	1	—	1	—	—
V. Pericarditis	3	—	—	—	—	1	—	—	—	1	1	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	21	—	—	—	—	—	—	—	—	1	1	1	2
VI. Laryngitis	1	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	38	4	1	7	1	4	—	1	1	—	—	—	1
Pleurisy	5	—	—	—	—	—	—	1	—	—	—	—	1
Pneumonia	13	1	1	—	1	1	—	1	—	—	—	1	1
Asthma	6	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	1	—	—	—	—	—	—	—	—	—	—	—	1
VII. Teething	15	—	1	4	9	1	—	—	—	—	—	—	—
Quinsey	1	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	3	1	—	—	—	—	—	1	—	—	—	—	—
Peritonitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	8	1	1	—	—	—	—	—	—	1	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	1	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	6	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	1	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	3	—	—	—	—	—	—	—	—	—	—	—	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	4	—	—	—	—	—	—	—	—	—	1	1	—
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	—	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	1	—	—	—	—	—	—	—	—	—	—	—
Drowning	5	—	—	—	—	—	—	—	—	1	1	1	—
Fracture and Contusion	12	—	—	—	—	1	—	1	—	—	1	2	2
Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	57	14	3	7	3	3	1	—	5	—	1	1	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1855.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Apoplexy	1	2	—	3	2	4	5	3	—	1	1	—	—	—	—	—	
Paralysis	3	—	1	1	1	—	1	2	6	5	3	—	—	—	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	—	—	3	—	3	1	5	1	1	1	1	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	1	3	—	—	1	3	1	1	4	—	3	1	—	—	—	—	
Pleurisy	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	
Pneumonia	—	1	1	—	—	2	—	2	—	—	—	—	—	—	—	—	
Asthma	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—	—	
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ileus	—	—	—	—	1	—	1	—	—	3	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	—	1	—	—	—	1	1	—	1	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Jaundice	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Liver Disease	1	—	—	—	1	—	3	1	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
Fracture and Contusion	2	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	
Wounds	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	2	—	1	2	3	1	3	2	4	—	—	—	—	—	—	—	

CAUSES of DEATH in PERTH, at different Periods of Life, in 1855.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	324	26	4	26	25	15	9	9	8	3	14	18	11
SPECIFIED CAUSES	294	21	3	23	24	13	9	9	5	3	13	17	10
I. Zymotic Class	65	5	2	8	9	3	4	4	2	2	1	—	1
II. Diseases of Uncertain Seat	6	1	—	1	—	—	—	—	—	—	—	—	—
III. Tubercular Class	66	—	—	4	5	4	4	1	2	—	8	10	4
IV. Brain and Nervous System	36	1	—	1	1	1	—	—	1	—	1	2	1
V. Organs of Circulation	9	—	—	—	—	1	—	—	—	1	1	—	1
VI. Respiratory Organs	34	3	—	6	2	3	—	2	—	—	—	—	2
VII. Organs of Digestion	19	1	1	3	7	—	—	1	—	—	—	1	—
VIII. Urinary Organs	4	—	—	—	—	—	1	—	—	—	—	—	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	2	—	—	—	—	—	—	—	—	—	—	1	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	9	9	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	—	—	—	—	—	—	—	—	—	—	—	—	—
XV. Age	23	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	5	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	16	1	—	—	—	1	—	1	—	—	2	3	—
I. Small Pox	9	2	—	4	1	—	—	1	—	1	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	3	—	—	—	1	1	—	—	—	1	—	—	—
Hooping Cough	4	—	—	1	3	—	—	—	—	—	—	—	—
Croup	12	1	2	1	2	1	2	2	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	15	2	—	1	2	—	—	1	—	—	—	—	—
Dysentery	3	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	5	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	1	—	—	—	—	—	1	—	—	—	—	—	—
Typhus	11	—	—	—	—	1	1	—	1	—	1	—	1
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	2	—	—	1	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	1	—	—	1	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	2	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	9	—	—	2	—	—	—	—	1	—	1	3	—
Tabes Mesenterica	4	—	—	—	1	2	1	—	—	—	—	—	—
Phthisis	41	—	—	—	—	1	—	—	—	—	7	7	4
Hydrocephalus	12	—	—	2	4	1	3	1	1	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.										
		AGE UNDER										30
		MONTHS.			2	3	4	5	10	15	20	
		3	6	12								
IV. Cephalitis	2	—	—	—	—	—	—	—	—	—	—	1
Apoplexy	12	—	—	—	1	—	—	—	—	—	—	—
Paralysis	12	—	—	—	—	1	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	—	—	—	—	—	—	—	—	1	1
Convulsions	2	1	—	—	—	—	—	—	1	—	—	—
Brain Disease	5	—	—	1	—	—	—	—	—	—	1	—
V. Pericarditis	3	—	—	—	—	1	—	—	—	1	1	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	6	—	—	—	—	—	—	—	—	—	—	1
VI. Laryngitis	1	—	—	—	1	—	—	—	—	—	—	—
Bronchitis	17	2	—	6	—	3	—	1	—	—	—	—
Pleurisy	2	—	—	—	—	—	—	1	—	—	—	—
Pneumonia	7	1	—	—	1	—	—	—	—	—	—	1
Asthma	6	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	1	—	—	—	—	—	—	—	—	—	—	1
VII. Teething	10	—	1	2	7	—	—	—	—	—	—	—
Quinsey	1	—	—	1	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	1	—	—	—	—	—	—	1	—	—	—	—
Peritonitis	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	3	1	—	—	—	—	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	1	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	1	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	1	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	1	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	1	—	—	—	—	—	—	—	—	—	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	1	1	—	—	—	—	—	—	—	—	—	—
Drowning	2	—	—	—	—	—	—	—	—	1	1	—
Fracture and Contusion	10	—	—	—	—	1	—	1	—	1	2	—
Wounds	1	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified	30	5	1	3	1	2	—	—	3	—	1	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1855.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Apoplexy	—	2	—	2	—	3	2	2	—	—	—	—	—	—	—	—
Paralysis	1	—	1	1	1	—	1	—	2	4	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	—	—	2	—	1	—	2	—	—	—	—	—	—	—	—	—
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	1	1	—	—	1	—	—	1	—	—	1	—	—	—	—	—
Pleurisy	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Pneumonia	—	1	1	—	—	1	—	1	—	—	—	—	—	—	—	—
Asthma	—	—	—	—	—	3	—	—	1	1	—	1	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	2	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—
Wounds	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	2	—	—	1	2	1	3	—	3	—	—	—	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	304	36	9	12	25	13	10	5	9	5	7	8	11
SPECIFIED CAUSES	277	27	7	8	23	12	9	5	7	5	7	8	11
I. Zymotic Class	59	4	3	4	13	7	7	4	4	1	—	—	1
II. Diseases of Uncertain Seat	14	—	—	—	—	—	—	—	—	—	—	1	1
III. Tubercular Class	46	1	1	1	6	1	2	—	1	1	5	4	4
IV. Brain and Nervous System	29	2	—	—	1	—	—	—	1	—	—	—	—
V. Organs of Circulation	15	—	—	—	—	—	—	—	—	1	1	1	1
VI. Respiratory Organs	30	2	2	1	1	2	—	1	1	—	—	1	2
VII. Organs of Digestion	24	1	1	2	2	1	—	—	—	1	—	—	—
VIII. Urinary Organs	1	—	—	—	—	—	—	—	—	—	—	—	—
IX. Organs of Generation	5	—	—	—	—	—	—	—	—	—	1	1	—
X. Organs of Locomotion	2	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	17	17	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	—	—	—	—	—	—	—	—	—	—	—	—	—
XV. Age	27	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	8	—	—	—	—	1	—	—	—	1	—	—	2
I. Small Pox	16	1	2	1	2	1	5	1	2	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	1	—	—	—	—	—	—	1	—	—	—	—	—
Hooping Cough	9	—	—	2	2	2	1	2	—	—	—	—	—
Croup	12	—	1	—	6	3	—	—	2	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	8	3	—	—	1	—	1	—	—	—	—	—	—
Dysentery	2	—	—	1	—	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	1
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	2	—	—	—	1	1	—	—	—	—	—	—	—
Typhus	6	—	—	—	1	—	—	—	—	1	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	6	—	—	—	—	—	—	—	—	—	—	1	—
Abscess	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	5	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	1	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica	3	—	—	—	1	—	1	—	—	—	—	—	—
Phthisis	32	—	—	—	—	—	—	—	1	1	5	4	4
Hydrocephalus	10	1	1	1	5	1	1	—	—	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1855.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	16	6	8	8	14	14	14	14	20	19	15	3	2	1	—	—
SPECIFIED CAUSES	16	6	7	7	13	14	14	12	19	19	15	3	2	1	—	—
Zymotic Class	2	—	—	1	1	2	—	—	3	1	—	1	—	—	—	—
Uncertain Seat	1	1	—	1	2	2	1	1	1	1	1	—	—	—	—	—
Tubercular Class	4	1	4	2	3	2	2	—	1	—	—	—	—	—	—	—
Brain, etc.	4	—	—	1	2	1	3	3	4	3	4	—	—	—	—	—
Heart, etc.	—	—	1	—	2	1	3	1	1	1	1	—	—	—	—	—
Respiratory Organs	—	2	—	—	—	4	2	1	4	1	2	1	—	—	—	—
Digestive Organs	2	2	—	—	3	1	3	2	—	3	—	—	—	—	—	—
Urinary Organs	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Generative Organs	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	1	—	3	5	8	6	1	2	1	—	—
Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths	1	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—
Small Pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—
Dysentery	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	1	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—
Abscess	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Cancer	—	1	—	—	2	—	—	1	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	4	1	3	2	2	2	2	—	1	—	—	—	—	—	—	—
Hydrocephalus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy	11	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	12	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	3	2	—	1	—	—	—	—	—	—	—	—	—
Brain Disease	1	—	—	—	—	—	—	1	—	—	—	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	15	—	—	—	—	—	—	—	1	1	1	1	—
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	21	2	1	1	1	1	—	1	—	—	—	—	1
Pleurisy	3	—	—	—	—	—	—	—	—	—	—	—	1
Pneumonia	6	—	1	—	—	1	—	1	—	—	—	1	—
Asthma	—	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	5	—	—	2	2	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	2	1	—	—	—	—	—	—	—	—	—	—	—
Peritonitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	5	—	1	—	—	—	—	—	1	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	4	—	—	—	—	—	—	—	—	1	1	—	—
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	2	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	—	—	—	1	—	—	—	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	3	—	—	—	—	—	—	—	—	1	—	—	—
Fracture and Contusion	2	—	—	—	—	—	—	—	—	—	—	—	2
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified	27	9	2	4	2	1	1	—	2	—	—	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1855.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	—	—	—	1	2	1	3	1	—	1	1	—	—	—	—	—	
Apoplexy	2	—	—	—	—	—	—	2	4	1	3	—	—	—	—	—	
Paralysis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease	—	—	1	—	2	1	3	1	1	1	1	—	—	—	—	—	
Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis	—	2	—	—	—	3	1	—	4	—	2	1	—	—	—	—	
Pleurisy	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
Pneumonia	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Asthma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Lung Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ileus	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Liver Disease	1	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Uterine Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cyanosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Malformations	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
Fracture and Contusion	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified	—	—	1	1	1	—	—	2	1	—	—	—	—	—	—	—	

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.

MEAN TEMPERATURE in 1855			DEATHS in 1855.													YEAR.
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec		
			36°	27°	36°	44°	44°	55°	60°	57°	52°	44°	40°	35°	44°·1	
Popula- tion 1851																
SCOTLAND		2,888,742	5808	7231	6520	5324	5376	4624	4474	4457	4037	4366	4374	5413	62,004	
INSULAR DISTRICTS		166,487	168	340	329	208	229	174	166	126	128	129	146	183	2,326	
MAINLAND DISTRICTS		1,714,522	2896	3835	3380	2724	2718	2326	2235	2126	2004	2180	2142	2681	31,247	
TOWN DISTRICTS		1,007,733	2744	3056	2811	2392	2429	2124	2073	2205	1905	2057	2086	2549	28,431	
DIVISIONS.																
1	Northern	127,035	157	298	255	189	217	164	126	106	112	124	123	141	2,012	
2	North-Western	175,735	219	442	361	243	252	220	183	174	158	172	157	249	2,830	
3	North-Eastern	348,366	570	744	672	549	554	417	395	411	404	390	423	510	6,039	
4	East-Midland	514,907	1000	1216	1113	827	823	722	705	695	652	701	752	896	10,102	
5	West-Midland	242,506	407	534	494	401	402	374	354	319	310	296	309	421	4,621	
6	South-Western	881,092	2332	2622	2407	2039	2137	1833	1839	1932	1597	1712	1642	2126	24,218	
7	South-Eastern	383,217	773	878	821	707	672	577	596	550	559	639	672	732	8,176	
8	Southern	215,884	350	497	397	369	319	317	276	270	245	332	296	338	4,006	
COUNTIES.																
I. NORTHERN.																
1	Shetland	31,078	30	64	83	57	57	35	28	16	22	34	38	32	496	
2	Orkney	31,455	40	75	51	40	42	37	25	29	32	21	34	33	459	
3	Caithness	39,782	54	87	65	60	79	53	40	34	42	47	37	55	653	
4	Sutherland	24,720	33	72	56	32	39	39	33	27	16	22	14	21	404	
II. NORTH-WESTERN.																
5	Ross and Cromarty	83,781	112	219	176	115	107	116	74	80	85	67	81	129	1,361	
6	Inverness	91,954	107	223	185	128	145	104	109	94	73	105	76	120	1,469	
III. NORTH-EASTERN.																
7	Nairn	8,076	14	19	18	15	9	6	6	11	9	7	3	9	126	
8	Elgin (or Moray)	40,862	65	95	68	55	50	46	42	47	51	40	43	45	647	
9	Banff	51,023	88	139	79	90	83	66	57	56	53	60	55	62	888	
10	Aberdeen	213,466	352	431	444	346	353	260	252	265	258	253	291	357	3,862	
11	Kincardine	34,939	51	60	63	43	59	39	38	32	33	30	31	37	516	
IV. EAST-MIDLAND.																
12	Forfar	193,632	468	496	466	329	352	309	294	293	279	312	347	432	4,377	
13	Perth	136,305	204	287	288	236	203	189	179	186	171	178	200	221	2,542	
14	Fife	153,789	284	374	306	235	230	200	196	182	171	172	178	207	2,735	
15	Kinross	9,626	14	21	19	8	12	10	12	13	9	13	7	8	146	
16	Clackmannan	21,555	30	38	34	19	26	14	24	21	22	26	20	28	302	
V. WEST-MIDLAND.																
17	Stirling	84,861	164	189	180	148	146	130	127	112	127	134	135	176	1,768	
18	Dumbarton	46,995	84	98	92	96	92	93	83	70	57	58	59	92	974	
19	Argyll	94,042	117	210	181	125	133	128	114	114	101	84	85	120	1,512	
20	Bute	16,608	42	37	41	32	31	23	30	23	25	20	30	33	367	
VI. SOUTH-WESTERN.																
21	Renfrew	157,950	418	479	431	369	388	339	299	364	336	300	303	396	4,422	
22	Ayr	189,973	436	501	426	341	347	304	354	320	280	312	274	381	4,276	
23	Lanark	533,169	1478	1642	1550	1329	1402	1190	1186	1248	981	1100	1065	1349	15,520	
VII. SOUTH-EASTERN.																
24	Linlithgow	30,032	58	57	62	60	51	50	53	31	39	47	34	53	595	
25	Edinburgh	260,051	579	627	601	522	489	427	439	423	414	470	550	551	6,092	
26	Haddington	36,363	59	93	74	59	39	38	53	38	54	56	38	52	653	
27	Berwick	36,165	48	69	54	42	52	38	30	43	27	32	32	48	515	
28	Peebles	10,804	15	16	17	14	21	10	9	3	15	20	7	15	162	
29	Selkirk	9,802	14	16	13	10	20	14	12	12	10	14	11	13	159	
VIII. SOUTHERN.																
30	Roxburgh	51,225	69	99	74	77	64	71	74	58	61	72	59	76	854	
31	Dumfries	81,962	141	201	161	152	126	130	97	125	96	122	124	156	1,631	
32	Kirkcudbright	39,308	71	97	86	73	69	62	59	43	55	81	65	59	820	
33	Wigtown	43,889	69	100	76	67	60	54	46	44	33	57	48	47	701	



